

Blauberg Group

Our Expansion in Europe


The last few years have seen a dramatic increase in the requirement for energy-saving ventilation products and the need for cleaner air in homes and working spaces. Blauberg Group are committed to offering the very best products, engineered for quality and value.

Due to rapid sales growth in Germany, Poland, Hungary and the UK, Blauberg Group has made significant investments in new infrastructure to support the increasing demand for ventilation products.

Stage 1. The extension of our existing Polish Distribution Centre will increase warehouse space from 45'000 sq. ft to nearly 55'000 sq. ft. This 20% increase will facilitate the storage of more products and reduce lead times for essential products.

Stage 2. The construction of a second facility is now underway for a brand-new European distribution warehouse and assembly line. This 45'000 sq. ft facility will be home to additional assembly lines for domestic extractor fans, domestic MVHR units, and commercial air handling units. Additional warehouse space will be used to support a wider range of ex-stock products for our European customers.


Stage 3. Planning has now been approved for a third facility that will allow for additional plastic injection moulding, extrusion, and more warehouse space.



STAGE 1 - Expansion of existing warehouse.

STAGE 2 - Construction of a second facility.

STAGE 3 - Construction of a third facility.



Air Monitors

Wave and View Monitors	4
------------------------	---

Extractor Fans

Calm Extractor Fans	8
Continually Running Extractor Fans	10
Bathroom Fans	12
Purge Ventilation, In-Line Fans and PIV	15
Extractor Fan Controls	18
Mechanical Extract Ventilation	19

Single Room Heat Recovery Kits

Vento Single Room Heat Recovery Units	22
Aeris Single Room Heat Recovery Units	26
Freshbox Single Room Heat Recovery Units	26
Vento External Vents for Thin Walls	28
Vento Filters	28

Domestic Heat Recovery Kits

MVHR Heat Recovery Ventilation Kits	30
Blauberg Reneo-Fit D 100 S14	34
MVHR Heat Recovery Ventilation Units	34
Passiv+ 200	35

Heat Recovery Ancillaries

Blauberg Cleanbox System	38
Blauberg Heater System	40
Controllers	42

Commercial Heat Recovery

Horizontal Ceiling Mounted MVHR Units	44
Vertically Mounted MVHR Units	46
Horizontally Mounted MVHR Units	48

Class Room Heat Recovery

Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator	52
Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator	53

Industrial Fans

Mixed Flow and Purge Ventilation	56
Centrifugal and Axial Fans	57
Electric Heater Battery	57
Roof Fans	58

Grilles and Vents

Frameless Ceiling and Wall Vents	60
Plastic and Metal Air Valves	62
External Vents and Grilles	63
Duct Vent Kits	64
Stainless Steel Vents	65

Ducting

Semi Rigid Duct System	68
Insulated Ducting	69
Plastic Manifold Boxes	70
Metal Manifold Boxes	71
Grilles and Plenums	72
Round Ducting	74
Rectangular Ducting	76
Metal Ducting	78

Hydroponics

Axial-Flo Fans	82
Centri-Flo Fans	82
Hybrid-Flo Fans	83
Silent Fans	83
In-line Fans	83

Index

Part Number Index	84
-------------------	----

Terms and Conditions

Blauberg UK Terms and Conditions	87
----------------------------------	----

Introducing our revolutionary air quality monitors.



Air you can trust. Why indoor air quality monitoring is essential for a healthy environment.

Indoor air quality (IAQ) is a vital part of maintaining a healthy and comfortable indoor environment. On average you spend 90% of your time indoors, so the quality of the air you're breathing is an important determinant of your overall health.

Poor indoor air quality can have health effects ranging from fatigue to lung cancer.

Furthermore, a building's energy efficiency and longevity are closely tied to the quality of the air inside. An efficient ventilation system improves air quality, comfort, and saves you money, particularly if you opt for an MVHR system. Secondly, a building's integrity can be affected by poor IAQ as damp and mould can cause structural damage.

To summarise the main causes of poor IAQ:

Radon gas - a naturally occurring radioactive gas originating from rocks and soil, seeping into your house through cracks in walls, floors and foundations. It is the biggest cause of lung cancer amongst non-smokers. It often goes undetected due to its invisible odourless nature.

CO₂ - a byproduct of respiration that can cause tiredness, fatigue, impair cognitive function and indicate a higher virus transmission risk.

Airborne chemicals (VOCs) - caused by furniture, cleaning products, and burning candles to name a few. VOCs irritate your eyes, nose and throat, and

can damage the nervous system and organs. Some VOCs are carcinogenic.

Particulate matter - microscopic particles caused by exhaust fumes, building sites and burning wood. It can cause lung and heart conditions.

Mould spores - from excess moisture. Mould spores can cause allergic reactions and affect your breathing. It can severely affect those with weakened immune systems.

Humidity - caused by water vapour in the atmosphere. It can lead to structural damage from mould and damp.

By opting for an indoor air quality monitor, you can find out what's in the air you breathe and find the best solution for your environment.





View Our Full Range of NEW Monitors



	Wave Mini	Wave Plus	View Plus
Radon		✓	✓
Particulate Matter			✓
Mould Risk	✓		
CO ₂		✓	✓
Humidity	✓	✓	✓
Temperature	✓	✓	✓
Airborne Chemicals (VOC)	✓	✓	✓
Pressure		✓	✓
Pollen Levels (app-enabled)	✓	✓	✓
Product Code	AIRTWM	AIRTWP	AIRTVP
Price	£105.45	£304.13	£395.83
Discount Code	2.5	2.5	2.5

Where air quality monitors can be used

Schools



- CO₂ Monitoring.
- Virus Risk Measuring.
- Occupancy Monitoring.
- Energy Monitoring.

Offices



- CO₂ Monitoring.
- Virus Risk Measuring.
- Occupancy Monitoring.
- Energy Monitoring.

Home



- Humidity Monitoring.
- Mould Risk Measuring.
- PM 1 & 2.5 Monitoring.
- CO₂ Monitoring.

How do our air quality monitors work?

Test, react, resolve.

Fill out a short form to be matched with the best monitor(s) for your requirements.

You'll receive your monitor(s) in the post and installation is easy. Monitors are battery-operated and do not need to be mounted. Simply place in each room and start measuring your air quality.

Each sensor connects wirelessly to the Blauberg Hub provided. Data is measured 24/7 and transmitted to us remotely.

After 7 days (some tests take longer), a fully detailed report is sent to you with all your room readings.

Along with the report, you'll receive expertly recommended solutions, including the best ventilation methods for your rooms.

You can choose to act on the information sent to you or simply return the kit in the prepaid box provided.

Monitors start from £100.63^{105.45}

• Scan Here >
• For More
• Information

Blauberg Domestic Extractor Fans

Blauberg offers a range of powerful, quiet and stylish extractor fans which provide high airflow rates and are available in a variety of styles and colours.

In reaction to changes in the Building Regulations, we have increased our assortment of extractor fans to include more fans that can be mounted in bathroom Zones 1 and 2. We've also developed our energy-efficient motors to further exceed Part L of the Building Regulations and decrease energy consumption.

As homes become more airtight and better insulated, whole-house ventilation solutions with higher airflow rates are now required.

Higher airflow rates are particularly important to prevent the build up of problems such as mould, condensation and damp, as well as to decrease the effect of poor air quality on our health.

Social housing, private landlords and councils are becoming increasingly aware of the effects of poor air quality, damp and mould on tenants. dMEV (decentralised mechanical extract ventilation) is becoming the preferred ventilation solution.

Continually running extractor fans are the most frequently chosen dMEV for these types of residential properties. These systems are quieter and more efficient than traditional extractor fans. Their continuous extraction is a more effective way to reduce condensation and mould risk.


Check out our Calm dMEV range for continually running extractor fans available with a range of control options and colours.

Part L of the Building Regulations stipulates that inline extractor fans are required to be more efficient. In reaction to this, Blauberg now offers inline fans with low-energy EC motors, produced at our German facility in Munich.

We also offer inline extractor fans with EC motors across our entire range of mixed flow and centrifugal products.

To explore the full range of domestic extractor fans, please browse the following pages or visit our website www.blauberg.co.uk.

• **Scan Here >**
• **For More**
• **Information**
•
•
•
•





Calm Extractor Fans - Page 8



Continually Running
Extractor Fans - Page 10



Bathroom Fans - Page 12



Purge Ventilation, In-Line Fans
and PIV - Page 15



Extractor Fan Controls - Page 18



Mechanical Extract Ventilation - Page 19

Blauberg Zone 1 Calm Range

Powerful, Silent, Extractor Fans for
Zone 1 Mounting



Zone 1 Bathroom Fans Explained

You can now mount the Blauberg Calm range of extractor fans directly into Bathroom Zones 1 & 2*.



* Must be wired to a RCD and in accordance with UK IEE Wiring Regulations.

Scan Here >
For More
Information



Extractor Fans

Calm Extractor Fans



Calm Extractor Fan 100mm			
Part Number	Variant description	Price £	Discount Code
CALM 100	Calm Zone 1 Silent Extractor Fan White Standard - 100mm	43.69	4
CALM 100 H	Calm Zone 1 Silent Extractor Fan White Humidity - 100mm	62.43	4
CALM 100 IR	Calm Zone 1 Silent Extractor Fan White PIR - 100mm	70.46	4
CALM 100 S	Calm Zone 1 Silent Extractor Fan White Pull Cord - 100mm	47.05	4
CALM 100 ST	Calm Zone 1 Silent Extractor Fan White Pull Cord & Timer - 100mm	60.22	4
CALM 100 T	Calm Zone 1 Silent Extractor Fan White Timer - 100mm	56.87	4

Part Number	Variant description	Price £	Discount Code
CALM BLACK 100	Calm Zone 1 Silent Extractor Fan Black Standard - 100mm	53.21	4
CALM BLACK 100 H	Calm Zone 1 Silent Extractor Fan Black Humidity - 100mm	73.19	4
CALM BLACK 100 IR	Calm Zone 1 Silent Extractor Fan Black PIR - 100mm	79.31	4
CALM BLACK 100 S	Calm Zone 1 Silent Extractor Fan Black - 100mm	56.57	4
CALM BLACK 100 ST	Calm Zone 1 Silent Extractor Fan Black Pull Cord & Timer - 100mm	70.64	4
CALM BLACK 100 T	Calm Zone 1 Silent Extractor Fan Black Timer - 100mm	67.23	4

Part Number	Variant description	Price £	Discount Code
CALM CHROME 100	Calm Zone 1 Silent Extractor Fan Chrome Standard - 100mm	78.07	4
CALM CHROME 100 H	Calm Zone 1 Silent Extractor Fan Chrome Humidity - 100mm	96.81	4
CALM CHROME 100 IR	Calm Zone 1 Silent Extractor Fan Chrome PIR - 100mm	104.85	4
CALM CHROME 100 S	Calm Zone 1 Silent Extractor Fan Chrome Pull Cord - 100mm	81.39	4
CALM CHROME 100 ST	Calm Zone 1 Silent Extractor Fan Chrome Pull Cord & Timer - 100mm	94.56	4
CALM CHROME 100 T	Calm Zone 1 Silent Extractor Fan Chrome Timer - 100mm	91.20	4

Part Number	Variant description	Price £	Discount Code
CALM RED 100	Calm Zone 1 Silent Extractor Fan Red Standard - 100mm	52.36	4
CALM RED 100 H	Calm Zone 1 Silent Extractor Fan Red Humidity - 100mm	72.33	4
CALM RED 100 IR	Calm Zone 1 Silent Extractor Fan Red PIR - 100mm	78.45	4
CALM RED 100 S	Calm Zone 1 Silent Extractor Fan Red Pull Cord - 100mm	55.72	4
CALM RED 100 ST	Calm Zone 1 Silent Extractor Fan Red Pull Cord & Timer - 100mm	69.79	4
CALM RED 100 T	Calm Zone 1 Silent Extractor Fan Red Timer - 100mm	66.38	4

Calm Extractor Fan 125mm			
Part Number	Variant description	Price £	Discount Code
CALM 125	Calm Zone 1 Silent Extractor Fan White Standard - 125mm	50.28	4
CALM 125 H	Calm Zone 1 Silent Extractor Fan White Humidity - 125mm	70.30	4
CALM 125 IR	Calm Zone 1 Silent Extractor Fan White PIR - 125mm	76.42	4
CALM 125 S	Calm Zone 1 Silent Extractor Fan White Pull Cord - 125mm	53.68	4
CALM 125 ST	Calm Zone 1 Silent Extractor Fan White Pull Cord & Timer - 125mm	67.70	4
CALM 125 T	Calm Zone 1 Silent Extractor Fan White Timer - 125mm	64.34	4

Part Number	Variant description	Price £	Discount Code
CALM BLACK 125	Calm Zone 1 Silent Extractor Fan Black Standard - 125mm	52.78	4
CALM BLACK 125 H	Calm Zone 1 Silent Extractor Fan Black Fan Humidity - 125mm	72.80	4
CALM BLACK 125 IR	Calm Zone 1 Silent Extractor Fan Black - 125mm	78.92	4
CALM BLACK 125 S	Calm Zone 1 Silent Extractor Fan Black Pull Cord - 125mm	56.19	4
CALM BLACK 125 ST	Calm Zone 1 Silent Extractor Fan Black Pull Cord & Timer - 125mm	70.21	4
CALM BLACK 125 T	Calm Zone 1 Silent Extractor Fan Black Timer - 125mm	109.65	4

Part Number	Variant description	Price £	Discount Code
CALM CHROME 125	Calm Zone 1 Silent Extractor Fan Chrome Standard - 125mm	113.05	4
CALM CHROME 125 H	Calm Zone 1 Silent Extractor Fan Chrome Humidity - 125mm	133.03	4
CALM CHROME 125 IR	Calm Zone 1 Silent Extractor Fan Chrome PIR - 125mm	139.19	4
CALM CHROME 125 S	Calm Zone 1 Silent Extractor Fan Chrome Pull Cord - 125mm	116.45	4
CALM CHROME 125 ST	Calm Zone 1 Silent Extractor Fan Chrome Pull Cord & Timer - 125mm	130.47	4
CALM CHROME 125 T	Calm Zone 1 Silent Extractor Fan Chrome Timer - 125mm	127.07	4

Part Number	Variant description	Price £	Discount Code
CALM RED 125	Calm Zone 1 Silent Extractor Fan Red Standard - 125mm	52.78	4
CALM RED 125 H	Calm Zone 1 Silent Extractor Fan Red Humidity - 125mm	72.80	4
CALM RED 125 IR	Calm Zone 1 Silent Extractor Fan Red PIR - 125mm	78.92	4
CALM RED 125 S	Calm Zone 1 Silent Extractor Fan Red Pull Cord - 125mm	56.19	4
CALM RED 125 ST	Calm Zone 1 Silent Extractor Fan Red Pull Cord & Timer - 125mm	70.21	4
CALM RED 125 T	Calm Zone 1 Silent Extractor Fan Red Timer - 125mm	66.85	4

Calm Extractor Fan 150mm			
Part Number	Variant description	Price £	Discount Code
CALM 150	Calm Zone 1 Silent Extractor Fan White Standard - 150mm	101.36	4
CALM 150 H	Calm Zone 1 Silent Extractor Fan White Humidity - 150mm	121.34	4
CALM 150 IR	Calm Zone 1 Silent Extractor Fan White PIR - 150mm	127.46	4
CALM 150 S	Calm Zone 1 Silent Extractor Fan White Pull Cord - 150mm	104.72	4
CALM 150 ST	Calm Zone 1 Silent Extractor Fan White Pull Cord & Timer - 150mm	118.79	4
CALM 150 T	Calm Zone 1 Silent Extractor Fan White Timer - 150mm	115.39	4

Part Number	Variant description	Price £	Discount Code
CALM BLACK 150	Calm Zone 1 Silent Extractor Fan Black Standard - 150mm	106.17	4
CALM BLACK 150 IR	Calm Zone 1 Silent Extractor Fan Black PIR - 150mm	132.26	4
CALM BLACK 150 S	Calm Zone 1 Silent Extractor Fan Black Pull Cord - 150mm	109.61	4
CALM BLACK 150 ST	Calm Zone 1 Silent Extractor Fan Black Pull Cord & Timer - 150mm	123.63	4
CALM BLACK 150 T	Calm Zone 1 Silent Extractor Fan Black Timer - 150mm	120.23	4
CALM BLACK 150 TH	Calm Zone 1 Silent Extractor Fan Black Humidity - 150mm	126.14	4

Part Number	Variant description	Price £	Discount Code
CALM CHROME 150	Calm Zone 1 Silent Extractor Fan Chrome Standard - 150mm	154.27	4
CALM CHROME 150 H	Calm Zone 1 Silent Extractor Fan Chrome Humidity - 150mm	174.25	4
CALM CHROME 150 IR	Calm Zone 1 Silent Extractor Fan Chrome PIR - 150mm	180.37	4
CALM CHROME 150 S	Calm Zone 1 Silent Extractor Fan Chrome Fan Pull Cord - 150mm	157.63	4
CALM CHROME 150 ST	Calm Zone 1 Silent Extractor Fan Chrome Pull Cord & Timer - 150mm	171.66	4
CALM CHROME 150 T	Calm Zone 1 Silent Extractor Fan Chrome Timer - 150mm	168.30	4

Part Number	Variant description	Price £	Discount Code
CALM RED 150	Calm Zone 1 Silent Extractor Fan Red Standard - 150mm	106.17	4
CALM RED 150 H	Calm Zone 1 Silent Extractor Fan Red Humidity - 150mm	126.14	4
CALM RED 150 IR	Calm Zone 1 Silent Extractor Fan Red PIR - 150mm	132.26	4
CALM RED 150 S	Calm Zone 1 Silent Extractor Fan Red Pull Cord - 150mm	109.10	4
CALM RED 150 ST	Calm Zone 1 Silent Extractor Fan Red Pull Cord & Timer - 150mm	123.63	4
CALM RED 150 T	Calm Zone 1 Silent Extractor Fan Red Timer - 150mm	120.23	4

Continually Running Extractor fans:

- Comprehensive range of continually running extractor fans for bathrooms, kitchens, wet rooms and utility rooms.
- Stylish designs in contemporary colours.
- Constant trickle operation at low speed with humidity boost and timer options.
- Fitted with highly efficient German low energy motors.
- Low running costs.

Changes to building regulations for dMEV extractor fans

In 2022 updates to Building Regulations outlined the importance of a particular type of ventilation: continually running extractor fans.

Continually running extractor fans, commonly known as dMEV, work the same as conventional extractors but run constantly at a low speed.

Typically a dMEV fan for a toilet has an extract rate of 6 l/s whereas a traditional fan would be 15 to 20 l/s. The lower continual airflow provides a higher overall rate of extraction with lower noise levels.

dMEV fans also have a boost option, the boost speed offers higher rates of air extraction when a room is occupied or when humidity levels are high.

The air permeability of a building is also a contributing factor when selecting extractor fans. If your home is fairly airtight (an air permeability of $5 \text{ m}^3/\text{hr}/\text{m}^2$ @ 50 Pa or lower) you now must use a continually running extractor fan to meet Building Regulations.

In addition, sufficient background ventilation is required to ensure fresh air can enter the room. This can be trickle vents in windows or additional passive vents installed within the room.



Scan Here >
For More
Information



Extractor Fans

Continually Running Extractor Fans

Smart Extractor Fans

- Modern extractor fans with Wi-Fi operation.
- Up to 133 m3/hour extract rate.
- Humidity and condensation sensors, timer, and additional control models.
- Silent running with variable speed control and light sensing PIR option.
- German EC motors.
- 5-year warranty.



Smart Intelligent Extractor Fan with Wi-Fi			
Part Number	Variant description	Price £	Discount Code
SMART WIFI - ICE WHITE	Smart Intelligent Extractor Fan with WiFi - White	204.17	4
SMART WIFI - GRAPHITE GREY	Smart Intelligent Extractor Fan with WiFi - Graphite Grey	204.17	4
SMART WIFI - BLACK SAPPHIRE	Smart Intelligent Extractor Fan with WiFi - Black Sapphire	204.17	4
SMART WIFI - RUBY RED	Smart Intelligent Extractor Fan with WiFi - Ruby Red	204.17	4
SMART WIFI - SILVER	Smart Intelligent Extractor Fan with WiFi - Graphite Grey	204.17	4

Smart Intelligent Fan with PIR and Wi-Fi			
Part Number	Variant description	Price £	Discount Code
SMART IR WIFI - ICE WHITE	Smart Intelligent Fan - White with PIR Sensor and wiFi	216.20	4
SMART IR WIFI - GRAPHITE GREY	Smart Intelligent Fan with PIR - Graphite Grey	231.41	4
SMART IR WIFI - BLACK SAPPHIRE	Smart Intelligent Fan with PIR - Black Sapphire	231.41	4
SMART IR WIFI - RUBY-RED	Smart Intelligent Fan with PIR - Ruby Red	231.41	4
SMART IR WIFI - SILVER	Smart Intelligent Fan with PIR - Silver	231.41	4



Calm Dmev Extractor Fan			
Part Number	Variant description	Price £	Discount Code
CALM 100 DC T	Calm dMEV Bathroom Extractor Fan White with Timer - 100mm	104.72	4
CALM 100 DC TH	Calm dMEV Bathroom Extractor Fan White with Humidity - 100mm	114.41	4
CALM 100 DC TP	Calm dMEV Bathroom Extractor Fan White with PIR - 100mm	130.05	4
CALM 100 DMEV T	Calm dMEV Bathroom Extractor Fan White with Timer - 100mm	114.71	4
CALM 100 DMEV TH	Calm dMEV Bathroom Extractor Fan White with Humidity & Timer - 100mm	125.33	4



Calm Design Extractor White Fan 100mm			
Part Number	Variant description	Price £	Discount Code
CALM DESIGN 100	Calm Design Zone 1 Silent Bathroom Extractor White Fan Standard - 100mm	61.24	4
CALM DESIGN 100 H	Calm Design Zone 1 Silent Bathroom Extractor Chrome Fan Humidity - 100mm	81.18	4
CALM DESIGN 100 S	Calm Design Zone 1 Silent Bathroom Extractor White Fan Pull Cord - 100mm	64.60	4
CALM DESIGN 100 ST	Calm Design Zone 1 Silent Bathroom Extractor White Fan Pull Cord & Timer - 100mm	78.67	4
CALM DESIGN 100 T	Calm Design Zone 1 Silent Bathroom Extractor White Fan Timer - 100mm	75.27	4



Calm Design Extractor Chrome Fan 100mm			
Part Number	Variant description	Price £	Discount Code
CALM DESIGN HI-TECH CHROME 100	Calm Design Zone 1 Silent Bathroom Extractor Chrome Fan Standard - 100mm	78.58	4
CALM DESIGN HI-TECH CHROME 100 H	Calm Design Zone 1 Silent Bathroom Extractor Chrome Fan Humidity - 100mm	98.52	4
CALM DESIGN HI-TECH CHROME 100 S	Calm Design Zone 1 Silent Bathroom Extractor Chrome Fan Pull Cord - 100mm	81.94	4
CALM DESIGN HI-TECH CHROME 100 ST	Calm Design Zone 1 Silent Bathroom Extractor Chrome Fan Pull Cord & Timer - 100mm	96.01	4
CALM DESIGN HI-TECH CHROME 100 T	Calm Design Zone 1 Silent Bathroom Extractor Chrome Fan Timer - 100mm	92.61	4

Extractor Fans

Bathroom Fans



Moon Bathroom Extractor Fan 100mm - White

Part Number	Variant description	Price £	Discount Code
MOON 100	Moon Zone 1 Bathroom Extractor Fan 100mm - White - Standard	43.95	4
MOON 100 12	Moon Zone 1 Bathroom Extractor Fan 100mm - White - 12v	46.33	4
MOON 100 H	Zone 1	63.92	4
MOON 100 S	Moon Zone 1 Bathroom Extractor Fan 100mm - White - Pull Cord	47.30	4
MOON 100 ST	Moon Zone 1 Bathroom Extractor Fan 100mm - White - Timer & Pull Cord	61.37	4
MOON 100 T	Moon Zone 1 Bathroom Extractor Fan 100mm - White - Timer	57.97	4

Moon Extractor Fan

Suitable for Zones 1 and 2

Our Moon extractor fan is an ultra-quiet fan due to its special air straightening gators.

Blauberg Moon has a modern design. Its flat front plate and discreet nature suit any bathroom, kitchen or shower room.

Blauberg Moon extractor fans are Building Regulation Part P, F and L compliant and are available in 240v mains voltage or with a 12v SELV transformer. This fan can be mounted within Zones 1 and 2 of bathrooms, showers or sink areas.

The fitted shutter ensures that back draughts are kept to a minimum when the fan is not in use without the need for an external shutter or draught excluder.

There are plenty of control options to choose from depending on your needs from simple 2-wire pull cord operation to timer function, and humidity and damp control options.



Features

- Stylish 100mm 4" designer bathroom, kitchen extractor fan finished in brilliant white.
- German engineered air straitening gators to reduce noise, only 25 dB(A) sound level.
- Water, moisture and condensation rated to IP44.
- Supplied with a 240v mains motor or SELV 12v transformer option for mounting in bathroom zones 1 and 2.
- Mixed flow impeller blade design enables longer duct runs to be used.
- 100mm, 4" diameter duct connection.
- An impressive 85 m3/hour extract airflow rate 24 l/s.
- Fitted with an anti-back draft shutter.
- Choose from the following control options: run on timer, pull cord and humidity sensor.
- Fitted with a German Blauberg motor and backed with a 5 year warranty.
- Can be wall or ceiling mounted.
- Energy rating A+ ErP compliant and meets Building Regulations.



Trio Fan 100mm

Part Number	Variant description	Price £	Discount Code
TRIO 100	Trio Low Energy Zone 1 Bathroom Extractor Fan 100mm	25.08	4
TRIO 100 H	Trio Low Energy Zone 1 Bathroom Extractor Fan 100mm with Humidity	42.80	4
TRIO 100 T	Trio Low Energy Zone 1 Bathroom Extractor Fan 100mm with Timer	35.96	4

Trio Fan 150mm

Part Number	Variant description	Price £	Discount Code
TRIO 150	Trio Low Energy Zone 1 Bathroom Extractor Fan 150 mm	62.09	4
TRIO 150 H	Trio Low Energy Zone 1 Bathroom Extractor Fan 150mm with Humidity	76.63	4
TRIO 150 T	Trio Low Energy Zone 1 Bathroom Extractor Fan 150mm Timer	68.68	4



Force Centrifugal Residential Fan 100mm

Part Number	Variant description	Price £	Discount Code
FORCE 100	Force Centrifugal Residential Fan 100mm - Standard	51.17	4
FORCE 100 12	Force Centrifugal Residential Fan 100mm - 12v Motor	59.12	4
FORCE 100 H	Force Centrifugal Residential Fan 100mm - Humidity	65.88	4
FORCE 100 IR	Force Centrifugal Residential Fan 100mm - PIR Detector	85.59	4
FORCE 100 S	Force Centrifugal Residential Fan 100mm - Pull Cord	54.61	4
FORCE 100 ST	Force Centrifugal Residential Fan 100mm - Timer & Pull Cord	60.99	4
FORCE 100 T	Force Centrifugal Residential Fan 100mm - Timer	57.59	4



Line-E Domestic Bathroom Extractor Fan

Part Number	Variant description	Price £	Discount Code
LINE-E-100	Line-E Domestic Bathroom Extractor Fan 100mm	18.36	4
LINE-E-100-H	Line-E Domestic Bathroom Extractor Fan with Humidity Sensor - 100mm	34.00	4
LINE-E-100-S	Line-E Domestic Bathroom Extractor Fan with Pull Cord - 100mm	21.80	4
LINE-E-100-T	Line-E Domestic Bathroom Extractor Fan with Run-on Timer - 100mm	24.61	4
LINE-E-150	Line-E Domestic Bathroom Extractor Fan 150mm	32.09	4
LINE-E-150-H	Line-E Domestic Bathroom Extractor Fan with Humidity Sensor - 150mm	47.77	4
LINE-E-150-S	Line-E Domestic Bathroom Extractor Fan with Pull Cord - 150mm	35.53	4
LINE-E-150-T	Line-E Domestic Bathroom Extractor Fan with Run-on Timer - 150mm	38.34	4



LED Shower Fan Light 100mm - 4.6w 4000k

Part Number	Variant description	Price £	Discount Code
CRYSTAL-VENT-100-4.6-4000	Blauberg Crystal-Vent LED Light Vent Grille Kit - 4.6w LED - 4000K - with Driver White & Chrome Bezel - 100mm	41.31	4
OPAL-VENT-100-4.6-4000	Blauberg Opal-Vent LED Light Vent Grille Kit - 4.6w LED - 4000K - with Driver White & Chrome Bezel - 100mm	55.80	4



Turbo Shower Fan Kit With LED Light

Part Number	Variant description	Price £	Discount Code
KIT-TUBO-100-T-DPR	Blauberg TUBO-100-T In-line Axial Extractor Fan Kit	43.73	4
KIT-TUBO-100-T-LED	Blauberg TUBO-100-T In-line Axial Extractor Fan Kit with LED Light	75.82	4



Ducto Shower Fan Kit With LED Light

Part Number	Variant description	Price £	Discount Code
KIT DUCTO 100-1	Blauberg Ducto Bathroom Shower Fan Kit 100mm with Timer	83.47	4
KIT DUCTO 100-2 LED	Blauberg Ducto Bathroom Shower Fan Kit 100mm with Timer & LED Light	139.10	4



Turbo-E In-line Shower Fan Kits

Part Number	Variant description	Price £	Discount Code
KIT-TURBO-E-100-T-DPR	Blauberg TURBO E 100-T In-line Axial Extractor Fan Kit	97.96	4
KIT-TURBO-E-100-T-LED	Blauberg TURBO E 100-T In-line Axial Extractor Fan Kit with LED Light	127.25	4

Extractor Fans

Purge Ventilation, Acoustic In-line Fans and PIV

Purge Ventilation

As of 2022, Building Regulations stipulate that houses must have adequate ventilation in every habitable room to prevent overheating in the summertime.

Where possible, natural ventilation solutions can be used.

In areas where this is not possible, mechanical ventilation is required.

Blauberg has a range of inline purge ventilators that are quiet and powerful. Our purge ventilators can be fitted into lofts and cupboard spaces and can be used alongside certain MVHR systems.

For more information, visit our website www.blauberg.co.uk

Scan Here >
For More
Information



Blauberg Purge Ventilators



In-Wave-EC

- Highly acoustic, sound absorbing mixed flow in-line extractor.
- Available in 100, 125 & 150 mm duct connections sizes.
- Airflow up to 600 m3/hour (167 l/s) with energy saving EC motor.



ISO-MIX-EC

- Acoustically, sound absorbing mixed flow in-line extractor.
- Available in 100, 125 & 150 mm duct connections sizes.
- Airflow up to 600 m3/hour (167 l/s) with energy saving EC motor.



ISO-RB-EC

- Extremely low noise box centrifugal in-line extractor.
- Available in 100, 125 & 150 mm duct connections sizes.
- Airflow up to 495 m3/hour (138 l/s) with energy saving EC motor.



TURBO-EC

- High performance mixed flow in-line extractor.
- Available in 100, 125 & 150 mm duct connections sizes.
- Airflow up to 602 m3/hour (167 l/s) with energy saving EC motor.

Extractor Fans

Purge Ventilation, Acoustic In-line Fans and PIV



In Wave In-Line Fan

Part Number	Variant description	Price £	Discount Code
IN-WAVE-100-125	Acoustically Insulated Mixed Flow Purge Vent In-Line Fan - 100/125 mm	132.05	2.5
IN-WAVE-150	Acoustically Insulated Mixed Flow Purge Vent In-Line Fan - 150mm	154.32	2.5
IN-WAVE-EC-100-125	Acoustically Insulated Mixed Flow Purge Vent In-Line Fan with EC Motor - 100/125mm	271.17	2.5
IN-WAVE-EC-150	Acoustically Insulated Mixed Flow Purge Vent In-Line Fan with EC Motor - 150mm	301.56	2.5



ISO-B Acoustic Centrifugal In-line Fan

Part Number	Variant description	Price £	Discount Code
ISO-B-100	ISO-B Acoustic Centrifugal In-line Fan - 100mm	177.58	2.5
ISO-B-125	ISO-B Acoustic Centrifugal In-line Fan - 125mm	178.50	2.5
ISO-B-150	ISO-B Acoustic Centrifugal In-line Fan - 150mm	189.24	2.5
ISO-B-200	ISO-B Acoustic Centrifugal In-line Fan - 200mm	215.91	2.5
ISO-B-200-MAX	ISO B Acoustic Centrifugal In-line Fan - 200mm	245.13	2.5
ISO-B-250	ISO-B Acoustic Centrifugal In-line Fan - 250mm	260.69	2.5
ISO-B-315	ISO-B Acoustic Centrifugal In-line Fan - 315mm	305.60	2.5



ISO-RB Acoustic Centrifugal In-line Fan

Part Number	Variant description	Price £	Discount Code
ISO-RB-100	ISO-RB Acoustic Centrifugal In-line Fan - 100mm	302.30	2.5
ISO-RB-125	ISO-RB Acoustic Centrifugal In-line Fan - 125mm	302.30	2.5
ISO-RB-125-MAX	ISO-RB Acoustic Centrifugal In-line Fan - 125mm Max Power	365.41	2.5
ISO-RB-150	ISO-RB Acoustic Centrifugal In-line Fan - 150mm	332.19	2.5
ISO-RB-160	ISO-RB Acoustic Centrifugal In-line Fan - 160mm	332.19	2.5
ISO-RB-200	ISO-RB Acoustic Centrifugal In-line Fan - 200mm	415.22	2.5
ISO-RB-250	ISO-RB Acoustic Centrifugal In-line Fan - 250mm	491.64	2.5
ISO-RB-315-MAX	ISO-RB Acoustic Centrifugal In-line Fan - 315mm Max Power	1142.71	2.5
ISO-RB-355	ISO-RB Acoustic Centrifugal In-line Fan - 355mm	810.52	2.5
ISO-RB-400	ISO-RB Acoustic Centrifugal In-line Fan - 400mm	1229.09	2.5
ISO-RB-450 L	ISO-RB Acoustic Centrifugal In-line Fan - 450mm L	1494.84	2.5
ISO-RB-500	ISO-RB Acoustic Centrifugal In-line Fan - 500mm	2125.97	2.5



ISO-RB EC Acoustic Centrifugal In-line Fan

Part Number	Variant description	Price £	Discount Code
ISO-RB EC 100	ISO-RB EC Acoustic Centrifugal In-line Fan - 100mm	438.59	2.5
ISO-RB EC 150	ISO-RB EC Acoustic Centrifugal In-line Fan - 150mm	557.40	2.5
ISO-RB EC 200	ISO-RB EC Acoustic Centrifugal In-line Fan - 200mm	586.62	2.5



ISO-MIX Acoustic Mixed Flow In-line Fan

Part Number	Variant description	Price £	Discount Code
ISO-MIX-100	ISO-MIX Acoustic Mixed Flow In-line Fan - 100mm	145.86	2.5
ISO-MIX-100-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 100mm	160.16	2.5
ISO-MIX-125	ISO-MIX Acoustic Mixed Flow In-line Fan - 125mm	148.71	2.5
ISO-MIX-125-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 125mm	163.02	2.5
ISO-MIX-150	ISO-MIX Acoustic Mixed Flow In-line Fan - 150mm	178.58	2.5
ISO-MIX-150-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 150mm	192.88	2.5
ISO-MIX-200	ISO-MIX Acoustic Mixed Flow In-line Fan - 200mm	208.76	2.5
ISO-MIX-200-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 200mm	223.07	2.5
ISO-MIX-250	ISO-MIX Acoustic Mixed Flow In-line Fan - 250mm	377.49	2.5
ISO-MIX-250-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 250mm	391.77	2.5
ISO-MIX-315	ISO-MIX Acoustic Mixed Flow In-line Fan - 315mm	514.75	2.5
ISO-MIX-315-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 315mm	529.06	2.5



ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor

Part Number	Variant description	Price £	Discount Code
ISO-MIX-EC-100	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 100mm	245.00	2.5
ISO-MIX-EC-125	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 125mm	248.48	2.5
ISO-MIX-EC-150	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 150mm	274.24	2.5
ISO-MIX-EC-200	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 200mm	380.03	2.5
ISO-MIX-EC-250	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 250mm	500.76	2.5
ISO-MIX-EC-315	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 315mm	686.96	2.5



Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor

Part Number	Variant description	Price £	Discount Code
TURBO-EC-100	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 100mm	230.52	4
TURBO-EC-125	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 125mm	236.17	4
TURBO-EC-150	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 150mm	264.26	4
TURBO-EC-200	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 200mm	413.31	4
TURBO-EC-250	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 250mm	506.09	4
TURBO-EC-315	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 315mm	697.21	4



Fresher Filtered Air Input Condensation Control Fan

Part Number	Variant description	Price £	Discount Code
FRESHER 50	Fresher PIV Unit Filtered Air Input Condensation Control Fan	221.73	2.5

Extractor Fans

Domestic In-line Fans



Tubo In-line Fan with Mounting Bracket

Part Number	Variant description	Price £	Discount Code
TUBO-U-100	Tubo In-line Bathroom Shower Fan with Mounting Bracket - 100mm	19.93	4
TUBO-U-100 T	Tubo In-line Bathroom Shower Fan with Mounting Bracket & Timer - 100mm	26.56	4
TUBO-U-125	Tubo In-line Bathroom Shower Fan with Mounting Bracket - 125mm	23.29	4
TUBO-U-125 T	Tubo In-line Bathroom Shower Fan with Mounting Bracket & Timer - 125mm	29.50	4
TUBO-U-150	Tubo In-line Bathroom Shower Fan with Mounting Bracket - 150mm	29.50	4
TUBO-U-150 T	Tubo In-line Bathroom Shower Fan with Mounting Bracket & Timer - 150mm	36.17	4



Ducto In-line Fan with Mounting Bracket

Part Number	Variant description	Price £	Discount Code
DUCTO-U 100	Ducto In-line Fan with Mounting Bracket - 100mm	40.80	4
DUCTO-U 125	Ducto In-line Fan with Mounting Bracket - 125mm	46.33	4
DUCTO-U 150	Ducto In-line Fan with Mounting Bracket - 150mm	78.67	4
DUCTO-U 100 T	Ducto In-line Fan with Mounting Bracket & Timer - 100mm	49.98	4
DUCTO-U 150 T	Ducto In-line Fan with Mounting Bracket & Timer - 150mm	87.81	4



Turbo-E In-line Mixed Flow Extractor Fan

Part Number	Variant description	Price £	Discount Code
TURBO-E-100	Turbo-E In-line Mixed Flow Extractor Fan - 100mm	53.63	4
TURBO-E-100-T	Turbo-E In-line Mixed Flow Extractor Fan with Run-on Timer- 100mm	69.06	4
TURBO-E-125	Turbo-E In-line Mixed Flow Extractor Fan - 125mm	49.98	4
TURBO-E-125-T	Turbo-E In-line Mixed Flow Extractor Fan with Run-on Timer- 125mm	65.45	4
TURBO-E-150	Turbo-E In-line Mixed Flow Extractor Fan - 150mm	85.17	4
TURBO-E-150-T	Turbo-E In-line Mixed Flow Extractor Fan with Run-on Timer- 150mm	100.64	4



Turbo In-line Mixed Flow High Performance Extractor Fan

Part Number	Variant description	Price £	Discount Code
TURBO-100	Turbo In-line Mixed Flow High Performance Extractor Fan - 100mm	93.75	4
TURBO-100-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 100mm	116.32	4
TURBO-125	Turbo In-line Mixed Flow High Performance Extractor Fan - 125mm	97.79	4
TURBO-125-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 125mm	120.32	4
TURBO-150	Turbo In-line Mixed Flow High Performance Extractor Fan - 150mm	123.89	4
TURBO-150-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 150mm	146.37	4
TURBO-200	Turbo In-line Mixed Flow High Performance Extractor Fan - 200mm	160.44	4
TURBO-200-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 200mm	183.05	4
TURBO-250	Turbo In-line Mixed Flow High Performance Extractor Fan - 250mm	332.90	4
TURBO-250-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 250mm	355.47	4
TURBO-315	Turbo In-line Mixed Flow High Performance Extractor Fan - 315mm	378.04	4
TURBO-315-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 315mm	400.65	4



Centro In-line Centrifugal Fan

Part Number	Variant description	Price £	Discount Code
CENTRO-100	Centro In-line Centrifugal Fan 100mm	62.80	2.5
CENTRO-100-L	Centro In-line Fan 100mm	61.49	2.5
CENTRO-125	Centro In-line Centrifugal Fan 125mm	64.11	2.5
CENTRO-125-L	Centro In-line Centrifugal Fan 125mm	62.80	2.5
CENTRO-150	Centro In-line Centrifugal Fan 150mm	71.45	2.5
CENTRO-200	Centro In-line Centrifugal Fan 200mm	95.37	2.5
CENTRO-200-MAX	Centro In-line Centrifugal Fan 200mm	105.30	2.5
CENTRO-250	Centro In-line Centrifugal Fan 250mm	113.29	2.5
CENTRO-315	Centro In-line Centrifugal Fan 315mm	129.56	2.5
CENTRO-315-MAX	Centro In-line Centrifugal Fan 315mm	146.17	2.5



CENTRO In-line Fan with EC Motor

Part Number	Variant description	Price £	Discount Code
CENTRO-EC-100	CENTRO In-line Fan with EC Motor - 100mm	180.26	2.5
CENTRO-EC-125	CENTRO In-line Fan with EC Motor - 125mm	182.01	2.5
CENTRO-EC-150	CENTRO In-line Fan with EC Motor - 150mm	187.20	2.5
CENTRO-EC-200	CENTRO In-line Fan with EC Motor - 200mm	207.98	2.5
CENTRO-EC-250	CENTRO In-line Fan with EC Motor - 250mm	240.94	2.5
CENTRO-EC-315	CENTRO In-line Fan with EC Motor - 315mm	318.91	2.5

Extractor Fans

Domestic In-line Fans



CENTRO-M In-line Fan

Part Number	Variant description	Price £	Discount Code
CENTRO-M-100	CENTRO-M In-line Fan - 100mm	84.08	2.5
CENTRO-M-100-L	CENTRO-M In-line Fan - 100mm	82.77	2.5
CENTRO-M-125	CENTRO-M In-line Fan - 125mm	85.70	2.5
CENTRO-M-125-L	CENTRO-M In-line Fan - 125mm	84.39	2.5
CENTRO-M-150	CENTRO-M In-line Fan - 150mm	99.66	2.5
CENTRO-M-200	CENTRO-M In-line Fan - 200mm	124.21	2.5
CENTRO-M-200-MAX	CENTRO-M In-line Fan - 200mm	144.07	2.5
CENTRO-M-250	CENTRO-M In-line Fan - 250mm	142.84	2.5
CENTRO-M-315	CENTRO-M In-line Fan - 315mm	176.04	2.5
CENTRO-M-315-MAX	CENTRO-M In-line Fan - 315mm	185.37	2.5
CENTRO-M-355-L	CENTRO-M In-line Fan - 355mm	388.07	2.5
CENTRO-M-400	CENTRO-M In-line Fan - 400mm	718.93	2.5
CENTRO-M-450	CENTRO-M In-line Fan - 450mm	1116.85	2.5




Centro-M Centrifugal In-Line Fan with EC Motor

Part Number	Variant description	Price £	Discount Code
CENTRO-M 100 EC	Centro-M Centrifugal In-Line Fan with EC Motor - 100mm	180.26	2.5
CENTRO-M 125 EC	Centro-M Centrifugal In-Line Fan with EC Motor - 125mm	205.96	2.5
CENTRO-M 150 EC	Centro-M Centrifugal In-Line Fan with EC Motor - 150mm	232.55	2.5
CENTRO-M 200 EC	Centro-M Centrifugal In-Line Fan with EC Motor - 200mm	239.18	2.5
CENTRO-M 200 EC MAX	Centro-M Centrifugal In-Line Fan with EC Motor - 200mm	249.14	2.5
CENTRO-M 250 EC	Centro-M Centrifugal In-Line Fan with EC Motor - 250mm	295.64	2.5
CENTRO-M 250 EC L	Centro-M Centrifugal In-Line Fan with EC Motor - 250mm	272.40	2.5
CENTRO-M 315 EC	Centro-M Centrifugal In-Line Fan with EC Motor - 315mm	365.41	2.5
CENTRO-M 315 EC MAX	Centro-M Centrifugal In-Line Fan with EC Motor - 315mm	357.63	2.5



CENTRO-MZ In-line Fan

Part Number	Variant description	Price £	Discount Code
CENTRO-MZ-100	CENTRO-MZ In-line Fan - 100mm	76.40	2.5
CENTRO-MZ-100-L	CENTRO-MZ In-line Fan - 100mm	75.09	2.5
CENTRO-MZ-125	CENTRO-MZ In-line Fan - 125mm	79.41	2.5
CENTRO-MZ-125-L	CENTRO-MZ In-line Fan - 125mm	78.10	2.5
CENTRO-MZ-150	CENTRO-MZ In-line Fan - 150mm	88.71	2.5
CENTRO-MZ-200	CENTRO-MZ In-line Fan - 200mm	100.66	2.5
CENTRO-MZ-200-MAX	CENTRO-MZ In-line Fan - 200mm	105.30	2.5
CENTRO-MZ-250	CENTRO-MZ In-line Fan - 250mm	103.65	2.5
CENTRO-MZ-315	CENTRO-MZ In-line Fan - 315mm	125.26	2.5



Extractor Fans

Extractor Fan Controls



SELV 12v Transformer				
Part Number	Variant description	Price £	Discount Code	
ATK-25 220/12 S	SELV 12v Transformer - Surface Mount with Pull Cord	91.16	4	
ATK-25 220-12	SELV 12v Transformer - Surface Mount	86.95	4	
ATK-25 220-12 T	SELV 12v Transformer - Surface Mount with Timer	104.72	4	
ATK-25 220-12 TH	SELV 12v Transformer - Surface Mount with Humidity Sensor	119.51	4	



Commercial 2-Speed Fan Controller, 3 amp				
Part Number	Variant description	Price £	Discount Code	
CDP-2-5	Commercial 2-Speed Fan Controller, 3 amp	16.49	4	



Commercial 3-Speed Fan Controller, 3 amp				
Part Number	Variant description	Price £	Discount Code	
CDP-3-5	Commercial 3-Speed Fan Controller, 3 amp	16.70	4	



Variable Fan Speed Controller for EC Motors 0-10v				
Part Number	Variant description	Price £	Discount Code	
CDT E-0-10	Variable Fan Speed Controller for EC Motors 0-10v	30.90	4	



Commercial Variable Fan Controller, 1.8 amp				
Part Number	Variant description	Price £	Discount Code	
CDT E1.8	Commercial Variable Fan Controller, 1.8 amp	40.03	4	



Fan Speed Controller				
Part Number	Variant description	Price £	Discount Code	
ETY-1.5	Fan Speed Controller 1.5 amp	51.81	4	
ETY-2.5	Fan Speed Controller 2.5 amp	59.63	4	



Fan Speed Controller				
Part Number	Variant description	Price £	Discount Code	
STL-10	Fan Speed Controller 10 amp	197.50	4	
STL-6	Fan Speed Controller 6 amp	182.07	4	
STL-3	Fan Speed Controller 3 amp	165.88	4	



Silent Fan Speed Controller				
Part Number	Variant description	Price £	Discount Code	
STR-1-1.5	1-Ph - 5-Step Auto Transformer Speed Controller - 1.5 Amps	231.95	2.5	
STR-1-10	1-Ph - 5-Step Auto Transformer Speed Controller - 10 Amps	266.59	2.5	
STR-1-2.2	1-Ph - 5-Step Auto Transformer Speed Controller - 2.2 Amps	124.06	2.5	
STR-1-3.5	1-Ph - 5-Step Auto Transformer Speed Controller - 3.5 Amps	109.91	2.5	
STR-1-5.0	1-Ph - 5-Step Auto Transformer Speed Controller - 5 Amps	150.49	2.5	
STR-1-7.5	1-Ph - 5-Step Auto Transformer Speed Controller - 7.5 Amps	184.37	2.5	



1Ph Transformer Speed Controller with Thermal Overload Protection				
Part Number	Variant description	Price £	Discount Code	
STRS-1-1.5	1-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 1.5 Amps	180.33	2.5	
STRS-1-10	1-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 10 Amps	499.87	2.5	
STRS-1-13	1-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 13 Amps	533.41	2.5	
STRS-1-2.2	1-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 2.2 Amps	191.52	2.5	
STRS-1-3.5	1-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 3.5 Amps	244.71	2.5	
STRS-1-5.0	1-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 5 Amps	249.21	2.5	
STRS-1-7.5	1-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 7.5 Amps	322.29	2.5	



3Ph Transformer Speed Controller with Thermal Overload Protection				
Part Number	Variant description	Price £	Discount Code	
STRS-4-1.5	3-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 1.5 Amps	443.25	2.5	
STRS-4-11	3-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 11 Amps	1092.67	2.5	
STRS-4-14	3-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 14 Amps	1408.98	2.5	
STRS-4-2.5	3-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 2.5 Amps	465.05	2.5	
STRS-4-4.0	3-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 4 Amps	599.19	2.5	
STRS-4-6.0	3-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 6 Amps	693.49	2.5	
STRS-4-8.0	3-Ph - 5-Step Auto Transformer Speed Controller with Thermal Overload Protection (TK) - 8 Amps	793.68	2.5	

Extractor Fans

Mechanical Extract Ventilation



The most advanced MEV range on the market

The CENTRIS-MEV unit is conceived for the extraction of stale air with variable flow rate CMV system in accordance with DIT nº 597R/18. It is a multi-position unit which can be installed horizontally and vertically, and is especially recommended for suspended ceilings thanks to its low height.

The Variable Flow Rate MEV system offers the flexibility to adjust the airflow rate based on the specific needs of a building or space, ensuring efficient and customized ventilation. Blauberg Centris Centralised Mechanical Extract Ventilation Unit is a high-quality product designed to provide centralized extraction and ventilation, effectively removing stale air and maintaining a fresh and healthy indoor environment.

- Very compact and light (manufactured in engineering polymer).
- Extraction flow rate up to 210 m³/h and pressure up to 275 Pa.
- IP X4 protection rating.
- Silent and low consumption operation.
- Home automation control.
- Connections adaptable to any duct.

• **Scan Here >**
• **For More**
• **Information**
•
•
•



Centris Centralised Mechanical Extract Ventilation Unit			
Part Number	Variant description	Price £	Discount Code
CENTRIS-MEV-210	Centris Centralised Mechanical Extract Ventilation Unit - 210 m3/h	196.55	2.5



Centris Centralised Mechanical Extract Ventilation Unit			
Part Number	Variant description	Price £	Discount Code
CENTRIS-MEV-400	Centris Centralised Mechanical Extract Ventilation Unit - 400 m3/h	309.45	2.5



Centris Centralised Mechanical Extract Ventilation Unit			
Part Number	Variant description	Price £	Discount Code
CENTRIS-MEV-440	Centris Centralised Mechanical Extract Ventilation Unit - 440 m3/h	474.09	2.5

*Only Available for CENTRIS-MEV-440 / CENTRIS-MEV-440 models





Vento Single Room Heat Recovery Units
Page 22



Aeris Single Room Heat Recovery Units
- Page 26



Freshbox Single Room Heat Recovery Units
- Page 26



Vento External Vents for thin walls
Page 28



Vento Filters
Page 28

Blauberg Vento is a revolutionary way to ventilate your home



Why homes need ventilation

Without adequate ventilation, you put your home at risk of mould and damp caused by humidity and condensation, as well as trapping in stale air which often contains CO₂, VOCs, radon, particulate matter and more.

Inadequate ventilation can have a negative impact on both your health and your home. Poor air quality can lead to health problems like COPD, lung cancer and asthma.

However, ventilating efficiently isn't easy. Cracking open windows in mid-winter can lead to heat loss and an influx of dirty air containing dust, combustibles and particulate matter.

Whilst mechanical ventilation can be a powerful way to ventilate your home, it's also a costly measure when you have to account for heat loss through the extraction process.

Blauberg MVHR Vento units are a revolutionary way to ventilate your home as they strike a balance between powerful ventilation and energy efficiency.

These units extract stale warm air and introduce fresh air from outside, which is then filtered and passed over a heat exchanger to transfer the recovered heat from the extract process into your fresh supply of air. The result is fresh, filtered warm air for maximum comfort and breathability.

All Vento units run effectively all year round, can be smartphone controlled, are home assistant compatible and Wi-Fi enabled to run on their own or collectively, should you choose to install more than one.

Depending on the unit you choose, you could recover up to 95% of heat, meaning that for every £1 spent on energy to heat the room, 95p of it can be recovered whilst maintaining ventilation.


Scan Here >
For More
Information



How do Ventos work?

Vento Maxi, Midi and Mini work in cycles. They ventilate your home year-round and recover heat in the winter and expel excess warm air in the summer, allowing you to experience a stable indoor temperature regardless of the outdoor climate.

In winter operating mode, the first cycle extracts dirty air for 70 seconds and transfers any heat to the energy core. After 70 seconds, the second cycle reverses the airflow, collects the recovered heat from the energy core and supplies fresh, filtered warm air into your home.



- Prevent condensation and control humidity.
- Extract dirty air and airborne pollutants.
- Ventilate your home 24/7.
- Recover up to 95% of lost heat and energy.
- Increase your indoor air quality.



- Reduce overheating in your home.
- Recover up to 95% of internal cooler air.
- Extract dirty air and airborne pollutants.
- Leave windows closed when cooling.
- Ventilate your home 24/7.
- Increase your indoor air quality.

The **Vento Duo** is designed for kitchens, utility rooms, wet rooms and bathrooms. They have the same capabilities as the other Vento models but contain two low-energy motors

as the heat exchanger is divided into two parts. This allows for constant extract and airflow.

Single Room Heat Recovery

Vento Units

There are four sizes of Vento units to choose from:

VENTO MINI for rooms up to 10sqm
Up to 81% heat recovery efficiency. Designed for Bedrooms and Quiet Rooms. Also fit for Garden Buildings.

VENTO MIDI for rooms up to 20sqm
Up to 95% heat recovery efficiency. Designed for Living and Dining Rooms. Also fit for Bedrooms, Living Rooms, Dining Rooms and Garden Buildings.

VENTO MAXI for rooms up to 35sqm
Up to 87% heat recovery efficiency. Designed for Kitchens and Utility Rooms. Also fit for Bedrooms, Living Rooms, Dining Rooms, Offices, Garden Buildings and Temporary and Mobile Buildings.

VENTO DUO
Up to 85% heat recovery efficiency. Designed for Toilets, Bathrooms and Wet Rooms. Also fit for Kitchens and Utilities.



Vento-Mini

- For Bedrooms, Quiet Rooms & Garden Rooms.
- Certified to recover upto 81% heat & energy.
- Control with Wi-Fi, app, Alexa or Google.
- Energy usage is as little as 1.8w.
- 5-year Blauberg warranty.

Vento Mini-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi			
Part Number	Variant description	Price £	Discount Code
VENTO-MINI-AIR-BLK	Vento Mini-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Black Cowl	398.37	2.5
VENTO-MINI-AIR-BRO	Vento Mini-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Brown Cowl	398.37	2.5
VENTO-MINI-AIR-CS	Vento Mini-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Cotswold Stone Cowl	398.37	2.5
VENTO-MINI-AIR-GRY	Vento Mini-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Grey Cowl	398.37	2.5
VENTO-MINI-AIR-TER	Vento Mini-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Terracotta Cowl	398.37	2.5
VENTO-MINI-AIR-WHI	Vento Mini-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - White Cowl	380.19	2.5




Vento-Midi

- For Living, Dining, Habitable Rooms & Bedrooms.
- Certified to recover upto 95% heat & energy.
- Control with Wi-Fi, app, Alexa or Google.
- Energy usage is as little as 4.45w.
- 5-year Blauberg warranty.

Vento Midi-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi			
Part Number	Variant description	Price £	Discount Code
VENTO-MIDI-AIR-BLK	Vento Midi-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Black Cowl	457.24	2.5
VENTO-MIDI-AIR-BRO	Vento Midi-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Brown Cowl	457.24	2.5
VENTO-MIDI-AIR-CS	Vento Midi-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Cotswold Stone	457.24	2.5
VENTO-MIDI-AIR-GRY	Vento Midi-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Grey	457.24	2.5
VENTO-MIDI-AIR-TER	Vento Midi-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - Terracotta	457.24	2.5
VENTO-MIDI-AIR-WHI	Vento Midi-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi - White Cowl	439.06	2.5

Single Room Heat Recovery

Vento Units



Vento-Maxi

- For kitchens, Utility Rooms & Larger Habitable Rooms.
- Certified to recover upto 87% heat & energy.
- Control with Wi-Fi, app, Alexa or Google.
- Energy usage is as little as 1.8w.
- 5-year Blauberg warranty.

Vento Maxi-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi

Part Number	Variant description	Price £	Discount Code
VENTO-MAXI-AIR-BLK	Vento Maxi-Air Decentralised Single Room Heat Recovery Unit - WiFi - Black Cowl	486.95	2.5
VENTO-MAXI-AIR-BRO	Vento Maxi-Air Decentralised Single Room Heat Recovery Unit - WiFi - Brown Cowl	486.95	2.5
VENTO-MAXI-AIR-CS	Vento Maxi-Air Decentralised Single Room Heat Recovery Unit - WiFi - Cotswold Stone Cowl	486.95	2.5
VENTO-MAXI-AIR-GRY	Vento Maxi-Air Decentralised Single Room Heat Recovery Unit - WiFi - Grey Cowl	486.95	2.5
VENTO-MAXI-AIR-TER	Vento Maxi-Air Decentralised Single Room Heat Recovery Unit - WiFi - Terracotta Cowl	486.95	2.5
VENTO-MAXI-AIR-WHI	Vento Maxi-Air Decentralised Single Room Heat Recovery Unit - WiFi - White Cowl	468.77	2.5



Vento-Duo

- For Toilets, bathrooms & wetrooms.
- Certified to recover upto 85% heat & energy.
- Control with Wi-Fi, app, Alexa or Google.
- Energy usage is as little as 2.1w.
- 5-year Blauberg warranty.

Vento Duo-Air Decentralised Single Room Heat Recovery Unit - Wi-Fi

Part Number	Variant description	Price £	Discount Code
VENTO-DUO-AIR-BLK	Vento Duo-Air Decentralised Single Room Heat Recovery Unit - WiFi - Black Cowl	504.56	2.5
VENTO-DUO-AIR-BRO	Vento Duo-Air Decentralised Single Room Heat Recovery Unit - WiFi - Brown Cowl	504.56	2.5
VENTO-DUO-AIR-CS	Vento Duo-Air Decentralised Single Room Heat Recovery Unit - WiFi - Cotswold Stone Cowl	504.56	2.5
VENTO-DUO-AIR-GRY	Vento Duo-Air Decentralised Single Room Heat Recovery Unit - WiFi - Grey Cowl	504.56	2.5
VENTO-DUO-AIR-TER	Vento Duo-Air Decentralised Single Room Heat Recovery Unit - WiFi - Terracotta Cowl	504.56	2.5
VENTO-DUO-AIR-WHI	Vento Duo-Air Decentralised Single Room Heat Recovery Unit - WiFi - White Cowl	486.38	2.5



Aeris Range

- Blauberg's Aeris Eco-Ventilators are our highly efficient decentralised units designed with simplicity in mind. The Aeris units are easy to control and simple to install, offering similar benefits to our Vento range but without the need for Wi-Fi or smartphone apps.
- This means they're an excellent choice for landlords who want to set up the unit and have little involvement after installation.
- The Aeris units have buttons on the side of the unit to manually control airflow rates.
- The Aeris is also a good choice for those who don't require app integration but still want an effective unit.
- Aeris units provide fresh filtered air and recover up to 90% of heat, which is traditionally wasted by extractor fans.
- You can connect up to 15 Aeris units to enable 'master' and 'slave' operation modes by hardwiring them with a 3 core cable. This enables you to ventilate multiple rooms at once and increase the overall indoor air quality of your environment.
- The Aeris wall vent is available in a range of colours to suit your interior design.

Choosing to purchase an Aeris unit allows you to benefit from the same ventilation and heat recovery performance as our other decentralised units but without the extra technical add-ons like Wi-Fi and smartphone controls.

It is advisable to use paired units to ensure balanced ventilation

**Scan Here >
For More
Information**



Single Room Heat Recovery

Aeris Midi / Freshbox



Aeris-Midi

- Wall mounted single room heat recovery unit.
- Up to 90% heat recovery rate.
- Airflow rate up to 50 m3/h (14 l/s).
- Low power consumption.
- Noise level down to 10 dB(A) @ 3m.

Aeris-Midi Decentralised Single Room Heat Recovery Unit

Part Number	Variant description	Price £	Discount Code
AERIS-MIDI-BLK	Aeris-Midi Decentralised Single Room Heat Recovery Unit - Black Cowl	430.83	2.5
AERIS-MIDI-BRO	Aeris-Midi Decentralised Single Room Heat Recovery Unit - Brown Cowl	430.83	2.5
AERIS-MIDI-CS	Aeris-Midi Decentralised Single Room Heat Recovery Unit - Cotswold Stone Cowl	430.83	2.5
AERIS-MIDI-GRY	Aeris-Midi Decentralised Single Room Heat Recovery Unit - Grey Cowl	430.83	2.5
AERIS-MIDI-TER	Aeris-Midi Decentralised Single Room Heat Recovery Unit - Terracotta Cowl	430.83	2.5
AERIS-MIDI-WHI	Aeris-Midi Decentralised Alternate Flow Heat Recovery Fan	412.65	2.5



Aeris-Mini

- Wall mounted single room heat recovery unit.
- Up to 81% heat recovery rate.
- Airflow rate up to 30 m3/h (8 l/s).
- Low power consumption.
- Noise level down to 21 dB(A) @ 3m.

Aeris-Mini Decentralised Single Room Heat Recovery Unit

Part Number	Variant description	Price £	Discount Code
AERIS-MINI-BLK	Aeris-Mini Decentralised Single Room Heat Recovery Unit - Black Cowl	386.82	2.5
AERIS-MINI-BRO	Aeris-Mini Decentralised Single Room Heat Recovery Unit - Brown Cowl	386.82	2.5
AERIS-MINI-CS	Aeris-Mini Decentralised Single Room Heat Recovery Unit - Cotswold Stone Cowl	386.82	2.5
AERIS-MINI-GRY	Aeris-Mini Decentralised Single Room Heat Recovery Unit - Grey Cowl	386.82	2.5
AERIS-MINI-TER	Aeris-Mini Decentralised Single Room Heat Recovery Unit - Terracotta Cowl	386.82	2.5
AERIS-MINI-WHI	Aeris-Mini Decentralised Single Room Heat Recovery Unit - White Cowl	368.63	2.5



Freshbox

- Wall mounted single room heat recovery unit.
- Up to 92% heat recovery rate.
- Airflow rate up to 100 m3/h (27 l/s).
- Low power consumption.
- Low noise level.

Freshbox 100 Wi-Fi Single Room Heat Recovery Unit

Part Number	Variant description	Price £	Discount Code
FRESHBOX 100 E WIFI	Freshbox 100 Wifi Single Room Heat Recovery Unit with Pre-heater	1493.40	2.5
FRESHBOX 100 E1 WIFI	Freshbox 100 Wifi Single Room Heat Recovery Unit with Re-heater	1493.40	2.5
FRESHBOX 100 E2 WIFI	Freshbox 100 Wifi Single Room Heat Recovery Unit with Pre-heater & Re-heater	1561.52	2.5
FRESHBOX 100 WIFI	Freshbox 100 Wifi Single Room Heat Recovery Unit	1427.90	2.5

Single Room Heat Recovery Ancillaries



Vento Mini-Air External Vent for Thin Walls - White

Part Number	Variant description	Price £	Discount Code
VENTO AH-S-WHITE-100	Vento Mini-Air External Vent for Thin Walls - White	78.81	2.5

Vento Midi-Air & Maxi-Air External Vent for Thin Walls - White

Part Number	Variant description	Price £	Discount Code
VENTO AH-S-WHITE-160	Vento Midi-Air & Maxi-Air External Vent for Thin Walls - White	78.81	2.5

Vento Duo-Air External Vent for Thin Walls - White

Part Number	Variant description	Price £	Discount Code
VENTO AH-S-WHITE-160-DUO	Vento Duo-Air External Vent for Thin Walls - White	78.81	2.5



F7 Cassette & G3 Disc Filter Maxi-Air & Midi-Air (Vento Expert A50-1 S10 W V.2) & (Vento Expert A100-1 S10 W V.2)

Part Number	Variant description	Price £	Discount Code
FP-VENTO-EXPERT-A50-F7	F7 Cassette & G3 Disc Filter Maxi-Air & Midi-Air (Vento Expert A50-1 S10 W V.2) & (Vento Expert A100-1 S10 W V.2)	19.55	2.5



G3 Disc Filter Maxi-Air, Midi-Air, Mini-Air (Vento Expert A50-1 S10 W V.2, Vento Expert A100-1 S10 W V.2, Expert A30) - pack of 2

Part Number	Variant description	Price £	Discount Code
FP-VENTO-EXPERT-A50-G3	G3 Disc Filter Maxi-Air, Midi-Air, Mini-Air (Vento Expert A50-1 S10 W V.2, Vento Expert A100-1 S10 W V.2, Expert A30) - pack of 2	2.52	2.4



G3 Panel Filter Vento Duo-Air (Vento Expert Duo A30-1 S10 W V.2) - pack of 2

Part Number	Variant description	Price £	Discount Code
FP-VENTO-EXPERT-DUO-A30-G3	G3 Panel Filter Vento Duo-Air (Vento Expert Duo A30-1 S10 W V.2) - pack of 2	2.52	2.4

De-Carbon Range



De-Carbon Freshbox R

Part Number	Price £	Discount Code
DE-CARBON FRESHBOX R	De-Carbon Freshbox R Semi Recessed Wall Mounted Heat Recovery Unit	1048.00 2.5



De-Carbon Freshpoint

Part Number	Price £	Discount Code
DE-CARBON FRESHPOINT	De-Carbon Freshpoint Single Room Heat Recovery Ventilator	408.72 2.5
DE-CARBON FRESHPOINT PRO	De-Carbon Freshpoint Pro Single Room Heat Recovery Ventilator	597.36 2.5



De-Carbon Hybrid

Part Number	Price £	Discount Code
DE-CARBON HYBRID	De-Carbon Hybrid DeCentralised Heat Recovery Ventilator	1388.60 2.5

FRESHBOX - Features and Controls

- Trickle, boost and purge speeds.
- Heat recovery, supply only and extract only modes.
- Tamper proof controls.
- Electric heater (option).
- Measure humidity, CO², VOC's and mould risk.
- Alarm and filter maintenance indication.

FRESHPOINT - Features and Controls

- Trickle, boost and purge speeds.
- Heat recovery, supply only and extract only modes.
- Tamper proof controls with cloud based monitoring.
- Electric heater (option).
- Measure humidity, CO², VOC's and mould risk.
- Alarm and filter maintenance indication.

HYBRID - Features and Controls

- Trickle, boost and purge speeds.
- Heat recovery, supply only and extract only modes.
- Tamper proof controls.
- Electric heater (option).
- Measure humidity, CO², VOC's and mould risk.
- Alarm and filter maintenance indication.



MVHR Heat Recovery Ventilation Kits -
Page 30



Blauberg Reneo-Fit D 100 S14
Page 34



MVHR Heat Recovery Ventilation Units
Page 34



Passiv+ 200
Page 35

Domestic Heat Recovery Ventilation

MVHR Heat Recovery Ventilation Kits

What is MVHR and how does it work?

MVHR or Mechanical Ventilation and Heat Recovery is a green ventilation solution designed for airtight homes. Blauberg's MVHR extracts stale, dirty air and delivers fresh, filtered air back into your living space.

Unlike traditional ventilation solutions, Blauberg systems have an added benefit: up to 92% of the warm air present in your home will be recovered.

You may be thinking two things: does it heat my home? Is it an air conditioning unit?

The short answer to both questions is, no.

MVHR doesn't 'heat' your home in the traditional sense. The warm, stale air is extracted and passed through a heat exchanger. The heat exchanger transfers this heat to the fresh air supply from outside, then it's supplied into your house as fresh, warm air.

As for air conditioning, MVHR filters your air but does not cool down your property. However, we do offer a cooler as an add-on, which offers whole house cooling (of up to 7 degrees) which you can discuss with our engineer.

Why is MVHR needed?

As technology advances, houses are becoming more airtight and require ventilation. Added to this, homeowners are becoming more climate conscious.

The average house produces six litres of water each day, largely in the form of steam, which you don't want to keep contained in your house.

Blauberg's MVHR systems bridge the gap between mechanical ventilation and true energy efficiency.

.....
: **Using MVHR you could recover up to**
: **92% of heat, meaning that for every**
: **£1 spent on energy to heat your home,**
: **92p of it can be recovered whilst**
: **maintaining ventilation.**
:
:

.....
: **Scan Here >**
: **For More**
: **Information**
:
:




How a MVHR kit is installed



Domestic Heat Recovery Ventilation

MVHR Heat Recovery Ventilation Kits



Installing an MVHR system will help you to:

- Filter the air in your home so it's free from pollutants, encouraging a healthier living environment.
- Reduce energy bills and carbon footprint.
- Ventilate your home without losing heat.
- Prevent damp and mould caused by water vapour in the home from daily activities like cooking and showering.

Additional benefits of Blauberg ventilation systems:

- Silent in-room ventilation.
- Google Home and Alexa compatibility.
- Controlled via your smartphone.
- Sleek design.
- Customisable.
- Industry leading efficiency.

Domestic Heat Recovery Ventilation

MVHR Heat Recovery Ventilation Kits



2-3 Bed Apartment MVHR Kit

- Low profile MVHR Unit with built-in controls.
- Upto 92% rate recovery rate with energy saving German EC motors.
- Complete kit with ducting, vents and connectors.
- 5-year Blauberg warranty.

Complete Horizontal MVHR Heat Recovery Ventilation Kit

Part Number	Variant description	Price £	Discount Code
EC-D5B-180-AK2	Komfort 2-Bed Flat or Apartment, Complete Horizontal MVHR Heat Recovery Ventilation Kit	2185.39	2.5
EC-D5B-180-AK3	Komfort 3-Bed Flat or Apartment, Complete Horizontal MVHR Heat Recovery Ventilation Kit	2497.33	2.5
EC-D5B-180-HK3	Komfort 3-Bed House, Complete Horizontal MVHR Heat Recovery Ventilation Kit	2492.62	2.5
EC-D5B-180-HK4	Komfort 4-Bed House, Complete Horizontal MVHR Heat Recovery Ventilation Kit	2763.89	2.5



2-3 Bed House MVHR Kit

- Loft/cupboard MVHR Unit with built-in controls.
- Upto 86% rate recovery rate with energy saving German EC motors.
- Complete kit with ducting, vents and connectors.
- 5-year Blauberg warranty.

Complete Vertical MVHR Heat Recovery Ventilation Kit

Part Number	Variant description	Price £	Discount Code
EC-S5B-270-AK2	Komfort 2-Bed Flat or Apartment, Complete Vertical MVHR Heat Recovery Ventilation Kit	2222.18	2.5
EC-S5B-270-AK3	Komfort 3-Bed Flat or Apartment, Complete Vertical MVHR Heat Recovery Ventilation Kit	2370.24	2.5
EC-S5B-270-HK3	Komfort 3-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	2370.24	2.5
EC-S5B-270-HK4	Komfort 4-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	2623.01	2.5



2-3 Bed House Low Noise MVHR Kit with Wi-Fi

- Premium low noise MVHR unit with Wi-Fi control.
- Upto 92% rate recovery rate with energy saving German EC motors.
- Complete kit with ducting, vents and connectors.
- 5-year Blauberg warranty.

Komfort 160 MVHR Heat Recovery Ventilation Kit

Part Number	Variant description	Price £	Discount Code
EC-SB-160-AK2	Komfort 2-Bed Flat or Apartment, Complete Vertical MVHR Heat Recovery Ventilation Kit	3589.35	2.5
EC-SB-160-AK3	Komfort 3-Bed Flat or Apartment, Complete Vertical MVHR Heat Recovery Ventilation Kit	3737.40	2.5
EC-SB-160-HK2	Komfort 2-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	2711.75	2.5
EC-SB-160-HK3	Komfort 3-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	3672.09	2.5

Domestic Heat Recovery Ventilation

MVHR Heat Recovery Ventilation Kits



3-4 Bed House Low Noise MVHR Kit with Wi-Fi

- Premium low noise MVHR unit with Wi-Fi control.
- Upto 92% rate recovery rate with energy saving German EC motors.
- Complete kit with ducting, vents and connectors.
- 5-year Blauberg warranty.

Komfort 250 MVHR Heat Recovery Ventilation Kit

Part Number	Variant description	Price £	Discount Code
EC-SB-250-AK3	Komfort 3-Bed Flat or Apartment, Complete Vertical MVHR Heat Recovery Ventilation Kit	4352.68	2.5
EC-SB-250-HK2	Komfort 2-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	4087.86	2.5
EC-SB-250-HK3	Komfort 3-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	4131.29	2.5
EC-SB-250-HK4	Komfort 4-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	4534.77	2.5



3-5 Bed House Low Noise MVHR Kit with Wi-Fi

- Premium low noise MVHR unit with Wi-Fi control.
- Upto 92% rate recovery rate with energy saving German EC motors.
- Complete kit with ducting, vents and connectors.
- 5-year Blauberg warranty.

Komfort 350 MVHR Heat Recovery Ventilation Kit

Part Number	Variant description	Price £	Discount Code
EC-SB-350-HK3	Komfort 3-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	4365.37	2.5
EC-SB-350-HK4	Komfort 4-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	4557.83	2.5
EC-SB-350-HK5	Komfort 5-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	4706.49	2.5



4-6 Bed House Low Noise MVHR Kit with Wi-Fi

- Premium low noise MVHR unit with Wi-Fi control.
- Upto 92% rate recovery rate with energy saving German EC motors.
- Complete kit with ducting, vents and connectors.
- 5-year Blauberg warranty.

Komfort 550 MVHR Heat Recovery Ventilation Kit

Part Number	Variant description	Price £	Discount Code
EC-SB-550-HK4	Komfort 4-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	5269.58	2.5
EC-SB-550-HK5	Komfort 5-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	5446.32	2.5
EC-SB-550-HK6	Komfort 6-Bed House, Complete Vertical MVHR Heat Recovery Ventilation Kit	5588.04	2.5

Domestic Heat Recovery Ventilation

MVHR Heat Recovery Ventilation Units



NEW
PRODUCT

Calm Extractor Fan 100mm

- Vertically mounting acoustically lined supply and extract heat recovery unit.
- Supplied with app based Wi-Fi control.
- Ideal for 2-6 bed homes and apartments.
- Up to 92% heat recovery efficiency

Decarbon Reneo-Fit D 100 S14

Part Number	Variant description	Price £	Discount Code
DE-CARBON RENE	Horizontal Residential Heat Recovery Unit	917.00	2.5



Komfort EC-S5B

- Vertically mounting supply & extract heat recovery unit.
- Supplied with built-in control panel.
- Ideal for 2-3 bed homes and apartments.
- Up to 86% heat recovery efficiency
- Airflow rates up to 83 l/s (300 m³/h).
- Specific fan power (SFP) down to 0.72 w/l/s.

Komfort Horizontal Heat Recovery Ventilation Units - Built-in Controls

Part Number	Variant description	Price £	Discount Code
KOMFORT-EC-S5B-270-S14	Komfort Horizontal Heat Recovery Ventilation Units - Built-in Controls	1281.18	2.5



Komfort EC-D5B

- Vertically mounting supply & extract heat recovery unit.
- Supplied with built-in control panel.
- Ideal for 2-3 bed homes and apartments.
- Up to 92% heat recovery efficiency
- Airflow rates up to 50 l/s (180 m³/h).
- Specific fan power (SFP) down to 0.72 w/l/s.

Horizontal Slimline Heat Recovery Ventilation Unit - Built-in Controls

Part Number	Variant description	Price £	Discount Code
KOMFORT-EC-D5B-180-S14	Horizontal Slimline Heat Recovery Ventilation Unit - Built-in Controls	1317.86	2.5

Domestic Heat Recovery Ventilation

MVHR Heat Recovery Ventilation Units



Komfort EC-SB

- Vertically mounting acoustically lined supply and extract heat recovery unit.
- Supplied with app based Wi-Fi control.
- Ideal for 2-6 bed homes and apartments.
- Up to 92% heat recovery efficiency
- Airflow rates up to 192 l/s (690 m³/h).
- Specific fan power (SFP) down to 0.58 w/l/s.

Komfort Vertically Mounted MVHR Mechanical Ventilation Unit with Heat Recovery

Part Number	Variant description	Price £	Discount Code
KOMFORT-EC-SB-160	Komfort Vertically Mounted MVHR Mechanical Ventilation Unit with Heat Recovery	1786.84	2.5
KOMFORT-EC-SB-250	Komfort Vertically Mounted MVHR Mechanical Ventilation Unit with Heat Recovery	2109.62	2.5
KOMFORT-EC-SB-350	Komfort Vertically Mounted MVHR Mechanical Ventilation Unit with Heat Recovery	2132.68	2.5
KOMFORT-EC-SB-550	Komfort Vertically Mounted MVHR Mechanical Ventilation Unit with Heat Recovery	2674.50	2.5



Komfort LB

- Horizontally mounting supply and extract heat recovery unit.
- Airflow rates from 300 to 700 m³/hour (83 to 194 l/s).
- Electric & water heater options with plug and play controls built-in.
- Fitted with German Blauberg low energy EC motors.
- ERP 2018 compliant and A+ energy rated.
- Highly efficient thermal wheel for maximum heat recovery.

Komfort Horizontally Mounted MVHR Mechanical Ventilation Unit with Heat Recovery - Built-in Controls

Part Number	Variant description	Price £	Discount Code
KOMFORT-EC-LB-300-S25	Komfort Horizontally Mounted MVHR Mechanical Ventilation Unit with Heat Recovery - Built-in Controls	2365.86	2.5
KOMFORT-EC-LB-400-S25	Komfort Horizontally Mounted MVHR Mechanical Ventilation Unit with Heat Recovery - Built-in Controls	2627.86	2.5
KOMFORT-EC-LB-700-S25	Komfort Horizontally Mounted MVHR Mechanical Ventilation Unit with Heat Recovery - Built-in Controls	3290.72	2.5

Komfort Horizontally Mounted MVHR Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls

Part Number	Variant description	Price £	Discount Code
KOMFORT-EC-LBE-300-S25	Komfort Horizontally Mounted MVHR Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls	2646.20	2.5
KOMFORT-EC-LBE-400-S25	Komfort Horizontally Mounted MVHR Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls	2908.20	2.5
KOMFORT-EC-LBE-700-S25	Komfort Horizontally Mounted MVHR Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls	3568.44	2.5



Passiv+ 200

- Perfect solution for apartments/houses up to cca. 70m².
- Certified Passivhaus Component MVHR Unit.
- Ultra compact, only 210mm deep.
- Full range of highly efficient G4 and F7 pollen filters.
- Built-in summer cooling bypass damper.
- From 86% heat recovery efficiency.

Passiv+ 200 - Ultra Compact Passivhaus Certified MVHR Heat Recovery Ventilation Unit

Part Number	Variant description	Price £	Discount Code
PASSIV+200	Blauberg Passiv+200 - Ultra Compact Passivhaus Certified MVHR Heat Recovery Ventilation Unit	2347.28	2.5





Blauberg Cleanbox System - Page 38



Blauberg Heater System - Page 40



Controllers - Page 42

Heat Recovery Ancillaries

Blauberg Cleanbox System

What is Blauberg Cleanbox?

Blauberg Cleanbox is an air filtration system that can be added to your existing heat recovery ventilation system.

Cleanbox uses a 3-stage filtration system that can be tailored to your needs and indoor environment.

Cleanbox is compatible with systems that use 125, 150 and 200mm diameter duct connections. You can select from G4, F8, H13 (HEPA), and carbon pollution filters.

After installing your Cleanbox, simply slot in your chosen filters.



Scan Here >
For More
Information



Available filters for Cleanbox



G4 Everyday Filter

- Captures dust, pollen, large mould spores and particulate matter as small as PM10.
- Use to protect and prolong the life of higher-quality filters.



F8 Particle Filter

- Captures fine dust particles, pollen, smaller mould spores and particulate matter as small as PM 2.5.
- F8 filters reduce mould risk due to their moisture capture ability.
- Suitable for those with mild dust, pollen and pet allergies.


Heat Recovery Ancillaries

Blauberg Cleanbox System




Cleanbox G4, F8, Carbon Nox Filter Box

Part Number	Variant description	Price £	Discount Code
CLEANBOX 125-G4-F8-CARBON	Cleanbox Complete Indoor Air Quality Filtration System Pollution, H13, F8, G4 - 125mm Duct Connection	289.92	3
CLEANBOX 150-G4-F8-CARBON	Cleanbox Complete Indoor Air Quality Filtration System Pollution, H13, F8, G4 - 150mm Duct Connection	317.09	3
CLEANBOX 200-G4-F8-CARBON	Cleanbox Complete Indoor Air Quality Filtration System Pollution, H13, F8, G4 - 200mm Duct Connection	391.97	3



Blauberg CleanBox 125 Replacement Filters

Part Number	Variant description	Price £	Discount Code
FP-220-400-47-C	High Capacity Nox City Traffic Carbon Pollution Air Filter - For Cleanbox-125	57.72	2.5
FP-220-400-47-F8	High Capacity F8 Allergy Air Filter: Pollen, Dust, VOC's & PM - For Cleanbox-125	39.77	2.5
FP-220-400-47-G4	High Capacity G4 Everyday Air Filter: Pollen, Dust, VOC's & PM - For Cleanbox-125	33.69	2.5
FP-220-400-47-H13	High Capacity H13 HEPA Allergy Air Filter: Mould, Viruses VOC's & PM - For Cleanbox-125	42.97	2.5



Blauberg CleanBox 150 Replacement Filters

Part Number	Variant description	Price £	Discount Code
FP-270-425-47-C	High Capacity Nox City Traffic Carbon Pollution Air Filter - For Cleanbox-150	76.50	2.5
FP-270-425-47-F8	High Capacity F8 Allergy Air Filter: Pollen, Dust, VOC's & PM - For Cleanbox-150	52.40	2.5
FP-270-425-47-G4	High Capacity G4 Everyday Air Filter: Pollen, Dust, VOC's & PM - For Cleanbox-150	44.28	2.5
FP-270-425-47-H13	High Capacity H13 HEPA Allergy Air Filter: Mould, Viruses VOC's & PM - For Cleanbox-150	55.54	2.5

Blauberg CleanBox 200 Replacement Filters

Part Number	Variant description	Price £	Discount Code
FP-270-590-47-C	High Capacity Nox City Traffic Carbon Pollution Air Filter - For Cleanbox-200	83.39	2.5
FP-270-590-47-F8	High Capacity F8 Allergy Air Filter: Pollen, Dust, VOC's & PM - For Cleanbox-200	57.72	2.5
FP-270-590-47-G4	High Capacity G4 Everyday Air Filter: Pollen, Dust, VOC's & PM - For Cleanbox-200	54.52	2.5
FP-270-590-47-H13	High Capacity H13 HEPA Allergy Air Filter: Mould, Viruses VOC's & PM - For Cleanbox-200	60.97	2.5



H13 HEPA Allergy Filter

- Medical grade filtration that captures airborne chemicals (VOCs) and particulate matter as small as PM1.
- H13 can remove viruses and bacteria as small as 1mm in diameter.



Carbon City Filter

- Captures nitrogen dioxide from exhaust fumes and absorbs smells from wood burning stoves and external sources.
- This filter is ideal for those living in busy cities, where traffic and car fumes are a particular problem.

Heat Recovery Ancillaries

Blauberg Heater System

Add winter heating to your MVHR System.


Blauberg electric inline heaters offer yet another level of flexibility to your ventilation system. Heating the air in your home is much more efficient than traditional radiant heating solutions which is why more and more customers choose to add electric heating to their MVHR system. Each heater is wired to the mains power circuit with control being taken care of automatically by the MVHR unit.

In areas of the UK where the temperature drops below 5 degrees Celsius the Blauberg EVH anti-frost heater can be installed to temper the supply air to ensure the MVHR system can run effectively year round in temperatures as low as -20 degrees Celsius.

By adding the Blauberg ENH electric heater to your system will allow you to heat the air within your home to your desired level. Typically the heater will add just a few degrees on top of the recovered heat to maintain the perfect comfort level during winter months.



How an MVHR Heater System is installed



Heat Recovery Ancillaries

Blauberg Heater System



Blauberg Heater System Benefits

- Year-round thermal comfort.
- Reduces load on underfloor and central heating systems.
- Pre-heating tempers cold external air to maximise heat exchanger performance.
- Mains powered and controlled directly from your MVHR unit.



S21 Plug-In Electric Post Heater Battery & Sensor

Part Number	Variant description	Price £	Discount Code
ENH-125-0.6-1-S21	S21 Plug-In Electric Post Heater Battery & Sensor - 125mm dia, 0.6 kw 15 Pin	279.73	4
ENH-150-1.2-1-S21	S21 Plug-In Electric Post Heater Battery & Sensor - 150mm dia, 1.2 kw 15 Pin	324.23	4
ENH-200-1.7-1-S21	S21 Plug-In Electric Post Heater Battery & Sensor - 200mm dia, 1.7 kw 15 Pin	338.00	4
ENH-125-0.6-1-S21 V.2	S21 V.2 Plug-In Electric Post Heater Battery & Sensor - 125mm dia, 0.6 kw	323.13	4
ENH-150-1.2-1-S21 V.2	S21 V.2 Plug-In Electric Post Heater Battery & Sensor - 150mm dia, 1.2 kw	374.38	4
ENH-200-1.7-1-S21 V.2	S21 V.2 Plug-In Electric Post Heater Battery & Sensor - 200mm dia, 1.7 kw	390.36	4

S21 Plug-In Frost Protection Electric Pre-Heater Battery

Part Number	Variant description	Price £	Discount Code
EVH 125-0.6-1 V.2	S21 V.2 Plug-In Frost Protection Electric Pre-Heater Battery - 125mm dia, 0.6 kw	286.41	4
EVH 150-0.8-1 V.2	S21 V.2 Plug-In Frost Protection Electric Pre-Heater Battery - 150mm dia, 0.8 kw	308.89	4
EVH 150-1-2-1 V.2	S21 V.2 Plug-In Frost Protection Electric Pre-Heater Battery - 150mm dia, 1.2 Kw	337.88	4
EVH 200-1.7-1 V.2	S21 V.2 Plug-In Frost Protection Electric Pre-Heater Battery - 200mm dia, 1.7 kw	353.86	4
EVH 250-1.2-1 V1	Blauberg S21 V.1 Plug-In Frost Protection Electric Pre-Heater Battery - 250mm dia, 2.1 kw	340.08	4
EVH 250-1.2-1 V2	Blauberg S21 V.2 Plug-In Frost Protection Electric Pre-Heater Battery - 250mm dia, 2.1 kw	360.78	4
EVH 125-0-6-1	S21 Plug-In Frost Protection Electric Pre-Heater Battery - 125mm dia, 0.6 kw	247.95	4
EVH 150-0.8-1	S21 Plug-In Frost Protection Electric Pre-Heater Battery - 150mm dia, 0.8 kw	267.28	4
EVH 150-1-2-1	S21 Plug-In Frost Protection Electric Pre-Heater Battery - 150mm dia, 1.2 Kw	292.44	4
EVH 200-1-7-1	S21 Plug-In Frost Protection Electric Pre-Heater Battery - 200mm dia, 1.7 kw	306.21	4

• Scan Here >
• For More
• Information
•
•
•
•
•



Heat Recovery Ancillaries

Sensors and Controllers



MVHR Duct Mounted Humidity Sensor

Part Number	Variant description	Price £	Discount Code
FS2	MVHR Room Mounted Humidity Sensor	98.56	3



MVHR Room Mounted Humidity Sensor

Part Number	Variant description	Price £	Discount Code
FS1	MVHR Duct Mounted Humidity Sensor	80.80	3



CO2 Sensor

Part Number	Variant description	Price £	Discount Code
CD-2	CO2 Sensor	438.40	3

MVHR S25 Controller Features.

Blauberg's S25 LCD programmable display is a modern, touch-screen control panel for your MVHR system.

This control panel gives you access to all relevant features of your heat recovery system.

- Speed switching - select from trickle, boost and purge ventilation speeds.
- Simple manual speed control, boost and timer override functions.
- 24 hour, 7 day programmable scheduling - set your heat recovery unit to work when you want, how you want.
- Condensation, humidity and temperature monitoring capabilities.
- Allergy sensing, CO₂, VOC, pollen and airborne particle monitoring and control capabilities.
- Automatic summer bypass operation to prevent overheating in summer months.
- Anti-frost ability for increased heat recovery efficiency
- Dirty filter alarms.
- Simple fault finding menu.
- Control of electric and water preheaters and reheaters and coolers.
- Fire alarm connection.

In engineering mode, every element of heat recovery units capabilities can be set up, commissioned, adjusted and password protected including the following:

- Fine commissioning speed control adjustment of both supply and extract fans on all speeds to meet building regulation airflow rates.
- Set-point adjustment of humidity, temperature, CO₂, VOC, PPM filtration, heating, cooling, filter clogging functions.
- Link to smart controls for Wi-Fi, router, cloud, ethernet and RS-485 set up functions.



S22 Controller for EC SB Heat Recovery Units

Part Number	Variant description	Price £	Discount Code
S22 CONTROLLER	S22 Controller for EC SB Heat Recovery Units	140.80	3
S22 WIFI CONTROLLER	S22 WiFi Controller for EC SB Heat Recovery Units	153.60	3



S14 Controller for Komfort Heat Recovery Units

Part Number	Variant description	Price £	Discount Code
S14 CONTROLLER	Blauberg S14 Control Panel	77.44	3



S25 Controller for EC SB Heat Recovery Units

Part Number	Variant description	Price £	Discount Code
S25 CONTROLLER	S25 Controller for EC SB Heat Recovery Units	201.60	3





Horizontal ceiling mounted MVHR Units -
Page 44



Vertically mounted MVHR units - Page 46



Blauair CFH MVHR units - Page 48



Blauair RH MVHR units - Page 49

Scan Here >
For More
Information



Commercial Heat Recovery

Horizontal ceiling mounted MVHR units



Komfort DB/E/W

- Horizontally mounting supply and extract heat recovery unit.
- Airflow rates from 160 to 900 m3/hour.
- Electric and water heater options with plug and play controls built-in.
- Fitted with German Blauberg low energy EC motors.
- ERP 2018 compliant and A+ energy rated.
- Highly efficient counterflow for maximum heat recovery.

Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - WIFI Control

Part Number	Variant description	Price £	Discount Code
KOMFORT-EC-DB-160-S25-L	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Built-in Controls - Left Handed	2752.00	3
KOMFORT-EC-DB-160-S25-R	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Built-in Controls - Right Handed	2752.00	3
KOMFORT-EC-DB-250-S25-L	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Built-in Controls - Left Handed	2924.80	3
KOMFORT-EC-DB-250-S25-R	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Built-in Controls - Right Handed	2924.80	3
KOMFORT-EC-DB-350-S25-L	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Built-in Controls - Left Handed	3433.60	3
KOMFORT-EC-DB-350-S25-R	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Built-in Controls - Right Handed	3433.60	3

Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Water Heater - Built-in Controls

Part Number	Variant description	Price £	Discount Code
KOMFORT-EC-DBW-550-S25-L	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Water Heater - Built-in Controls - Left Handed	4006.40	3
KOMFORT-EC-DBW-550-S25-R	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Water Heater - Built-in Controls - Right Handed	4006.40	3
KOMFORT-EC-DBW-900-S25-L	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Water Heater - Built-in Controls - Left Handed	5051.20	3
KOMFORT-EC-DBW-900-S25-R	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Water Heater - Built-in Controls - Right Handed	5051.20	3

Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls

Part Number	Variant description	Price £	Discount Code
KOMFORT-EC-DBE-300-S25-L	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls - Left Handed	2974.40	3
KOMFORT-EC-DBE-300-S25-R	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls - Right Handed	2974.40	3
KOMFORT-EC-DBE-550-S25-L	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls - Left Handed	3541.12	3
KOMFORT-EC-DBE-550-S25-R	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls - Right Handed	3541.12	3
KOMFORT-EC-DBE-900-S25-L	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls - Left Handed	4477.44	3
KOMFORT-EC-DBE-900-S25-R	Komfort Horizontally Mounted Slimline Mechanical Ventilation Unit with Heat Recovery - Electric Heater - Built-in Controls - Right Handed	4477.44	3

Blauberg Commercial Installations



Commercial Heat Recovery

Horizontal ceiling mounted MVHR units



Blauair CFP

- Horizontally-mounting, slimline concealed mounting supply and extract MVHR Unit.
- Airflow rates from 800 to 6000 m3/hour (222 to 1666 l/s).
- Electric and water heater options with plug and play controls built-in and Wi-Fi.
- Fitted with German Blauberg low energy EC motors.
- Double skinned 40mm insulation for low noise.
- Highly efficient counterflow heat exchanger for maximum heat recovery.
- Cooling Options Available.

Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heater

Part Number	Variant description	Price £	Discount Code
CFP-500-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Left Handed	5963.20	3
CFP-500-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Right Handed	5963.20	3
CFP-700-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Left Handed	6251.20	3
CFP-700-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Right Handed	6251.20	3
CFP-1200-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Left Handed	8235.20	3
CFP-1200-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Right Handed	8235.20	3
CFP-1500-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Left Handed	9499.20	3
CFP-1500-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Right Handed	9499.20	3
CFP-2500-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Left Handed	11243.20	3
CFP-2500-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Right Handed	11243.20	3
CFP-3500-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heater - Built-in Controls - Left Handed	14187.20	3
CFP-3500-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heater - Built-in Controls - Right Handed	14187.20	3
CFP-5000-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Left Handed	23547.20	3
CFP-5000-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heating - Built-in Controls - Right Handed	23547.20	3
CFP-6000-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heater - Built-in Controls - Left Handed	24283.20	3
CFP-6000-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - No Heater - Built-in Controls - Right Handed	24283.20	3

Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater

Part Number	Variant description	Price £	Discount Code
CFP-500-HW-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Left Handed	6667.20	3
CFP-500-HW-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Right Handed	6667.20	3
CFP-700-HW-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Left Handed	6971.20	3
CFP-700-HW-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Right Handed	6971.20	3
CFP-1200-HW-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Left Handed	8955.20	3
CFP-1200-HW-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Right Handed	8955.20	3
CFP-1500-HW-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Left Handed	10267.20	3
CFP-1500-HW-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Right Handed	10267.20	3
CFP-2500-HW-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Left Handed - Built-in Controls	11995.20	3
CFP-2500-HW-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Right Handed - Built-in Controls	11995.20	3
CFP-3500-HW-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Left Handed	14939.20	3
CFP-3500-HW-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Right Handed	14939.20	3
CFP-5000-HW-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Left Handed	24347.20	3
CFP-5000-HW-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Right Handed	24347.20	3
CFP-6000-HW-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Left Handed	24731.20	3
CFP-6000-HW-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Water Heater - Built-in Controls - Right Handed	24731.20	3

Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater

Part Number	Variant description	Price £	Discount Code
CFP-500-HE-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Left Handed	6219.20	3
CFP-500-HE-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Right Handed	6219.20	3
CFP-700-HE-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Left Handed	6523.20	3
CFP-700-HE-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Right Handed	6523.20	3
CFP-1200-HE-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Left Handed	8507.20	3
CFP-1200-HE-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Right Handed	8507.20	3
CFP-1500-HE-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Left Handed	9755.20	3
CFP-1500-HE-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Right Handed	9755.20	3
CFP-2500-HE-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Left Handed	11499.20	3
CFP-2500-HE-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Right Handed	11499.20	3
CFP-3500-HE-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Left Handed	14411.20	3
CFP-3500-HE-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Right Handed	14411.20	3
CFP-5000-HE-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Left Handed	23803.20	3
CFP-5000-HE-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Right Handed	23803.20	3
CFP-6000-HE-S25-L	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Left Handed	24171.20	3
CFP-6000-HE-S25-R	Blauair Slimline Low Profile Heat Recovery Ventilation Unit Commercial - Electric Heater - Built-in Controls - Right Handed	24171.20	3

Commercial Heat Recovery

Vertically mounted MVHR units



Blauair CFV

- Top connection, vertically mounting supply and extract MVHR Unit.
- Airflow rates from 800 to 6000 m3/hour (222 to 1666 l/s).
- Electric and water heater options with plug and play controls built-in and Wi-Fi.
- Fitted with German Blauberg low energy EC motors.
- Double skinned 40mm insulation for low noise.
- Highly efficient counterflow heat exchanger for maximum heat recovery.
- Cooling Options Available.

Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - No Heater

Part Number	Variant description	Price £	Discount Code
CFV-800-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls-Right Handed	7483.20	3
CFV-1500-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls-Right Handed	10363.20	3
CFV-2500-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls-Right Handed	12571.20	3
CFV-3500-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls-Right Handed	15067.20	3
CFV-5000-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls- Right Handed	19179.20	3
CFV-6000-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls-Right Handed	19947.20	3

Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater

Part Number	Variant description	Price £	Discount Code
CFV-800-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls-Right Handed	8315.20	3
CFV-1500-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls- Right Handed	11659.20	3
CFV-2500-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls-Right Handed	13979.20	3
CFV-3500-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls-Right Handed	16587.20	3
CFV-5000-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls-Right Handed	20107.20	3
CFV-6000-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls-Right Handed	20827.20	3

Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater

Part Number	Variant description	Price £	Discount Code
CFV-800-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls-Right Handed	7739.20	3
CFV-1500-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls-Right Handed	11083.20	3
CFV-2500-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls-Right Handed	13435.20	3
CFV-3500-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls-Right Handed	16011.20	3
CFV-5000-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls-Right Handed	19483.20	3
CFV-6000-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls-Right Handed	20251.20	3

Blauberg Commercial Installations



Commercial Heat Recovery

Vertically mounted MVHR units



Blauair RV

- Top connection, vertically mounting supply and extract heat recovery unit.
- Airflow rates from 800 to 6000 m3/hour (222 to 1666 l/s).
- Electric and water heater options with plug and play controls built-in and Wi-Fi.
- Fitted with German Blauberg low energy EC motors.
- Double skinned 40mm insulation for low noise.
- Highly efficient rotary thermal wheel for maximum heat recovery.
- Cooling Options Available.

Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - No Heater

Part Number	Variant description	Price £	Discount Code
RV-800-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls	8251.20	3
RV-1200-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls	9979.20	3
RV-1500-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls-Right Handed	11435.20	3
RV-2500-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls	13355.20	3
RV-3500-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls	15963.20	3
RV-5000-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls	18619.20	3
RV-6000-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Right Handed	19035.20	3

Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater

Part Number	Variant description	Price £	Discount Code
RV-1200-HW-S25-L	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Left Handed	10955.20	3
RV-1200-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls	10955.20	3
RV-1500-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls-Right Handed	12155.20	3
RV-2500-HW-S25-L	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls-Left Handed	14043.20	3
RV-2500-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls	14043.20	3
RV-3500-HW-S25-L	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls-Left Handed	16667.20	3
RV-3500-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls	16667.20	3
RV-5000-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls	20315.20	3
RV-6000-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls	20699.20	3
RV-800-HW-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls	9179.20	3

Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater

Part Number	Variant description	Price £	Discount Code
RV-800-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls	8715.20	3
RV-1200-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Right Handed	10491.20	3
RV-1500-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls-Right Handed	11691.20	3
RV-2500-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls	13579.20	3
RV-3500-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls	16187.20	3
RV-5000-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls	19771.20	3
RV-6000-HE-S25-R	Blauair Vertical Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls	20155.20	3



Commercial Heat Recovery

Horizontally mounted MVHR units



Blauair CFH

- Side connection, horizontally mounting supply and extract heat recovery unit.
- Airflow rates from 800 to 6000 m3/hour (222 to 1666 l/s).
- Electric & water heater options with plug and Play controls built-in and Wi-Fi.
- Fitted with German Blauberg low energy EC motors.
- Double skinned 40mm insulation for low noise.
- Highly efficient counterflow heat exchanger for maximum heat recovery.
- Cooling Options Available.

Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - No Heater

Part Number	Variant description	Price £	Discount Code
CFH-800-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Left Handed	7643.20	3
CFH-800-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Right Handed	7643.20	3
CFH-1500-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Left Handed	10635.20	3
CFH-1500-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Right Handed	10635.20	3
CFH-2500-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Left Handed	12827.20	3
CFH-2500-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Right Handed	14896.00	3
CFH-3500-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Left Handed	15851.20	3
CFH-3500-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Right Handed	15851.20	3
CFH-5000-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Left Handed	18267.20	3
CFH-5000-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Right Handed	18267.20	3
CFH-6000-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Left Handed	19035.20	3
CFH-6000-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Built-In Controls - Right Handed	19035.20	3

Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater

Part Number	Variant description	Price £	Discount Code
CFH-800-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Left Handed	8475.20	3
CFH-800-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Right Handed	8475.20	3
CFH-1500-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Left Handed	11435.20	3
CFH-1500-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Right Handed	11435.20	3
CFH-2500-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Left Handed	13659.20	3
CFH-2500-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Right Handed	13659.20	3
CFH-3500-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Left Handed	16635.20	3
CFH-3500-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Right Handed	16635.20	3
CFH-5000-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Left Handed	19115.20	3
CFH-5000-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Right Handed	19115.20	3
CFH-6000-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Left Handed	19899.20	3
CFH-6000-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Water Heater - Built-In Controls - Right Handed	19899.20	3

Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater

Part Number	Variant description	Price £	Discount Code
CFH-800-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Left Handed	7883.20	3
CFH-800-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Right Handed	7883.20	3
CFH-1500-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Left Handed	10891.20	3
CFH-1500-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Right Handed	10891.20	3
CFH-2500-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Left Handed	13115.20	3
CFH-2500-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Right Handed	13115.20	3
CFH-3500-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Left Handed	16107.20	3
CFH-3500-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Right Handed	16107.20	3
CFH-5000-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Left Handed	18507.20	3
CFH-5000-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Right Handed	18507.20	3
CFH-6000-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Left Handed	19323.20	3
CFH-6000-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Counterflow Core - Electric Heater - Built-In Controls - Right Handed	19323.20	3

Commercial Heat Recovery

Horizontally mounted MVHR units



Blauair RH

- Side connection, horizontally mounting supply and extract heat recovery unit.
- Airflow rates from 800 to 6000 m3/hour (222 to 1666 l/s).
- Electric and water heater options with plug and play controls built-in and Wi-Fi.
- Fitted with German Blauberg low energy EC motors.
- Double skinned 40mm insulation for low noise.
- Highly efficient rotary thermal wheel for maximum heat recovery.
- Cooling Options Available.

Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - No Heater

Part Number	Variant description	Price £	Discount Code
RH-800-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Left Handed	8187.20	3
RH-800-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Right Handed	8187.20	3
RH-1200-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Left Handed	9563.20	3
RH-1200-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Right Handed	9563.20	3
RH-1500-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Left Handed	11131.20	3
RH-1500-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Right Handed	11131.20	3
RH-2500-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Left Handed	12715.20	3
RH-2500-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Right Handed	12715.20	3
RH-3500-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Left Handed	15051.20	3
RH-3500-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Right Handed	15051.20	3
RH-5000-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Left Handed	17723.20	3
RH-5000-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Right Handed	17723.20	3
RH-6000-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Left Handed	18747.20	3
RH-6000-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Built-In Controls - Right Handed	18747.20	3

Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater

Part Number	Variant description	Price £	Discount Code
RH-800-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Left Handed	8939.20	3
RH-800-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Right Handed	8939.20	3
RH-1200-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Left Handed	10363.20	3
RH-1200-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Right Handed	10363.20	3
RH-1500-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Left Handed	11915.20	3
RH-1500-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Right Handed	11915.20	3
RH-2500-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Left Handed	13451.20	3
RH-2500-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Right Handed	13451.20	3
RH-3500-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Left Handed	15803.20	3
RH-3500-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Right Handed	15803.20	3
RH-5000-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Left Handed	18539.20	3
RH-5000-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Right Handed	18539.20	3
RH-6000-HW-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Left Handed	19611.20	3
RH-6000-HW-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Water Heater - Built-In Controls - Right Handed	19611.20	3

Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater

Part Number	Variant description	Price £	Discount Code
RH-800-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Left Handed	8443.20	3
RH-800-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Right Handed	8443.20	3
RH-1200-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Left Handed	9851.20	3
RH-1200-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Right Handed	9851.20	3
RH-1500-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Left Handed	11435.20	3
RH-1500-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Right Handed	11435.20	3
RH-2500-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Left Handed	12955.20	3
RH-2500-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Right Handed	12955.20	3
RH-3500-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Left Handed	15323.20	3
RH-3500-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Right Handed	15323.20	3
RH-5000-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Left Handed	18027.20	3
RH-5000-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Right Handed	18027.20	3
RH-6000-HE-S25-L	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Left Handed	19051.20	3
RH-6000-HE-S25-R	Blauair Horizontal Heat Recovery Air Handling Unit Commercial with Thermal Wheel - Electric Heater - Built-In Controls - Right Handed	19051.20	3

"Ventilation doesn't just reduce the risk of illness... it can also improve pupils' concentration, cognitive performance and productivity – in addition to reducing a range of respiratory symptoms."

- Professor Cath Noakes
and Dr Henry BurrIDGE

• **Scan Here >**
• **For More**
• **Information**





Ceiling Mounted Heat Recovery
Ventilation Unit Decentralised School
Classroom Ventilator - Page 52



Floor Mounted Heat Recovery
Ventilation Unit Decentralised School
Classroom Ventilator - Page 53

Ventilation for classrooms and lecture halls

Whether learning to spell, experimenting with bunsen burners or completing a PHD, every learning environment requires maximum concentration and minimal disruption.

In 2021, the British government provided all state-funded schools in England with CO₂ monitors with the aim of allowing pupils more freedom and less disruption, as studies show that high CO₂ levels correlate with a higher transmission risk of viruses, such as COVID-19.

Other research suggests that lower CO₂ levels improve cognitive function, a finding which should not be overlooked in educational environments.

To combat high CO₂ levels, effective ventilation is required.

Blauberg's range of Civic MVHR units offers an energy efficient solution, capable of removing CO₂, VOC, humidity, viruses and combustible gases, and replacing it with fresh, filtered air. you can discuss with our engineer.

Classroom Heat Recovery

Civic Ceiling Mounted MVHR Unit



Civic Ceiling Mounted Unit

- Decentralised ceiling mounting MVHR unit specifically designed for learning environments.
- Control CO₂, humidity and temperature in accordance with regulations.
- Fitted with low-energy EC motors.
- Up to 97% heat recovery efficiency.
- Available with a range of additional filters.

Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator

Part Number	Variant description	Price £	Discount Code
CIVIC-EC-DB-1000-S25	Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Built-in Controls	9486.40	3
CIVIC-EC-DB-300-S25	Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Built-in Controls	5636.96	3
CIVIC-EC-DB-500-S25	Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Built-in Controls	6616.80	3

Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Pre Heater

Part Number	Variant description	Price £	Discount Code
CIVIC-EC-DBE-1000-S25	Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre-heater - Built-in Controls	9870.24	3
CIVIC-EC-DBE-300-S25	Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre-heater - Built-in Controls	5924.96	3
CIVIC-EC-DBE-500-S25	Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre-heater - Built-in Controls	6936.80	3

Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Pre and Post Heater

Part Number	Variant description	Price £	Discount Code
CIVIC-EC-DBE2-1000-S25	Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre & Post Heater - Built-in Controls	10222.40	3
CIVIC-EC-DBE2-300-S25	Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre & Post Heater - Built-in Controls	6212.96	3
CIVIC-EC-DBE2-500-S25	Civic Ceiling Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre & Post Heater - Built-in Controls	7256.80	3

Classroom Heat Recovery

Civic Floor Mounted MVHR Unit



Designed with education in mind, Blauberg’s Civic MVHR range has a number of benefits:

- Ceiling and floor-standing, perfect for rooms with limited mounting space.
- Airflow rates of up to 1240m³/hour.
- Low energy consumption, class A energy-rated units fitted with highly efficient EC motors.
- Heat-recovery efficiency of up to 96%, lowering heating costs and creating a greener learning environment.
- Low noise levels, ideal for rooms where concentration is key.
- Preheater to prevent system damage from freezing and reheater to increase output temperature of filtered air.
- Summer bypass to maintain a cooler temperature during warmer months.
- Wide range of available filters from F8-grade to HEPA depending on requirements.
- Available with CO₂, VOC and humidity sensors, and in-room control panels.



Civic Floor Mounted Unit

- Decentralised floor-standing MVHR unit specifically designed for learning environments.
- Airflow rate of up to 1240m³/hour.
- Fitted with low-energy EC motors.
- Control CO₂, humidity and temperature in accordance with regulations.
- Available with additional filters and features.

Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator

Part Number	Variant description	Price £	Discount Code
CIVIC-EC-LB-500-S25	Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Built-in Controls	6582.72	3
CIVIC-EC-LB-1200-S25	Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Built-in Controls	9699.84	3
CIVIC-EC-LB-300-S25	Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Built-in Controls	5445.76	3

Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Pre Heater

Part Number	Variant description	Price £	Discount Code
CIVIC-EC-LBE-1200-S25	Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre-heater - Built-in Controls	10403.84	3
CIVIC-EC-LBE-300-S25	Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre-heater - Built-in Controls	5733.76	3
CIVIC-EC-LBE-500-S25	Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre-heater - Built-in Controls	6936.80	3

Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator - Pre and Post Heater

Part Number	Variant description	Price £	Discount Code
CIVIC-EC-LBE2-1200-S25	Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre & Post Heater - Built-in Controls	11043.84	3
CIVIC-EC-LBE2-300-S25	Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre & Post Heater - Built-in Controls	6021.76	3
CIVIC-EC-LBE2-500-S25	Civic Floor Mounted Heat Recovery Ventilation Unit Decentralised School Classroom Ventilator with Pre & Post Heater - Built-in Controls	7222.72	3





Mixed Flow and Purge Ventilation Fans
- Page 56



Centrifugal and Axial Fans - Page 57



Electric Heater Battery - Page 57



Roof Fans - Page 58

Industrial Fans

Mixed Flow and Purge Ventilation Fans



Turbo In-line Mixed Flow High Performance Extractor Fan

Part Number	Variant description	Price £	Discount Code
TURBO-100	Turbo In-line Mixed Flow High Performance Extractor Fan - 100mm	116.32	4
TURBO-100-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 100mm	93.75	4
TURBO-125	Turbo In-line Mixed Flow High Performance Extractor Fan - 125mm	97.79	4
TURBO-125-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 125mm	120.32	4
TURBO-150	Turbo In-line Mixed Flow High Performance Extractor Fan - 150mm	123.89	4
TURBO-150-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 150mm	146.37	4
TURBO-200	Turbo In-line Mixed Flow High Performance Extractor Fan - 200mm	160.44	4
TURBO-200-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 200mm	183.05	4
TURBO-250	Turbo In-line Mixed Flow High Performance Extractor Fan - 250mm	332.90	4
TURBO-250-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 250mm	355.47	4
TURBO-315	Turbo In-line Mixed Flow High Performance Extractor Fan - 315mm	378.04	4
TURBO-315-T	Turbo In-line Mixed Flow High Performance Extractor Fan with Run-On Timer - 315mm	400.65	4



High Capacity Mixed Flow In-Line Extractor Fan

Part Number	Variant description	Price £	Discount Code
PRIMO-200	High Capacity Mixed Flow In-Line Extractor Fan - 200mm	117.01	2.5
PRIMO-355	High Capacity Mixed Flow In-Line Extractor Fan - 355mm	358.55	2.5
PRIMO-400	High Capacity Mixed Flow In-Line Extractor Fan - 400mm	406.75	2.5



High Capacity Mixed Flow In-Line Extractor Fan with EC Motor

Part Number	Variant description	Price £	Discount Code
PRIMO-EC-200	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor - 200mm	268.03	2.5
PRIMO-EC-315-MAX	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor - 315mm	732.03	2.5
PRIMO-EC-355	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor - 355mm	732.03	2.5
PRIMO-EC-355-MAX	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor - 355mm	853.07	2.5
PRIMO-EC-400	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor - 400mm	1121.10	2.5



ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor

Part Number	Variant description	Price £	Discount Code
ISO-MIX-EC-100	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 100mm	245.00	2.5
ISO-MIX-EC-125	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 125mm	248.48	2.5
ISO-MIX-EC-150	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 150mm	274.24	2.5
ISO-MIX-EC-200	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 200mm	380.03	2.5
ISO-MIX-EC-250	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 250mm	500.76	2.5
ISO-MIX-EC-315	ISO-MIX EC Acoustic Mixed Flow In-line Fan with EC Motor - 315mm	686.96	2.5



ISO-B Acoustic Centrifugal In-line Fan

Part Number	Variant description	Price £	Discount Code
ISO-B-100	ISO-B Acoustic Centrifugal In-line Fan - 100mm	177.58	2.5
ISO-B-125	ISO-B Acoustic Centrifugal In-line Fan - 125mm	178.50	2.5
ISO-B-150	ISO-B Acoustic Centrifugal In-line Fan - 150mm	189.24	2.5
ISO-B-200	ISO-B Acoustic Centrifugal In-line Fan - 200mm	215.91	2.5
ISO-B-200-MAX	ISO B Acoustic Centrifugal In-line Fan - 200mm	245.13	2.5
ISO-B-250	ISO-B Acoustic Centrifugal In-line Fan - 250mm	260.69	2.5
ISO-B-315	ISO-B Acoustic Centrifugal In-line Fan - 315mm	305.60	2.5



ISO-RB Acoustic Centrifugal In-line Fan

Part Number	Variant description	Price £	Discount Code
ISO-RB-100	ISO-RB Acoustic Centrifugal In-line Fan - 100mm	302.30	2.5
ISO-RB-125	ISO-RB Acoustic Centrifugal In-line Fan - 125mm	302.30	2.5
ISO-RB-125-MAX	ISO-RB Acoustic Centrifugal In-line Fan - 125mm Max Power	365.41	2.5
ISO-RB-150	ISO-RB Acoustic Centrifugal In-line Fan - 150mm	332.19	2.5
ISO-RB-160	ISO-RB Acoustic Centrifugal In-line Fan - 160mm	332.19	2.5
ISO-RB-200	ISO-RB Acoustic Centrifugal In-line Fan - 200mm	415.22	2.5
ISO-RB-250	ISO-RB Acoustic Centrifugal In-line Fan - 250mm	491.64	2.5
ISO-RB-315-MAX	ISO-RB Acoustic Centrifugal In-line Fan - 315mm Max Power	1142.71	2.5
ISO-RB-355	ISO-RB Acoustic Centrifugal In-line Fan - 355mm	810.52	2.5
ISO-RB-400	ISO-RB Acoustic Centrifugal In-line Fan - 400mm	1229.09	2.5
ISO-RB-450 L	ISO-RB Acoustic Centrifugal In-line Fan - 450mm L	1494.84	2.5
ISO-RB-500	ISO-RB Acoustic Centrifugal In-line Fan - 500mm	2125.97	2.5



Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor

Part Number	Variant description	Price £	Discount Code
TURBO-EC-100	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 100mm	230.52	4
TURBO-EC-125	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 125mm	236.17	4
TURBO-EC-150	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 150mm	264.26	4
TURBO-EC-200	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 200mm	413.31	4
TURBO-EC-250	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 250mm	506.09	4
TURBO-EC-315	Turbo EC High Performance In-line Mixed Flow Fan with Low Energy EC Motor - 315mm	697.21	4



ISO-MIX Acoustic Mixed Flow In-line Fan

Part Number	Variant description	Price £	Discount Code
ISO-MIX-100	ISO-MIX Acoustic Mixed Flow In-line Fan - 100mm	145.86	2.5
ISO-MIX-100-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 100mm	160.16	2.5
ISO-MIX-125	ISO-MIX Acoustic Mixed Flow In-line Fan - 125mm	148.71	2.5
ISO-MIX-125-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 125mm	163.02	2.5
ISO-MIX-150	ISO-MIX Acoustic Mixed Flow In-line Fan - 150mm	178.58	2.5
ISO-MIX-150-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 150mm	192.88	2.5
ISO-MIX-200	ISO-MIX Acoustic Mixed Flow In-line Fan - 200mm	208.76	2.5
ISO-MIX-200-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 200mm	223.07	2.5
ISO-MIX-250	ISO-MIX Acoustic Mixed Flow In-line Fan - 250mm	377.49	2.5
ISO-MIX-250-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 250mm	391.77	2.5
ISO-MIX-315	ISO-MIX Acoustic Mixed Flow In-line Fan - 315mm	514.75	2.5
ISO-MIX-315-T	ISO MIX Acoustic Mixed Flow In-line Fan with Timer - 315mm	529.06	2.5



In Wave In-Line Fan

Part Number	Variant description	Price £	Discount Code
IN-WAVE-100-125	Acoustically Insulated Mixed Flow Purge Vent In-Line Fan - 100/125 mm	132.05	2.5
IN-WAVE-150	Acoustically Insulated Mixed Flow Purge Vent In-Line Fan - 150mm	154.32	2.5
IN-WAVE-EC-100-125	Acoustically Insulated Mixed Flow Purge Vent In-Line Fan with EC Motor - 100/125mm	271.17	2.5
IN-WAVE-EC-150	Acoustically Insulated Mixed Flow Purge Vent In-Line Fan with EC Motor - 150mm	301.56	2.5

Industrial Fans

Centrifugal and Axial Fans



ISO-RB EC Acoustic Centrifugal In-line Fan

Part Number	Variant description	Price £	Discount Code
ISO-RB EC 100	ISO-RB EC Acoustic Centrifugal In-line Fan - 100mm	438.59	2.5
ISO-RB EC 150	ISO-RB EC Acoustic Centrifugal In-line Fan - 150mm	557.40	2.5
ISO-RB EC 200	ISO-RB EC Acoustic Centrifugal In-line Fan - 200mm	586.62	2.5



Acoustically Lined High Performance, Low Energy Twin Duct Mounted In Line Extractor Fan with EC Motor

Part Number	Variant description	Price £	Discount Code
TWINBOX-EC-150	Acoustically Lined High Performance, Low Energy Twin Duct Mounted In Line Extractor Fan with EC Motor - 150mm	733.60	2.5
TWINBOX-EC-200	Acoustically Lined High Performance, Low Energy Twin Duct Mounted In Line Extractor Fan with EC Motor - 200mm	786.00	2.5
TWINBOX-EC-250	Acoustically Lined High Performance, Low Energy Twin Duct Mounted In Line Extractor Fan with EC Motor - 250mm	1080.23	2.5
TWINBOX-EC-315	Acoustically Lined High Performance, Low Energy Twin Duct Mounted In Line Extractor Fan with EC Motor - 315mm	1873.30	2.5
TWINBOX-EC-355	Acoustically Lined High Performance, Low Energy Twin Duct Mounted In Line Extractor Fan with EC Motor - 355mm	2292.50	2.5
TWINBOX-EC-400	Acoustically Lined High Performance, Low Energy Twin Duct Mounted In Line Extractor Fan with EC Motor - 400mm	2934.40	2.5



ISO-V Acoustic Centrifugal Box Fan

Part Number	Variant description	Price £	Discount Code
ISO-V 355 4D	ISO-V Acoustic Centrifugal Box Fan, 355mm, 4-pole, 3-ph	837.09	2.5
ISO-V 400 4D	ISO-V Acoustic Centrifugal Box Fan, 400mm, 4-pole, 3-ph	1061.34	2.5
ISO-V 450 4D	ISO-V Acoustic Centrifugal Box Fan, 450mm, 4-pole, 3-ph	1195.87	2.5
ISO-V 500 4D	ISO-V Acoustic Centrifugal Box Fan, 500mm, 4-pole, 3-ph	1539.67	2.5
ISO-V 560 4D	ISO-V Acoustic Centrifugal Box Fan, 560mm, 4-pole, 3-ph	1719.06	2.5
ISO-V 560 6D	ISO-V Acoustic Centrifugal Box Fan, 560mm, 6-pole, 3-ph	1584.50	2.5
ISO-V 630 4D	ISO-V Acoustic Centrifugal Box Fan, 630mm, 4-pole, 3-ph	1823.68	2.5
ISO-V 630 4D MAX	ISO-V Acoustic Centrifugal Box Fan, 630mm, 4-pole, 3-ph	1898.43	2.5
ISO-V 630 6D	ISO-V Acoustic Centrifugal Box Fan, 630mm, 6-pole, 3-ph	1674.21	2.5
ISO-V 710 6D	ISO-V Acoustic Centrifugal Box Fan, 710mm, 6-pole, 3-ph	2956.43	2.5

ISO-V Acoustic Centrifugal Box Fan

Part Number	Variant description	Price £	Discount Code
ISO-V 355 4E	ISO-V Acoustic Centrifugal Box Fan, 355mm, 4-pole, 1-ph	837.09	2.5
ISO-V 400 4E	ISO-V Acoustic Centrifugal Box Fan, 400mm, 4-pole, 1-ph	1029.79	2.5
ISO-V 450 4E	ISO-V Acoustic Centrifugal Box Fan, 450mm, 4-pole, 1-ph	1195.87	2.5
ISO-V 500 4E	ISO-V Acoustic Centrifugal Box Fan, 500mm, 4-pole, 1-ph	1569.59	2.5



ISO V Acoustic Centrifugal Box Fan with EC Motor

Part Number	Variant description	Price £	Discount Code
ISO-V-EC-315	ISO V Acoustic Centrifugal Box Fan with EC Motor, 315mm	986.59	2.5
ISO-V-EC-355	ISO V Acoustic Centrifugal Box Fan with EC Motor, 355mm	1300.49	2.5
ISO-V-EC-400	ISO V Acoustic Centrifugal Box Fan with EC Motor, 400mm	1509.78	2.5
ISO-V-EC-450	ISO V Acoustic Centrifugal Box Fan with EC Motor, 450mm	1943.25	2.5
ISO-V-EC-500	ISO V Acoustic Centrifugal Box Fan with EC Motor, 500mm	2242.25	2.5
ISO-V-EC-560	ISO V Acoustic Centrifugal Box Fan with EC Motor, 560mm	3109.23	2.5
ISO-V-EC-630	ISO V Acoustic Centrifugal Box Fan with EC Motor, 630mm	3228.81	2.5



AXIS Q Plate Mounted Axial Flow Fan 1ph

Part Number	Variant description	Price £	Discount Code
AXIS-Q-200 2E	AXIS Q Plate Mounted Axial Flow Fan 2-pole, 1-ph - 200mm	100.08	2.5
AXIS-Q-250 2E	AXIS Q Plate Mounted Axial Flow Fan 2-pole, 1-ph - 250mm	104.09	2.5
AXIS-Q-250 4E	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 1-ph - 250mm	114.65	2.5
AXIS-Q-315 2E	AXIS Q Plate Mounted Axial Flow Fan 2-pole, 1-ph - 315mm	109.25	2.5
AXIS-Q-315 4E	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 1-ph - 315mm	128.41	2.5
AXIS-Q-355 4E	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 1-ph - 355mm	146.12	2.5
AXIS-Q-400 4E	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 1-ph - 400mm	168.41	2.5
AXIS-Q-450 4E	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 1-ph - 450mm	193.62	2.5
AXIS-Q-500 4E	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 1-ph - 500mm	247.64	2.5
AXIS-Q-560 4E	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 1-ph - 560mm	259.38	2.5
AXIS-Q-630 4E	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 1-ph - 630mm	351.76	2.5
AXIS-Q-630 6E	AXIS Q Plate Mounted Axial Flow Fan 6-pole, 1-ph - 630mm	308.85	2.5

AXIS Q Plate Mounted Axial Flow Fan 3ph

Part Number	Variant description	Price £	Discount Code
AXIS-Q-250 2D	AXIS Q Plate Mounted Axial Flow Fan 2-pole, 3-ph - 250mm	92.09	2.5
AXIS-Q-250 4D	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 3-ph - 250mm	92.09	2.5
AXIS-Q-315 2D	AXIS Q Plate Mounted Axial Flow Fan 2-pole, 3-ph - 315mm	119.55	2.5
AXIS-Q-315 4D	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 3-ph - 315mm	134.41	2.5
AXIS-Q-355 4D	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 3-ph - 355mm	117.82	2.5
AXIS-Q-400 4D	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 3-ph - 400mm	135.82	2.5
AXIS-Q-450 4D	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 3-ph - 450mm	145.86	2.5
AXIS-Q-500 4D	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 3-ph - 500mm	213.03	2.5
AXIS-Q-560 4D	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 3-ph - 560mm	277.69	2.5
AXIS-Q-630 4D	AXIS Q Plate Mounted Axial Flow Fan 4-pole, 3-ph - 630mm	319.69	2.5



External Wall Louvre

Part Number	Variant description	Price £	Discount Code
GRM-285	200mm External Wall Louvre	34.85	2.5
GRM-335	250mm External Wall Louvre	38.09	2.5
GRM-385	315mm External Wall Louvre	41.58	2.5
GRM-435	435mm External Wall Louvre	48.13	2.5
GRM-485	485 mm External Wall Louvre	49.65	2.5



Electric Heater Battery

Part Number	Variant description	Price £	Discount Code
EKH-100-0.6	Electric Heater Battery - 0.6 Kw - 100mm	93.25	4
EKH-100-0.8	Electric Heater Battery - 0.8 Kw - 100mm	93.25	4
EKH-100-1.2	Electric Heater Battery - 1.2 Kw - 100mm	105.44	4
EKH-100-1.6	Electric Heater Battery - 1.6 Kw - 100mm	112.03	4
EKH-125-0.8	Electric Heater Battery - 0.8 Kw - 125mm	100.89	4
EKH-125-1.2	Electric Heater Battery - 1.2 Kw - 125mm	126.10	4
EKH-125-2.4	Electric Heater Battery - 2.4 Kw - 125mm	164.52	4
EKH-150-1.2	Electric Heater Battery - 1.2 Kw - 150mm	118.66	4
EKH-150-2.4	Electric Heater Battery - 2.4 Kw - 150mm	157.59	4
EKH-150-3.4	Electric Heater Battery - 3.4 Kw - 150mm	169.79	4
EKH-200-2.4	Electric Heater Battery - 2.4 Kw - 200mm	169.02	4
EKH-200-3.4	Electric Heater Battery - 3.4 Kw - 200mm	181.18	4
EKH-250-3.0	Electric Heater Battery - 3.0 Kw - 250mm	181.18	4
EKH-250-6.0	Electric Heater Battery - 6.0 Kw - 250mm	306.77	4
EKH-315-3.6	Electric Heater Battery - 3.6 Kw - 315mm	304.13	4
EKH-315-6.0	Electric Heater Battery - 6.0 Kw - 315mm	304.13	4

Industrial Fans

In-line Fans



Tower H Centrifugal Roof Extract Fan Horizontal Discharge 1ph

Part Number	Variant description	Price £	Discount Code
TOWER-H-220 2E	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 2-pole, 1-ph	207.16	2.5
TOWER-H-225 2E	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 2-pole, 1-ph	204.49	2.5
TOWER-H-250 2E	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 2-pole, 1-ph	237.08	2.5
TOWER-H-280 2E	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 2-pole, 1-ph	268.18	2.5
TOWER-H-315 4E	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 4-pole, 1-ph	322.86	2.5
TOWER-H-355 4E	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 4-pole, 1-ph	398.53	2.5
TOWER-H-400 4E	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 4-pole, 1-ph	844.27	2.5
TOWER-H-450 4E	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 4-pole, 1-ph	859.73	2.5
TOWER-H-500 6E	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 6-pole, 1-ph	1039.20	2.5

Tower H Centrifugal Roof Extract Fan Horizontal Discharge 3ph

Part Number	Variant description	Price £	Discount Code
TOWER-H-315 4D	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 4-pole, 3-ph	414.30	2.5
TOWER-H-355 4D	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 4-pole, 3-ph	595.63	2.5
TOWER-H-400 4D	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 4-pole, 3-ph	734.28	2.5
TOWER-H-450 4D	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 4-pole, 3-ph	859.73	2.5
TOWER-H-500-4D	Tower H Centrifugal Roof Extract Fan Horizontal Discharge, 4-pole, 3-ph	1167.45	2.5



Tower V Centrifugal Roof Extract Fan Vertical Discharge 1ph

Part Number	Variant description	Price £	Discount Code
TOWER-V-220 2E	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 2-pole, 1-ph	260.11	2.5
TOWER-V-225 2E	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 2-pole, 1-ph	261.00	2.5
TOWER-V-250 2E	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 2-pole, 1-ph	278.03	2.5
TOWER-V-280 2E	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 2-pole, 1-ph	307.95	2.5
TOWER-V-315 4E	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 4-pole, 1-ph	373.74	2.5
TOWER-V-355 4E	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 4-pole, 1-ph	478.33	2.5
TOWER-V-400 4E	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 4-pole, 1-ph	924.39	2.5
TOWER-V-450 4E	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 4-pole, 1-ph	1044.57	2.5
TOWER-V-500 6E	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 6-pole, 1-ph	1130.40	2.5

Tower V Centrifugal Roof Extract Fan Vertical Discharge 3ph

Part Number	Variant description	Price £	Discount Code
TOWER-V-315 4D	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 4-pole, 3-ph	414.30	2.5
TOWER-V-355 4D	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 4-pole, 3-ph	595.63	2.5
TOWER-V-400 4D	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 4-pole, 3-ph	734.28	2.5
TOWER-V-450 4D	Tower V Centrifugal Roof Extract Fan Vertical Discharge, 4-pole, 3-ph	859.73	2.5



Tower H Centrifugal Roof Extract Fan Horizontal Discharge with EC Motor

Part Number	Variant description	Price £	Discount Code
TOWER-H-EC-250	Tower H Centrifugal Roof Extract Fan Horizontal Discharge with EC Motor	454.15	2.5
TOWER-H-EC-280	Tower H Centrifugal Roof Extract Fan Horizontal Discharge with EC Motor	554.37	2.5
TOWER-H-EC-310	Tower H Centrifugal Roof Extract Fan Horizontal Discharge with EC Motor	911.86	2.5
TOWER-H-EC-355	Tower H Centrifugal Roof Extract Fan Horizontal Discharge with EC Motor	986.59	2.5
TOWER-H-EC-400	Tower H Centrifugal Roof Extract Fan Horizontal Discharge with EC Motor	1290.53	2.5
TOWER-H-EC-450	Tower H Centrifugal Roof Extract Fan Horizontal Discharge with EC Motor	1868.53	2.5
TOWER-H-EC-500	Tower H Centrifugal Roof Extract Fan Horizontal Discharge with EC Motor	2311.55	2.5
TOWER-H-EC-560	Tower H Centrifugal Roof Extract Fan Horizontal Discharge with EC Motor	2810.29	2.5



Tower V Centrifugal Roof Extract Fan Vertical Discharge with EC Motor

Part Number	Variant description	Price £	Discount Code
TOWER-V-EC-250	Tower V Centrifugal Roof Extract Fan Vertical Discharge with EC Motor	454.15	2.5
TOWER-V-EC-280	Tower V Centrifugal Roof Extract Fan Vertical Discharge with EC Motor	554.37	2.5
TOWER-V-EC-315	Tower V Centrifugal Roof Extract Fan Vertical Discharge with EC Motor	876.94	2.5
TOWER-V-EC-355	Tower V Centrifugal Roof Extract Fan Vertical Discharge with EC Motor	986.59	2.5
TOWER-V-EC-400	Tower V Centrifugal Roof Extract Fan Vertical Discharge with EC Motor	1290.53	2.5
TOWER-V-EC-450	Tower V Centrifugal Roof Extract Fan Vertical Discharge with EC Motor	1872.96	2.5
TOWER-V-EC-500	Tower V Centrifugal Roof Extract Fan Vertical Discharge with EC Motor	2311.55	2.5
TOWER-V-EC-560	Tower V Centrifugal Roof Extract Fan Vertical Discharge with EC Motor	2334.42	2.5





Frameless Ceiling and Wall Vents - Page 61



Plastic and Metal Air Valves - Page 62



External Vents and Grilles - Page 63



Duct Vent Kits - Page 64



Stainless Steel Vent and Grilles - Page 65

Frameless Ceiling and Wall Terminals for Modern and Contemporary Buildings




Frameless Vents for MVHR systems

Blauberg's frameless vents are the perfect option if you need your vents to blend into the design of your home. The clue's in the name with these vents fitting flush to your ceiling or wall for the ultimate seamless finish.

These designer vents are made almost entirely of gypsum, allowing them to be installed into your ceiling or wall and painted over in the colour of your choice.

Blauberg offers frameless circular, square and slot diffusers.

Scan Here >
For More
Information



Grilles and Vents

Frameless Ceiling and Wall Vents



Circular Frameless Architectural Ceiling Air Valve Vent

Part Number	Variant description	Price £	Discount Code
MVHR-CIRCLE-100	Circular Frameless Architectural Ceiling Air Valve Vent - 100mm	107.11	2.5
MVHR-CIRCLE-125	Circular Frameless Architectural Ceiling Air Valve Vent - 125mm	107.11	2.5
MVHR-CIRCLE-160	Circular Frameless Architectural Ceiling Air Valve Vent - 160mm	201.56	2.5
MVHR-CIRCLE-200	Circular Frameless Architectural Ceiling Air Valve Vent - 200mm	256.68	2.5
MVHR-CIRCLE-250	Circular Frameless Architectural Ceiling Air Valve Vent - 250mm	256.68	2.5



Circular Frameless Architectural Wall Air Valve Vent

Part Number	Variant description	Price £	Discount Code
MVHR-SIDE-ROUND-100	Circular Frameless Architectural Wall Air Valve Vent - 100mm	210.52	2.5
MVHR-SIDE-ROUND-125	Circular Frameless Architectural Wall Air Valve Vent - 125mm	210.52	2.5
MVHR-SIDE-ROUND-160	Circular Frameless Architectural Wall Air Valve Vent - 160mm	267.03	2.5
MVHR-SIDE-ROUND-200	Circular Frameless Architectural Wall Air Valve Vent - 200mm	363.58	2.5
MVHR-SIDE-ROUND-250	Circular Frameless Architectural Wall Air Valve Vent - 250mm	363.58	2.5




Square Frameless Architectural Ceiling Air Valve Vent

Part Number	Variant description	Price £	Discount Code
MVHR-SQUARE-100	Square Frameless Architectural Ceiling Air Valve Vent - 100mm	120.89	2.5
MVHR-SQUARE-125	Square Frameless Architectural Ceiling Air Valve Vent - 125mm	120.89	2.5
MVHR-SQUARE-100-CENTRE	Square Frameless Architectural Ceiling Air Valve Vent - 100mm - Centre Section	26.20	2.5



Square Frameless Architectural Wall Air Valve Vent

Part Number	Variant description	Price £	Discount Code
MVHR-SIDE-SQUARE-100	Square Wall Mount Frameless Architectural Ceiling Grille / Vent	210.52	2.5
MVHR-SIDE-SQUARE-125	Square Wall Mount Frameless Architectural Ceiling Grille / Vent	210.52	2.5
MVHR-SIDE-SQUARE-160	Square Wall Mount Frameless Architectural Ceiling Grille / Vent	267.03	2.5
MVHR-SIDE-SQUARE-200	Square Wall Mount Frameless Architectural Ceiling Grille / Vent	363.58	2.5
MVHR-SIDE-SQUARE-250	Square Wall Mount Frameless Architectural Ceiling Grille / Vent	363.58	2.5



Frameless Architectural Slot Diffuser Vent

Part Number	Variant description	Price £	Discount Code
SLOT-LINE-625112	Linear Frameless Architectural Wall Grille / Vent with Fascia	220.76	2.5
SLOT-LINE-1000112	Linear Frameless Architectural Wall Grille / Vent with Fascia	236.48	2.5
SLOT-LINE-1250112	Linear Frameless Architectural Wall Grille / Vent with Fascia	250.29	2.5
SLOT-LINE-625118	100mm Round Frameless Architectural Wall Grille / Vent with Fascia	220.76	2.5
SLOT-LINE-1000118	125mm Round Frameless Architectural Wall Grille / Vent with Fascia	236.48	2.5
SLOT-LINE-1250118	160mm Round Frameless Architectural Wall Grille / Vent with Fascia	250.29	2.5
SLOT-LINE-625212	625x12mm - Frameless Architectural Slot Diffuser Vent- 2 Slot	258.67	2.5
SLOT-LINE-1000212	1000x12mm - Frameless Architectural Slot Diffuser Vent- 2 Slot	270.96	2.5
SLOT-LINE-1250212	1250x12mm - Frameless Architectural Slot Diffuser Vent- 2 Slot	281.28	2.5
SLOT-LINE-625218	625x18mm - Frameless Architectural Slot Diffuser Vent- 2 Slot	262.10	2.5
SLOT-LINE-1000218	1000x18mm - Frameless Architectural Slot Diffuser Vent- 2 Slot	270.96	2.5
SLOT-LINE-1250218	1250x18mm - Frameless Architectural Slot Diffuser Vent- 2 Slot	281.28	2.5
SLOT-LINE-1000318	1000x18mm - Frameless Architectural Slot Diffuser Vent- 3 Slot	316.73	2.5
SLOT-LINE-1250318	1250x18mm - Frameless Architectural Slot Diffuser Vent- 3 Slot	340.86	2.5



Frameless Architectural Slot Diffuser Vent

Part Number	Variant description	Price £	Discount Code
SLOT-LINE-BB-1000125	Acoustic Back box 1-2 slots, length 1000mm, size 125mm	187.04	2.5
SLOT-LINE-BB-1000125-3	Acoustic Back box 3 slots, length 1000mm, size 125mm	187.04	2.5
SLOT-LINE-BB-1000160	Acoustic Back box 1-2 slots, length 1000mm, size 160mm	208.39	2.5
SLOT-LINE-BB-1000160-3	Acoustic Back box 3 slots, length 1000mm, size 160mm	208.39	2.5
SLOT-LINE-BB-100075	Acoustic Back box 1-2 slots, length 1000mm, size 75mm	163.62	2.5
SLOT-LINE-BB-1250125	Acoustic Back box 1-2 slots, length 1250mm, size 125mm	193.96	2.5
SLOT-LINE-BB-1250125-3	Acoustic Back box 3 slots, length 1250mm, size 125mm	193.96	2.5
SLOT-LINE-BB-1250160	Acoustic Back box 1-2 slots, length 1250mm, size 160mm	215.31	2.5
SLOT-LINE-BB-1250160-3	Acoustic Back box 3 slots, length 1250mm, size 160mm	215.31	2.5
SLOT-LINE-BB-125075	Acoustic Back box 1-2 slots, length 1250mm, size 75mm	177.43	2.5
SLOT-LINE-BB-625125	Acoustic Back box 1-2 slots, length 625mm, size 125mm	168.47	2.5
SLOT-LINE-BB-625125-3	Acoustic Back box 3 slots, length 625mm, size 125mm	168.47	2.5
SLOT-LINE-BB-625160	Acoustic Back box 1-2 slots, length 625mm, size 160mm	184.29	2.5
SLOT-LINE-BB-625160-3	Acoustic Back box 3 slots, length 625mm, size 160mm	184.29	2.5
SLOT-LINE-BB-62575	Acoustic Back box 1-2 slots, length 625mm, size 75mm	153.30	2.5



Grilles and Vents

Plastic and Metal Air Valves



Plastic Air Diffuser			
Part Number	Variant description	Price £	Discount Code
DPR 100	Plastic Air Diffuser - 100mm	5.85	7
DPR 100 CHROME	Plastic Air Diffuser Chrome - 100mm	8.38	2.5
DPR 125	Plastic Air Diffuser - 125mm	9.18	7
DPR 125 CHROME	Plastic Air Diffuser Chrome - 125mm	14.65	2.5
DPR 150	Plastic Air Diffuser - 150mm	11.62	7
DPR 150 CHROME	Plastic Air Diffuser Chrome - 150mm	20.78	2.5



Metal Extract Air Valve Stainless Steel			
Part Number	Variant description	Price £	Discount Code
VSR 100	Metal Extract Air Valve Stainless Steel - 100mm	12.21	2.5
VSR 125	Metal Extract Air Valve Stainless Steel - 125mm	15.98	2.5
VSR 150	Metal Extract Air Valve Stainless Steel - 150mm	22.69	2.5
VSR 200	Metal Extract Air Valve Stainless Steel - 200mm	56.78	2.5



Adjustable Round Ventilation Diffuser Extract Air Valve			
Part Number	Variant description	Price £	Discount Code
VPR 100	Plastic Air Valve with Flange - 100mm	9.69	7
VPR 125	Plastic Air Valve with Flange - 125mm	12.43	7
VPR 150	Plastic Air Valve with Flange - 150mm	14.95	7
VPR 200	Plastic Air Valve with Flange - 200mm	27.97	7



Metal Extract Air Valve White Finish			
Part Number	Variant description	Price £	Discount Code
VMR 100	Metal Extract Air Valve White Finish - 100mm	10.29	7
VMR 125	Metal Extract Air Valve White Finish - 125mm	13.39	7
VMR 150	Metal Extract Air Valve White Finish - 150mm	16.80	7
VMR 200	Metal Extract Air Valve White Finish - 200mm	23.83	7



Metal Fire Damper Extract Air Valve White Finish			
Part Number	Variant description	Price £	Discount Code
FF-FRE-100	Metal Fire Damper Extract Air Valve White Finish - 100mm	32.67	2.5
FF-FRE-125	Metal Fire Damper Extract Air Valve White Finish - 125mm	34.90	2.5
FF-FRE-150	Metal Fire Damper Extract Air Valve White Finish - 150mm	47.47	2.5
FF-FRE-200	Metal Fire Damper Extract Air Valve White Finish - 200mm	59.50	2.5
FF-FRS-100	Metal Fire Damper Supply Air Valve White Finish - 100mm	42.42	2.5
FF-FRS-125	Metal Fire Damper Supply Air Valve White Finish - 125mm	49.60	2.5
FF-FRS-150	Metal Fire Damper Supply Air Valve White Finish - 150mm	71.08	2.5
FF-FRS-200	Metal Fire Damper Supply Air Valve White Finish - 200mm	99.61	2.5



Chrome Adjustable Round Ventilation Diffuser Extract Air Valve			
Part Number	Variant description	Price £	Discount Code
VPR 100 CHROME	Plastic Chrome Air Valve with Flange - 100mm	16.61	2.5
VPR 125 CHROME	Plastic Chrome Air Valve with Flange - 125mm	19.96	2.5
VPR 150 CHROME	Plastic Chrome Air Valve with Flange - 150mm	37.78	2.5
VPR 200 CHROME	Plastic Chrome Air Valve with Flange - 200mm	48.73	2.5

Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh


NEW
PRODUCT

Decoration of supply and exhaust vents of public, residential and industrial ventilation systems.

Used for correct air flow distribution in premises.

Wall or ceiling mounting.

protecting insect screen.



Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 100mm Dia			
Part Number	Variant description	Price £	Discount Code
DECOR 100-MB BLACK	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 100mm Dia - Black	5.48	7
DECOR 100-MB BROWN	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 100mm Dia - Brown	5.48	7
DECOR 100-MB COTSWOLD STONE	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 100mm Dia - Cotswold Stone	5.48	7
DECOR 100-MB COTTAGE RED	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 100mm Dia - Cottage Red	6.29	7
DECOR 100-MB GREY	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 100mm Dia - Light Grey	5.48	7
DECOR 100-MB SLATE GREY	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 100mm Dia - Slate Grey	6.29	7
DECOR 100-MB TERRACOTTA	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 100mm Dia - Terracotta	5.48	7
DECOR 100-MB WHITE	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 100mm Dia - White	5.48	7

Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 125mm Dia			
Part Number	Variant description	Price £	Discount Code
DECOR 125-MB BLACK	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 125mm Dia - Black	7.18	7
DECOR 125-MB BROWN	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 125mm Dia - Brown	7.18	7
DECOR 125-MB COTSWOLD STONE	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 125mm Dia - Cotswold Stone	7.18	7
DECOR 125-MB COTTAGE RED	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 125mm Dia - Cottage Red	8.21	7
DECOR 125-MB GREY	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 125mm Dia - Light Grey	7.18	7
DECOR 125-MB SLATE GREY	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 125mm Dia - Slate Grey	8.21	7
DECOR 125-MB TERRACOTTA	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 125mm Dia - Terracotta	7.18	7
DECOR 125-MB WHITE	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 125mm Dia - White	7.18	7

Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 150mm Dia			
Part Number	Variant description	Price £	Discount Code
DECOR 150-MB BLACK	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 150mm Dia - Black	8.58	7
DECOR 150-MB BROWN	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 150mm Dia - Brown	8.58	7
DECOR 150-MB COTSWOLD STONE	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 150mm Dia - Cotswold Stone	8.58	7
DECOR 150-MB COTTAGE RED	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 150mm Dia - Cottage Red	9.92	7
DECOR 150-MB GREY	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 150mm Dia - Light Grey	8.58	7
DECOR 150-MB SLATE GREY	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 150mm Dia - Slate Grey	9.92	7
DECOR 150-MB TERRACOTTA	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 150mm Dia - Terracotta	8.58	7
DECOR 150-MB WHITE	Plastic Circular Fixed Blade External Grille Vent Louvre + Insect Mesh - 150mm Dia - White	8.58	7

Grilles and Vents

External Vents and Grilles



Plastic Gravity Shutter - 100mm				
Part Number	Variant description	Price £	Discount Code	
DECOR 155X155-100G BLACK	Plastic Gravity Shutter - 100mm - Black	4.74	7	
DECOR 155X155-100G BROWN	Plastic Gravity Shutter - 100mm - Brown	4.74	7	
DECOR 155X155-100G COTSWOLD STONE	Plastic Gravity Shutter - 100mm - Cotswold Stone	4.74	7	
DECOR 155X155-100G COTTAGE RED	Plastic Gravity Shutter - 100mm - Cottage Red	5.48	7	
DECOR 155X155-100G GREY	Plastic Gravity Shutter - 100mm - Grey	4.74	7	
DECOR 155X155-100G SLATE GREY	Plastic Gravity Shutter - 100mm - Slate Grey	5.48	7	
DECOR 155X155-100G TERRACOTTA	Plastic Gravity Shutter - 100mm - Terracotta	4.74	7	
DECOR 155X155-100G WHITE	Plastic Gravity Shutter - 100mm - White	5.18	7	



Plastic Cowled Wall Grille - 100mm				
Part Number	Variant description	Price £	Discount Code	
DECOR 155X155-100HK BLACK	Plastic Cowled Wall Grille - 100mm - Black	7.33	7	
DECOR 155X155-100HK BROWN	Plastic Cowled Wall Grille - 100mm - Brown	7.33	7	
DECOR 155X155-100HK COTSWOLD STONE	Plastic Cowled Wall Grille - 100mm - Cotswold Stone	7.33	7	
DECOR 155X155-100HK COTTAGE RED	Plastic Cowled Wall Grille - 100mm - Cottage Red	8.44	7	
DECOR 155X155-100HK GREY	Plastic Cowled Wall Grille - 100mm - Grey	7.33	7	
DECOR 155X155-100HK SLATE GREY	Plastic Cowled Wall Grille - 100mm - Slate Grey	8.44	7	
DECOR 155X155-100HK TERRACOTTA	Plastic Cowled Wall Grille - 100mm - Terracotta	7.33	7	
DECOR 155X155-100HK WHITE	Plastic Cowled Wall Grille - 100mm - White	7.33	7	



Plastic Fixed Blade Grille - 100mm				
Part Number	Variant description	Price £	Discount Code	
DECOR 155X155-100S BLACK	Plastic Fixed Blade Grille - 100mm - Black	4.74	7	
DECOR 155X155-100S BROWN	Plastic Fixed Blade Grille - 100mm - Brown	4.74	7	
DECOR 155X155-100S COTSWOLD STONE	Plastic Fixed Blade Grille - 100mm - Cotswold Stone	4.74	7	
DECOR 155X155-100S COTTAGE RED	Plastic Fixed Blade Grille - 100mm - Cottage Red	5.48	7	
DECOR 155X155-100S GREY	Plastic Fixed Blade Grille - 100mm - Grey	4.74	7	
DECOR 155X155-100S SLATE GREY	Plastic Fixed Blade Grille - 100mm - Slate Grey	5.48	7	
DECOR 155X155-100S TERRACOTTA	Plastic Fixed Blade Grille - 100mm - Terracotta	4.74	7	
DECOR 155X155-100S WHITE	Plastic Fixed Blade Grille - 100mm - White	5.18	7	

Plastic Gravity Shutter - 125mm				
Part Number	Variant description	Price £	Discount Code	
DECOR 185X185-125G BLACK	Plastic Gravity Shutter - 125mm - Black	6.22	7	
DECOR 185X185-125G BROWN	Plastic Gravity Shutter - 125mm - Brown	6.22	7	
DECOR 185X185-125G COTSWOLD STONE	Plastic Gravity Shutter - 125mm - Cotswold Stone	6.22	7	
DECOR 185X185-125G COTTAGE RED	Plastic Gravity Shutter - 125mm - Cottage Red	7.18	7	
DECOR 185X185-125G GREY	Plastic Gravity Shutter - 125mm - Grey	6.22	7	
DECOR 185X185-125G SLATE GREY	Plastic Gravity Shutter - 125mm - Slate Grey	7.18	7	
DECOR 185X185-125G TERRACOTTA	Plastic Gravity Shutter - 125mm - Terracotta	6.22	7	
DECOR 185X185-125G WHITE	Plastic Gravity Shutter - 125mm - White	6.22	7	

Plastic Cowled Wall Grille - 125mm				
Part Number	Variant description	Price £	Discount Code	
DECOR 185X185-125HK BLACK	Plastic Cowled Wall Grille - 125mm - Black	8.73	7	
DECOR 185X185-125HK BROWN	Plastic Cowled Wall Grille - 125mm - Brown	8.73	7	
DECOR 185X185-125HK COTSWOLD STONE	Plastic Cowled Wall Grille - 125mm - Cotswold Stone	8.73	7	
DECOR 185X185-125HK COTTAGE RED	Plastic Cowled Wall Grille - 125mm - Cottage Red	10.06	7	
DECOR 185X185-125HK GREY	Plastic Cowled Wall Grille - 125mm - Grey	8.73	7	
DECOR 185X185-125HK SLATE GREY	Plastic Cowled Wall Grille - 125mm - Slate Grey	10.06	7	
DECOR 185X185-125HK TERRACOTTA	Plastic Cowled Wall Grille - 125mm - Terracotta	8.73	7	
DECOR 185X185-125HK WHITE	Plastic Cowled Wall Grille - 125mm - White	8.73	7	

Plastic Fixed Blade Grille - 125mm				
Part Number	Variant description	Price £	Discount Code	
DECOR 185X185-125S BLACK	Plastic Fixed Blade Grille - 125mm - Black	6.22	7	
DECOR 185X185-125S BROWN	Plastic Fixed Blade Grille - 125mm - Brown	6.22	7	
DECOR 185X185-125S COTSWOLD STONE	Plastic Fixed Blade Grille - 125mm - Cotswold Stone	6.22	7	
DECOR 185X185-125S COTTAGE RED	Plastic Fixed Blade Grille - 125mm - Cottage Red	7.18	7	
DECOR 185X185-125S GREY	Plastic Fixed Blade Grille - 125mm Grey	6.22	7	
DECOR 185X185-125S SLATE GREY	Plastic Fixed Blade Grille - 125mm Slate Grey	7.18	7	
DECOR 185X185-125S TERRACOTTA	Plastic Fixed Blade Grille - 125mm Terracotta	6.22	7	
DECOR 185X185-125S WHITE	Plastic Fixed Blade Grille - 125mm - White	6.22	7	

Plastic Gravity Shutter - 150mm				
Part Number	Variant description	Price £	Discount Code	
DECOR 185X185-150G BLACK	Plastic Gravity Shutter - 150mm - Black	7.84	7	
DECOR 185X185-150G BROWN	Plastic Gravity Shutter - 150mm - Brown	7.84	7	
DECOR 185X185-150G COTSWOLD STONE	Plastic Gravity Shutter - 150mm - Cotswold Stone	7.84	7	
DECOR 185X185-150G COTTAGE RED	Plastic Gravity Shutter - 150mm - Cottage Red	9.03	7	
DECOR 185X185-150G GREY	Plastic Gravity Shutter - 150mm - Grey	7.84	7	
DECOR 185X185-150G SLATE GREY	Plastic Gravity Shutter - 150mm - Slate Grey	9.03	7	
DECOR 185X185-150G TERRACOTTA	Plastic Gravity Shutter - 150mm - Terracotta	7.84	7	
DECOR 185X185-150G WHITE	Plastic Gravity Shutter - 150mm - White	7.84	7	

Plastic Cowled Wall Grille - 150mm				
Part Number	Variant description	Price £	Discount Code	
DECOR 185X185-150HK BLACK	Plastic Cowled Wall Grille - 150mm - Black	11.40	7	
DECOR 185X185-150HK BROWN	Plastic Cowled Wall Grille - 150mm - Brown	11.40	7	
DECOR 185X185-150HK COTSWOLD STONE	Plastic Cowled Wall Grille - 150mm - Cotswold Stone	11.40	7	
DECOR 185X185-150HK COTTAGE RED	Plastic Cowled Wall Grille - 150mm - Cottage Red	13.10	7	
DECOR 185X185-150HK GREY	Plastic Cowled Wall Grille - 150mm - Grey	11.40	7	
DECOR 185X185-150HK SLATE GREY	Plastic Cowled Wall Grille - 150mm - Slate Grey	13.10	7	
DECOR 185X185-150HK TERRACOTTA	Plastic Cowled Wall Grille - 150mm - Terracotta	11.40	7	
DECOR 185X185-150HK WHITE	Plastic Cowled Wall Grille - 150mm - White	11.40	7	

Plastic Fixed Blade Grille - 150mm				
Part Number	Variant description	Price £	Discount Code	
DECOR 185X185-150S BLACK	Plastic Fixed Blade Grille - 150mm - Black	7.47	7	
DECOR 185X185-150S BROWN	Plastic Fixed Blade Grille - 150mm - Brown	7.47	7	
DECOR 185X185-150S COTSWOLD STONE	Plastic Fixed Blade Grille - 150mm - Cotswold Stone	7.47	7	
DECOR 185X185-150S COTTAGE RED	Plastic Fixed Blade Grille - 150mm - Cottage Red	8.58	7	
DECOR 185X185-150S GREY	Plastic Fixed Blade Grille - 150mm Grey	7.47	7	
DECOR 185X185-150S SLATE GREY	Plastic Fixed Blade Grille - 150mm Slate Grey	8.58	7	
DECOR 185X185-150S TERRACOTTA	Plastic Fixed Blade Grille - 150mm Terracotta	7.47	7	
DECOR 185X185-150S WHITE	Plastic Fixed Blade Grille - 150mm - White	7.47	7	



External Wind Baffle Vent 100mm				
Part Number	Variant description	Price £	Discount Code	
AH-10-100-BLACK	Blauberg External Wind Baffle Vent 100mm Black	18.18	2.5	
AH-10-100-BROWN	Blauberg External Wind Baffle Vent 100mm Brown	18.18	2.5	
AH-10-100-COTSWOLD-STONE	Blauberg External Wind Baffle Vent 100mm Cotswold Stone	18.18	2.5	
AH-10-100-GREY	Blauberg External Wind Baffle Vent 100mm Grey	18.18	2.5	
AH-10-100-TERRACOTTA	Blauberg External Wind Baffle Vent 100mm Terracotta	18.18	2.5	
AH-10-100-WHITE	Blauberg External Wind Baffle Vent 100mm White	18.18	2.5	



External Wind Baffle Vent 125mm				
Part Number	Variant description	Price £	Discount Code	
AH-10-125-BLACK	Blauberg External Wind Baffle Vent 125mm Black	18.18	2.5	
AH-10-125-BROWN	Blauberg External Wind Baffle Vent 125mm Brown	18.18	2.5	
AH-10-125-COTSWOLD-STONE	Blauberg External Wind Baffle Vent 125mm Cotswold Stone	18.18	2.5	
AH-10-125-GREY	Blauberg External Wind Baffle Vent 125mm Grey	18.18	2.5	
AH-10-125-TERRACOTTA	Blauberg External Wind Baffle Vent 125mm Terracotta	18.18	2.5	
AH-10-125-WHITE	External Wind Baffle Vent 125mm White	18.18	2.5	



External Wind Baffle Vent 150mm				
Part Number	Variant description	Price £	Discount Code	
AH-10-150-BLACK	External Wind Baffle Vent 150mm Black	18.18	2.5	
AH-10-150-BROWN	External Wind Baffle Vent 150mm Brown	18.18	2.5	
AH-10-150-COTSWOLD-STONE	External Wind Baffle Vent 150mm Cotswold Stone	18.18	2.5	
AH-10-150-GREY	External Wind Baffle Vent 150mm Grey	18.18	2.5	
AH-10-150-TERRACOTTA	External Wind Baffle Vent 150mm Terracotta	18.18	2.5	
AH-10-150-WHITE	External Wind Baffle Vent 150mm White	18.18	2.5	

Grilles and Vents

External Vents and Grilles



Background Ventilators to meet New Building Regulations

- Building Regulations require background ventilators (trickle vents) to be installed as part of any ventilation system for dwellings, other than with MVHR.
- Wall mounted, passive vent kit that can be retrofitted into any external wall.
 - Use where existing window mounted trickle vents are not provided, or do not meet minimum equivalent area (EA) requirements set out in Building Regulations ADF.
 - Each Blauberg background ventilator provides a minimum of 2500 mm2 equivalent area and tested to BS EN 13141-1.
 - Attractive front vent panel designed to fit in any room, finished in brilliant white.
 - Fitted with internal iris damper for airflow adjustment and shut off.
 - Anti draught, washable filter vapour permeable membrane included.
 - External cowed vent, available in different colours.



Background Ventilator Acoustic Passive Vent Grille Kit				
Part Number	Variant description	Price £	Discount Code	
BVK-EA-2500-BLK	100mm Background Ventilator Acoustic Passive Vent Grille Kit 2500 mm2 Equivalent Area - Black	77.70	7	
BVK-EA-2500-BRO	100mm Background Ventilator Acoustic Passive Vent Grille Kit 2500 mm2 Equivalent Area - Brown	77.70	7	
BVK-EA-2500-COT	100mm Background Ventilator Acoustic Passive Vent Grille Kit 2500 mm2 Equivalent Area - Cotswold Stone	77.70	7	
BVK-EA-2500-GRY	100mm Background Ventilator Acoustic Passive Vent Grille Kit 2500 mm2 Equivalent Area - Grey	77.70	7	
BVK-EA-2500-TER	100mm Background Ventilator Acoustic Passive Vent Grille Kit 2500 mm2 Equivalent Area - Terracotta	77.70	7	
BVK-EA-2500-WHI	100mm Background Ventilator Acoustic Passive Vent Grille Kit 2500 mm2 Equivalent Area - White	77.70	7	



Cooker Hood Duct Shutter Vent Kit Fan Extract 100mm				
Part Number	Variant description	Price £	Discount Code	
CHK-100-3-VJBL	Cooker Hood Duct Shutter Vent Kit Fan Extract 100mm Black	17.08	4	
CHK-100-3-VJBR	Cooker Hood Duct Shutter Vent Kit Fan Extract 100mm Brown	17.08	4	
CHK-100-3-VJCS	Cooker Hood Duct Shutter Vent Kit Fan Extract 100mm Cotswold Stone	17.08	4	
CHK-100-3-VJGR	Cooker Hood Duct Shutter Vent Kit Fan Extract 100mm Grey	17.08	4	
CHK-100-3-VJTE	Cooker Hood Duct Shutter Vent Kit Fan Extract 100mm Terracotta	17.08	4	
CHK-100-3-VJWH	Cooker Hood Duct Shutter Vent Kit Fan Extract 100mm White	17.08	4	



Cooker Hood Duct Cowed Vent Kit Fan Extract 100mm				
Part Number	Variant description	Price £	Discount Code	
CHK-100-3-VKBL	Cooker Hood Duct Cowed Vent Kit Fan Extract 100mm Black	18.87	4	
CHK-100-3-VKBR	Cooker Hood Duct Cowed Vent Kit Fan Extract 100mm Brown	18.87	4	
CHK-100-3-VKCS	Cooker Hood Duct Cowed Vent Kit Fan Extract 100mm Cotswold Stone	18.87	4	
CHK-100-3-VKGR	Cooker Hood Duct Cowed Vent Kit Fan Extract 100mm Grey	18.87	4	
CHK-100-3-VKTE	Cooker Hood Duct Cowed Vent Kit Fan Extract 100mm Terracotta	18.87	4	
CHK-100-3-VKWH	Cooker Hood Duct Cowed Vent Kit Fan Extract 100mm White	18.87	4	



Cooker Hood Duct Vent Kit Fan Extract 100mm				
Part Number	Variant description	Price £	Discount Code	
CHK-100-3-VSBL	Cooker Hood Duct Vent Kit Fan Extract 100mm Black	17.08	4	
CHK-100-3-VSBR	Cooker Hood Duct Vent Kit Fan Extract 100mm Brown	17.08	4	
CHK-100-3-VSCS	Cooker Hood Duct Vent Kit Fan Extract 100mm Cotswold Stone	17.08	4	
CHK-100-3-VSGR	Cooker Hood Duct Vent Kit Fan Extract 100mm Grey	17.08	4	
CHK-100-3-VSTE	Cooker Hood Duct Vent Kit Fan Extract 100mm Terracotta	17.08	4	
CHK-100-3-VSWH	Cooker Hood Duct Vent Kit Fan Extract 100mm White	17.08	4	

Cooker Hood Duct Shutter Vent Kit Fan Extract 125mm				
Part Number	Variant description	Price £	Discount Code	
CHK-125-3-VJBL	Cooker Hood Duct Shutter Vent Kit Fan Extract 125mm Black	18.87	4	
CHK-125-3-VJBR	Cooker Hood Duct Shutter Vent Kit Fan Extract 125mm Brown	18.87	4	
CHK-125-3-VJCS	Cooker Hood Duct Shutter Vent Kit Fan Extract 125mm Cotswold Stone	18.87	4	
CHK-125-3-VJGR	Cooker Hood Duct Shutter Vent Kit Fan Extract 125mm Grey	18.87	4	
CHK-125-3-VJTE	Cooker Hood Duct Shutter Vent Kit Fan Extract 125mm Terracotta	18.87	4	
CHK-125-3-VJWH	Cooker Hood Duct Shutter Vent Kit Fan Extract 125mm White	18.87	4	

Cooker Hood Duct Cowed Vent Kit Fan Extract 125mm				
Part Number	Variant description	Price £	Discount Code	
CHK-125-3-VKBL	Cooker Hood Duct Cowed Vent Kit Fan Extract 125mm Black	20.61	4	
CHK-125-3-VKBR	Cooker Hood Duct Cowed Vent Kit Fan Extract 125mm Brown	20.61	4	
CHK-125-3-VKCS	Cooker Hood Duct Cowed Vent Kit Fan Extract 125mm Cotswold Stone	20.61	4	
CHK-125-3-VKGR	Cooker Hood Duct Cowed Vent Kit Fan Extract 125mm Grey	20.61	4	
CHK-125-3-VKTE	Cooker Hood Duct Cowed Vent Kit Fan Extract 125mm Terracotta	20.61	4	
CHK-125-3-VKWH	Cooker Hood Duct Cowed Vent Kit Fan Extract 125mm White	20.61	4	

Cooker Hood Duct Vent Kit Fan Extract 125mm				
Part Number	Variant description	Price £	Discount Code	
CHK-125-3-VSBL	Cooker Hood Duct Vent Kit Fan Extract 125mm Black	18.87	4	
CHK-125-3-VSBR	Cooker Hood Duct Vent Kit Fan Extract 125mm Brown	18.87	4	
CHK-125-3-VSCS	Cooker Hood Duct Vent Kit Fan Extract 125mm Cotswold Stone	18.87	4	
CHK-125-3-VSGR	Cooker Hood Duct Vent Kit Fan Extract 125mm Grey	18.87	4	
CHK-125-3-VSTE	Cooker Hood Duct Vent Kit Fan Extract 125mm Terracotta	18.87	4	
CHK-125-3-VSWH	Cooker Hood Duct Vent Kit Fan Extract 125mm White	18.87	4	

Cooker Hood Duct Shutter Vent Kit Fan Extract 150mm				
Part Number	Variant description	Price £	Discount Code	
CHK-150-3-VJBL	Cooker Hood Duct Shutter Vent Kit Fan Extract 150mm Black	20.61	4	
CHK-150-3-VJBR	Cooker Hood Duct Shutter Vent Kit Fan Extract 150mm Brown	20.61	4	
CHK-150-3-VJCS	Cooker Hood Duct Shutter Vent Kit Fan Extract 150mm Cotswold Stone	20.61	4	
CHK-150-3-VJGR	Cooker Hood Duct Shutter Vent Kit Fan Extract 150mm Grey	20.61	4	
CHK-150-3-VJTE	Cooker Hood Duct shutter Vent Kit Fan Extract 150mm Terracotta	20.61	4	
CHK-150-3-VJWH	Cooker Hood Duct Shutter Vent Kit Fan Extract 150mm White	20.61	4	

Cooker Hood Duct Cowed Vent Kit Fan Extract 150mm				
Part Number	Variant description	Price £	Discount Code	
CHK-150-3-VKBL	Cooker Hood Duct Cowed Vent Kit Fan Extract 150mm Black	22.95	4	
CHK-150-3-VKBR	Cooker Hood Duct Cowed Vent Kit Fan Extract 150mm Brown	22.95	4	
CHK-150-3-VKCS	Cooker Hood Duct Cowed Vent Kit Fan Extract 150mm Cotswold Stone	22.95	4	
CHK-150-3-VKGR	Cooker Hood Duct Cowed Vent Kit Fan Extract 150mm Grey	22.95	4	
CHK-150-3-VKTE	Cooker Hood Duct Cowed Vent Kit Fan Extract 150mm Terracotta	22.95	4	
CHK-150-3-VKWH	Cooker Hood Duct Cowed Vent Kit Fan Extract 150mm White	22.95	4	

Cooker Hood Duct Vent Kit Fan Extract 150mm				
Part Number	Variant description	Price £	Discount Code	
CHK-150-3-VSBL	Cooker Hood Duct Vent Kit Fan Extract 150mm Black	20.61	4	
CHK-150-3-VSBR	Cooker Hood Duct Vent Kit Fan Extract 150mm Brown	20.61	4	
CHK-150-3-VSCS	Cooker Hood Duct Vent Kit Fan Extract 150mm Cotswold Stone	20.61	4	
CHK-150-3-VSGR	Cooker Hood Duct Vent Kit Fan Extract 150mm Grey	20.61	4	
CHK-150-3-VSTE	Cooker Hood Duct Vent Kit Fan Extract 150mm Terracotta	20.61	4	
CHK-150-3-VSWH	Cooker Hood Duct Vent Kit Fan Extract 150mm White	20.61	4	

Grilles and Vents

Stainless Steel Vents and Grilles



Ventilation PVC Flexible Duct Cowled Wall Kit 100mm

Part Number	Variant description	Price £	Discount Code
DK-100-PVC-BLK	Ventilation PVC Flexible Duct Cowled Wall Kit 100mm Black	23.67	4
DK-100-PVC-BRO	Ventilation PVC Flexible Duct Cowled Wall Kit 100mm Brown	23.67	4
DK-100-PVC-COT	Ventilation PVC Flexible Duct Cowled Wall Kit 100mm Cotswold Stone	23.67	4
DK-100-PVC-GRY	Ventilation PVC Flexible Duct Cowled Wall Kit 100mm Grey	23.67	4
DK-100-PVC-TER	Ventilation PVC Flexible Duct Cowled Wall Kit 100mm Terracotta	23.67	4
DK-100-PVC-WHI	Ventilation PVC Flexible Duct Cowled Wall Kit 100mm White	23.67	4

Ventilation PVC Flexible Duct Cowled Wall Kit 125mm

Part Number	Variant description	Price £	Discount Code
DK-125-PVC-BLK	Ventilation PVC Flexible Duct Cowled Wall Kit 125mm Black	29.88	4
DK-125-PVC-BRO	Ventilation PVC Flexible Duct Cowled Wall Kit 125mm Brown	29.88	4
DK-125-PVC-COT	Ventilation PVC Flexible Duct Cowled Wall Kit 125mm Cotswold Stone	29.88	4
DK-125-PVC-GRY	Ventilation PVC Flexible Duct Cowled Wall Kit 125mm Grey	29.88	4
DK-125-PVC-TER	Ventilation PVC Flexible Duct Cowled Wall Kit 125mm Terracotta	29.88	4
DK-125-PVC-WHI	Ventilation PVC Flexible Duct Cowled Wall Kit 125mm White	29.88	4

Ventilation PVC Flexible Duct Cowled Wall Kit 150mm

Part Number	Variant description	Price £	Discount Code
DK-150-PVC-BLK	Ventilation PVC Flexible Duct Cowled Wall Kit 150mm Black	31.20	4
DK-150-PVC-BRO	Ventilation PVC Flexible Duct Cowled Wall Kit 150mm Brown	31.20	4
DK-150-PVC-COT	Ventilation PVC Flexible Duct Cowled Wall Kit 150mm Cotswold Stone	31.20	4
DK-150-PVC-GRY	Ventilation PVC Flexible Duct Cowled Wall Kit 150mm Grey	31.20	4
DK-150-PVC-TER	Ventilation PVC Flexible Duct Cowled Wall Kit 150mm Terracotta	31.20	4
DK-150-PVC-WHI	Ventilation PVC Flexible Duct Cowled Wall Kit 150mm White	32.81	4



Flat Plastic Duct Air Brick - 110 x 54mm

Part Number	Variant description	Price £	Discount Code
DECOR 81X136 BLACK	Flat Plastic Duct Air Brick - 110x54mm - Black	3.57	4
DECOR 81X136 BROWN	Flat Plastic Duct Air Brick - 110x54mm - Brown	3.57	4
DECOR 81X136 COTSWOLD STONE	Flat Plastic Duct Air Brick - 110x54mm - Cotswold Stone	3.57	4
DECOR 81X136 GREY	Flat Plastic Duct Air Brick - 110x54mm - Grey	3.57	4
DECOR 81X136 TERRACOTTA	Flat Plastic Duct Air Brick - 110x54mm - Terracotta	3.57	4
DECOR 81X136 WHITE	Flat Plastic Duct Air Brick - 110x54mm - White	3.57	4



Flat Plastic Air Brick - 204 x 60mm

Part Number	Variant description	Price £	Discount Code
DECOR 86X230 BLACK	Flat Plastic Air Brick - 204x60mm - Black	4.46	4
DECOR 86X230 BROWN	Flat Plastic Air Brick - 204x60mm - Brown	4.46	4
DECOR 86X230 COTSWOLD STONE	Flat Plastic Air Brick - 204x60mm - Cotswold Stone	4.46	4
DECOR 86X230 GREY	Flat Plastic Air Brick - 204x60mm - Grey	4.46	4
DECOR 86X230 TERRACOTTA	Flat Plastic Air Brick - 204x60mm - Terracotta	4.46	4
DECOR 86X230 WHITE	Flat Plastic Air Brick - 204x60mm - White	4.46	4



Stainless Steel Air Brick

Part Number	Variant description	Price £	Discount Code
DECOR S 110X54	Stainless Steel Air Brick - 110x54mm	17.85	4
DECOR S 204X60	Stainless Steel Air Brick - 204x60mm	23.55	4



Stainless Steel Bull Nose Grille

Part Number	Variant description	Price £	Discount Code
DECOR S 102HK	Stainless Steel Bull Nose Grille - 100mm	25.29	4
DECOR S 122HK	Stainless Steel Bull Nose Grille - 125mm	36.51	4
DECOR S 152HK	Stainless Steel Bull Nose Grille - 150mm	43.99	4
DECOR S 200HK	Stainless Steel Bull Nose Grille - 200mm	80.67	4



Stainless Steel Gravity Shutter

Part Number	Variant description	Price £	Discount Code
DECOR S 137X137-100G	Stainless Steel Gravity Shutter - 100mm	33.02	4
DECOR S 167X167-125G	Stainless Steel Gravity Shutter - 125mm	41.40	4
DECOR S 167X167-150G	Stainless Steel Gravity Shutter - 150mm	48.03	4



Stainless Steel Cowled Grille

Part Number	Variant description	Price £	Discount Code
DECOR S 137X137-102HK	Stainless Steel Cowled Grille - 100mm	39.95	4
DECOR S 167X167-122HK	Stainless Steel Cowled Grille - 125mm	48.03	4
DECOR S 167X167-152HK	Stainless Steel Cowled Grille - 150mm	52.36	4



Metal Grille Cover - White

Part Number	Variant description	Price £	Discount Code
DECOR M 125X125S WHITE	Metal Grille Cover 125x125mm - White	3.57	4
DECOR M 150X150S WHITE	Metal Grille Cover 150x150mm - White	3.83	4
DECOR M 200X200S WHITE	Metal Grille Cover 200x200mm - White	4.12	4
DECOR M 250X250S WHITE	Metal Grille Cover 250x250mm - White	7.18	4
DECOR M 300X300S WHITE	Metal Grille Cover 300x300mm - White	8.67	4



Hit & Miss Grille

Part Number	Variant description	Price £	Discount Code
HM-260-165-SS	260x165mm Hit & Miss Grille - Stainless Steel	21.08	4
HM-260-240-SS	260x240 mm Hit & Miss Grille - Stainless Steel	26.86	4
HM-260-90-SS	260x90mm Hit & Miss Grille - Stainless Steel	11.86	4

Introducing

Blauberg's Latest Insulated Ducting

Page 69



Features


- Thermally insulated ducting
- Ideal for Passive House systems and energy-efficient buildings.
- Low thermal conductivity and increased ability to retain heat
- Easy to install
- Durable
- Airtight
- Simple push-fit connections



Semi Rigid Duct System - Page 68



Grilles and Plenums - Page 72




Insulated Ducting - Page 69




Round Ducting - Page 74



Plastic Manifold Boxes - Page 70



Rectangular Ducting - Page 76




Metal Manifold Boxes - Page 71



Metal Ducting - Page 78

Ducting

75mm Blaufast Semi Rigid Duct System



75mm Blaufast Semi Rigid Duct System

Blauberg’s semi-rigid ducting bends and curves around common obstacles like pipes and sprinklers, to aid in the installation of home ventilation systems where space is tight.

Unlike typical plastic ductwork, semi-rigid ducting doesn’t usually require extra bends and tee pieces.

Blaufast is our semi-rigid ducting and it’s available with additional features such as antistatic and antibacterial lining to ensure a cleaner indoor air supply and longevity of your ventilation system.

Scan Here >
For More
Information



- > Supplied in 50m or 25m coils.
- > Anti static and anti bacterial lining.
- > Suitable for all types of ducted system.
- > Push fit connections to all ancillaries.
- > Easy to cut with a simple sharp knife.

BlauFast Anti-Bacterial & Anti-Static Semi Rigid Radial Duct

Part Number	Variant description	Price £	Discount Code
BLAUFast RK 75-25 01	BlauFast Anti-Bacterial & Anti-Static Semi Rigid Radial Duct 75mm x 25m	75.46	3
BLAUFast RK 75-50 01	BlauFast Anti-Bacterial & Anti-Static Semi Rigid Radial Duct 75mm x 50m	140.90	3



BlauFast Semi Rigid Radial Duct Connector

Part Number	Variant description	Price £	Discount Code
BLAUFast RM 75	BlauFast Semi Rigid Radial Duct Connector	1.91	2.5



BlauFast Radial Duct 90 Degree Bend

Part Number	Variant description	Price £	Discount Code
BLAUFast RB 75	BlauFast Radial Duct 90 Degree Bend	13.34	2.5



75mm Round Ducting Clamp for Radial Ducting


*** BAG OF 10 ***

Part Number	Variant description	Price £	Discount Code
BLAUFast RDCLIP75	75mm Round Ducting Clamp for Radial Ducting *** BAG OF 10 ***	19.65	2.5



BlauFast Semi Rigid Radial Duct Cap End for Duct

Part Number	Variant description	Price £	Discount Code
BLAUFast RKP	BlauFast Semi Rigid Radial Duct Cap End for Duct	0.76	2.5



BlauFast Radial Duct Spare Sealing Ring

Part Number	Variant description	Price £	Discount Code
BLAUFast RL 75	BlauFast Radial Duct Spare Sealing Ring Single	0.52	2.5
BLAUFast RL 75 (10)	BlauFast Radial Duct Spare Sealing Ring Pack of 10	5.24	2.5




BlauFast Semi Rigid Radial Locking Ring

Part Number	Variant description	Price £	Discount Code
BLAUFast RS 75	BlauFast Semi Rigid Radial Locking Ring	0.58	2.5

Ducting

Blaufast Insulated Duct



Blaufast Insulated EPP Ducting

Part Number	Variant description	Price £	Discount Code
BF-ID-125-1	Blaufast Insulated EPS Ducting 125mm - 1 m	24.76	2.5
BF-ID-160-1	Blaufast Insulated EPS Ducting 160mm - 1 m	28.85	2.5
BF-ID-200-1	Blaufast Insulated EPS Ducting 200mm - 1 m	33.41	2.5



Blaufast Insulated EPP Ducting Male Coupler

Part Number	Variant description	Price £	Discount Code
BF-IDC-125	Blaufast Insulated EPS Ducting Male Coupler - 125mm	12.39	2.5
BF-IDC-160	Blaufast Insulated EPS Ducting Male Coupler - 160mm	13.81	2.5
BF-IDC-200	Blaufast Insulated EPS Ducting Male Coupler - 200mm	15.75	2.5




Blaufast Insulated EPP Ducting Equal Tee Piece

Part Number	Variant description	Price £	Discount Code
BF-IDT-125-125-125	Blaufast Insulated EPS Ducting Equal Tee Piece - 125mm	45.85	2.5
BF-IDT-160-160-160	Blaufast Insulated EPS Ducting Equal Tee Piece - 160mm	53.24	2.5
BF-IDT-200-200-200	Blaufast Insulated EPS Ducting Equal Tee Piece - 200mm	57.01	2.5



Blaufast Insulated EPP Ducting Universal Mounting Bracket

Part Number	Variant description	Price £	Discount Code
BF-IDMB-125-160-200	Blaufast Insulated EPS Ducting Universal Mounting Bracket - 200 - 160 - 125mm	10.82	2.5



Blaufast Insulated EPP Ducting 45 Degree Bend

Part Number	Variant description	Price £	Discount Code
BF-IDB-45-125	Blaufast Insulated EPS Ducting 45 Degree Bend - 125mm	14.12	2.5
BF-IDB-45-160	Blaufast Insulated EPS Ducting 45 Degree Bend - 160mm	17.66	2.5
BF-IDB-45-200	Blaufast Insulated EPS Ducting 45 Degree Bend - 200mm	23.24	2.5



Aluminium Tape

Part Number	Variant description	Price £	Discount Code
A-BAND 050-10	Aluminium Tape 50mm/10m	2.67	2.5
A-BAND 050-50	Aluminium Tape 50mm/50m	7.65	2.5



Blaufast Insulated EPP Ducting Stepped Reducer

Part Number	Variant description	Price £	Discount Code
BF-IDR-125-160-200	Blaufast Insulated EPS Ducting Stepped Reducer - 200 - 160 - 125mm	13.68	2.5



Blaufast Insulated EPP Ducting MVHR Connection Adaptor

Part Number	Variant description	Price £	Discount Code
BF-IDA-150-160	Blaufast Insulated EPS Ducting MVHR Connection Adaptor 160 - 150mm	28.43	2.5
BF-IDA-180-200	Blaufast Insulated EPS Ducting MVHR Connection Adaptor 200 - 180mm	30.86	2.5

Scan Here >
For More
Information



Insulated Ducting

Blaufast Thermally Insulated Ducting is designed for use with MVHR heat recovery ventilation systems. It is also suitable for any other centralised ventilation installations including Passivhaus systems and high energy performing buildings.

This is due to it's low thermal conductivity and ability to retain heat. It is also robust, extremely easy to install, with simple push fit connections that provide an airtight seal.



Ducting

Plastic Manifold Boxes

Plastic Manifold Boxes

- 75 mm, low profile manifold distribution box with top or side entry connection.
- Easy connection to semi-rigid ducting with quick installation clips.
- Supplied with blanking caps to seal unused ports.
- Achieve 'Class C' airtightness when fitted with RL 75 sealing rings.

Scan Here >
For More
Information



BlauFast 75mm Plastic Radial Duct Manifold Box 6 Port

Part Number	Variant description	Price £	Discount Code
SR-125-75X6-51P-K	BlauFast 75mm Plastic Radial Duct Manifold Box - 125mm Connection - 6 Port	88.42	2.5

BlauFast 90mm Plastic Radial Duct Manifold Box 6 Port

Part Number	Variant description	Price £	Discount Code
SR-125-90X6 51P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 125mm Connection - 6 Port	93.11	2.5



BlauFast 90mm Plastic Radial Duct Manifold Box 6 Port 1

Part Number	Variant description	Price £	Discount Code
SR-125-90X6-50P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 125mm Connection - 6 Port	89.50	2.5



BlauFast 75mm Plastic Radial Duct Manifold Box 8 Port

Part Number	Variant description	Price £	Discount Code
SR-150-75X8-50P-K	BlauFast 75mm Plastic Radial Duct Manifold Box - 150mm Connection - 8 Port	90.47	2.5
SR-160-75X8-50P-K	BlauFast 75mm Plastic Radial Duct Manifold Box - 160mm Connection - 8 Port	90.47	2.5

BlauFast 90mm Plastic Radial Duct Manifold Box 8 Port

Part Number	Variant description	Price £	Discount Code
SR-150-90X8-50P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 150mm Connection - 8 Port	95.92	2.5
SR-160-90X8-50P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 160mm Connection - 8 Port	95.92	2.5
SR-200-90X8-50P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 200mm Connection - 8 Port	95.92	2.5



BlauFast 75mm Plastic Radial Duct Manifold Box 8 Port 01

Part Number	Variant description	Price £	Discount Code
SR-150-75X8 51P-K	BlauFast 75mm Plastic Radial Duct Manifold Box - 150mm Connection - 8 Port	121.93	2.5
SR-160-75X8-51P-K	BlauFast 75mm Plastic Radial Duct Manifold Box - 160mm Connection - 8 Port	121.93	2.5

BlauFast 90mm Plastic Radial Duct Manifold Box 8 Port 01

Part Number	Variant description	Price £	Discount Code
SR-150-90X8-51P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 150mm Connection 8 Port	127.38	2.5
SR-160-90X8-51P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 160mm Connection - 8 Port	127.38	2.5
SR-200-90X8-51P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 200mm Connection - 8 Port	127.38	2.5



BlauFast 75mm Plastic Radial Duct Manifold Box 12 Port

Part Number	Variant description	Price £	Discount Code
SR-160-75X12-50P-K	BlauFast 75mm Plastic Radial Duct Manifold Box - 160mm Connection - 12 Port	133.28	2.5
SR-200-75X12-50P-K	BlauFast 75mm Plastic Radial Duct Manifold Box - 200mm Connection - 12 Port	133.28	2.5

BlauFast 90mm Plastic Radial Duct Manifold Box 12 Port

Part Number	Variant description	Price £	Discount Code
SR-150-90X12-50P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 150mm Connection - 12 Port	142.69	2.5
SR-160-90X12-50P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 160mm Connection - 12 Port	142.69	2.5
SR-200-90X12-50P-K	BlauFast 90mm Plastic Radial Duct Manifold Box - 200mm Connection - 12 Port	142.69	2.5



BlauFast 75mm Plastic Radial Duct Manifold Box 12 Port 01

Part Number	Variant description	Price £	Discount Code
SR-150-75X12-51P-K	BlauFast 75mm Plastic Radial Duct Manifold Box - 150mm Connection 12 Port	133.28	2.5
SR-160-75X12-51P-K	BlauFast 75mm Plastic Radial Duct Manifold Box - 160mm Connection - 12 Port	133.28	2.5

Ducting

Metal Manifold Boxes



BlauFast 75mm Metal Radial Duct Manifold Box 2 port

Part Number	Variant description	Price £	Discount Code
SR-125-75X2-01	BlauFast 75mm Metal Radial Duct Manifold Box - 125mm Connection - 2 Port - Un-Insulated	32.09	2.5



BlauFast 75mm Metal Radial Duct Manifold Box 6 port 03

Part Number	Variant description	Price £	Discount Code
SR-125-75X06-03	BlauFast 75mm Metal Radial Duct Manifold Box - 125mm Connection - 6 Port - Insulated	142.97	2.5



BlauFast 75mm Metal Radial Duct Manifold Box 10 port

Part Number	Variant description	Price £	Discount Code
SR-150-75X10-01	BlauFast 75mm Metal Radial Duct Manifold Box - 150mm Connection - 10 Port - Insulated	145.86	2.5
SR-160-75X10-01	BlauFast 75mm Metal Radial Duct Manifold Box - 160mm Connection x - 10 Port - Insulated	145.86	2.5
SR-200-75X10-01	BlauFast 75mm Metal Radial Duct Manifold Box - 200mm Connection - 10 Port - Insulated	185.89	2.5



BlauFast 75mm Metal Radial Duct Manifold Box 6 port 01

Part Number	Variant description	Price £	Discount Code
SR-125-75X06-01	BlauFast 75mm Metal Radial Duct Manifold Box - 125mm Connection - 6 Port - Insulated	138.41	2.5



BlauFast 75mm Metal Radial Duct Manifold Box 8 port

Part Number	Variant description	Price £	Discount Code
SR-150-75X8-01	BlauFast 75mm Metal Radial Duct Manifold Box - 150mm Connection - 8 Port - Un-Insulated	41.47	2.5
SR-160-75X8-01	BlauFast 75mm Metal Radial Duct Manifold Box - 160mm Connection - 8 Port - Un-Insulated	145.86	2.5



BlauFast 75mm Metal Radial Duct Manifold Box 12 port

Part Number	Variant description	Price £	Discount Code
SR-160-75X12-01	BlauFast 75mm Metal Radial Duct Manifold Box - 160mm Connection - 12 Port - Un-Insulated	145.86	2.5




BlauFast 75mm Metal Radial Duct Manifold Box 6 port 02

Part Number	Variant description	Price £	Discount Code
SR-125-75X06-02	BlauFast 75mm Metal Radial Duct Manifold Box - 125mm Connection - 6 Port - Insulated	122.98	2.5



BlauFast 75mm Metal Radial Duct Manifold Box 8 port 02

Part Number	Variant description	Price £	Discount Code
SR-160-75X8-02	BlauFast 75mm Metal Radial Duct Manifold Box - 160mm Connection - 8 Port - Un-Insulated	82.63	2.5



BlauFast 75mm Metal Radial Duct Manifold Box 15 port

Part Number	Variant description	Price £	Discount Code
SR-200-75X15-01	BlauFast 75mm Metal Radial Duct Manifold Box - 200mm Connection - 15 Port - Insulated	185.89	2.5



Metal Manifold Boxes

- A unique range of 75mm semi-rigid radial duct manifold distribution boxes.
- Simple installation, suitable for loft, ceiling, underfloor and visible installation.
- Ideal for Passive Houses and any MVHR system.

Scan Here >
For More
Information



Ducting Grilles and Plenums



BlauFast Radial Duct Floor Grille

Part Number	Variant description	Price £	Discount Code
BLAUFast GF 300X100 03	BlauFast Radial Duct Floor Grille Pattern 3	52.48	2.5
BLAUFast GF 300X100 04	BlauFast Radial Duct Floor Grille Pattern 4	55.81	2.5



BlauFast Radial Duct Overlay Floor Grille

Part Number	Variant description	Price £	Discount Code
BLAUFast GF 300X100 07	BlauFast Radial Duct Overlay Floor Grille Pattern 7	26.04	2.5
BLAUFast GF 300X100 08	BlauFast Radial Duct Overlay Floor Grille Pattern 8	28.58	2.5



BlauFast Radial Duct Wall Mounted Grille

Part Number	Variant description	Price £	Discount Code
BLAUFast GW 200X55 01	BlauFast Radial Duct Wall Mounted Grille	14.99	2.5



BlauFast Semi Rigid Flat Duct Adaptor

Part Number	Variant description	Price £	Discount Code
BLAUFast MH 75-204X60	BlauFast Semi Rigid Flat Duct Adaptor	6.94	2.5



BlauFast Radial Duct Throttling Damper

Part Number	Variant description	Price £	Discount Code
BLAUFast RD 75	BlauFast Radial Duct Throttling Damper	0.66	2.5



BlauFast Grille Plenum Blanking Cap

Part Number	Variant description	Price £	Discount Code
BLAUFast RFP 75	BlauFast Grille Plenum Blanking Cap	1.05	2.5



BlauFast Semi Rigid Radial Duct Adaptor

Part Number	Variant description	Price £	Discount Code
BLAUFast RKF 75	BlauFast Semi Rigid Radial Duct Adaptor	1.70	2.5




BlauFast Radial Manifold Blanking Cap

Part Number	Variant description	Price £	Discount Code
BLAUFast RSP 75	BlauFast Radial Manifold Blanking Cap	1.13	2.5



BlauFast Radial Floor Grille Plenum -Metal

Part Number	Variant description	Price £	Discount Code
BLAUFast RPF 300X100-75X2 M	BlauFast Radial Floor Grille Plenum -Metal	32.91	2.5



Grilles and Plenums

We stock a wide variety of grilles that can be fitted in to walls and floors. These grilles easily connect to the ductwork that carries the air to and from the MVHR unit.

Our plenums connect easily to all the grilles whether they be ceiling, floor or wall grilles. For easy installation and maintenance, Blauberg plenums also connect easily to our ducting.

Ducting Grilles and Plenums



BlauFast Radial Wall Grille Plenum -Metal

Part Number	Variant description	Price £	Discount Code
BLAUFAST RPW 200X55-75X2 M	BlauFast Radial Wall Grille Plenum -Metal	35.89	2.5



BlauFast New Plastic Radial Duct Grille Plenum Kit

Part Number	Variant description	Price £	Discount Code
BLAUFAST RPZ 125-75X2 01-KIT	BlauFast New Plastic Radial Duct Grille Plenum Kit	16.19	2.5



Fire Damper Duct Sleeve (2 hour)

Part Number	Variant description	Price £	Discount Code
FDDS-75	Fire Damper Duct Sleeve (2 hour) 75mm	33.77	2.5



BlauFast Radial Wall Grille Plenum -Metal

Part Number	Variant description	Price £	Discount Code
BLAUFAST RPWB 200X55-75X2 M	BlauFast Radial Wall Grille Plenum -Metal	35.89	2.5



BlauFast Semi Rigid Radial Locking Clip

Part Number	Variant description	Price £	Discount Code
BLAUFAST S	BlauFast Semi Rigid Radial Locking Clip	0.55	2.5



Scan Here >
For More
Information



Ducting

Round Ducting



Blauflex Combi PVC Heavy Duty Ducting

Part Number	Variant description	Price £	Discount Code
BLAUFLEX COMBI-102-1 WHITE	Blauflex Combi PVC Heavy Duty Ducting 102mm dia x 1m Long	7.77	7
BLAUFLEX COMBI-102-3 WHITE	Blauflex Combi PVC Heavy Duty Ducting 102mm dia x 3m Long	20.35	7
BLAUFLEX COMBI-102-6 WHITE	Blauflex Combi PVC Heavy Duty Ducting 102mm dia x 6m Long	38.33	7
BLAUFLEX COMBI-127-1 WHITE	Blauflex Combi PVC Heavy Duty Ducting 127mm dia x 1m Long	10.06	7
BLAUFLEX COMBI-127-3 WHITE	Blauflex Combi PVC Heavy Duty Ducting 127mm dia x 3m Long	26.64	7
BLAUFLEX COMBI-127-6 WHITE	Blauflex Combi PVC Heavy Duty Ducting 127mm dia x 6m Long	51.28	7
BLAUFLEX COMBI-152-1 WHITE	Blauflex Combi PVC Heavy Duty Ducting 152mm dia x 1m Long	11.69	7
BLAUFLEX COMBI-152-3 WHITE	Blauflex Combi PVC Heavy Duty Ducting 152mm dia x 3m Long	32.26	7
BLAUFLEX COMBI-152-6 WHITE	Blauflex Combi PVC Heavy Duty Ducting 152mm dia x 6m Long	61.12	7



Blauflex White PVC Ducting

Part Number	Variant description	Price £	Discount Code
BLAUFLEX PVC/102/45	Blauflex White PVC Ducting 100mm dia x 45m	103.45	7
BLAUFLEX PVC-102-1	Blauflex White PVC Ducting 100mm dia x 1m	4.00	7
BLAUFLEX PVC-102-3	Blauflex White PVC Ducting 100mm dia x 3m	9.18	7
BLAUFLEX PVC-102-6	Blauflex White PVC Ducting 100mm dia x 6m	19.09	7
BLAUFLEX PVC-110-54-0.5	Blauflex White PVC Ducting 110x54mm x 0.5m	6.07	7
BLAUFLEX PVC-110-54-1	Blauflex White PVC Ducting 110x54mm x 1m	7.18	7
BLAUFLEX PVC-110-54-3	Blauflex White PVC Ducting 110x54mm x 3m	14.58	7
BLAUFLEX PVC-127-1	Blauflex White PVC Ducting 125mm dia x 1m	4.88	7
BLAUFLEX PVC-127-3	Blauflex White PVC Ducting 125mm dia x 3m	12.58	7
BLAUFLEX PVC-127-6	Blauflex White PVC Ducting 125mm dia x 6m	24.49	7
BLAUFLEX PVC-152-1	Blauflex White PVC Ducting 150mm dia x 1m	5.92	7
BLAUFLEX PVC-152-3	Blauflex White PVC Ducting 150mm dia x 3m	16.35	7
BLAUFLEX PVC-152-6	Blauflex White PVC Ducting 150mm dia x 6m	30.49	7
BLAUFLEX PVC-204-60-0.5	Blauflex White PVC Ducting 204x60mm x 0.5m	12.95	7
BLAUFLEX PVC-204-60-1	Blauflex White PVC Ducting 204x60mm x 1m	10.21	7
BLAUFLEX PVC-204-60-3	Blauflex White PVC Ducting 204x60mm x 3m	20.13	7



Jubilee Clips

Part Number	Variant description	Price £	Discount Code
K 100 ZN	Jubilee Clips - 100mm	1.55	7
K 125 ZN	Jubilee Clips - 125mm	1.70	7
K 150 ZN	Jubilee Clips - 150mm	1.92	7
K 250 ZN	Jubilee Clips - 250mm	2.59	7
K 315 ZN	Jubilee Clips - 315mm	3.48	7
K 370/100 N	Jubilee Clips - 315mm	27.45	7



Plastic Circular Solid Ducting

Part Number	Variant description	Price £	Discount Code
RR 100-0.35	Plastic Circular Solid Ducting 100mm dia x 350mm long	4.29	7
RR 100-0.5	Plastic Circular Solid Ducting 100mm dia x 500mm long	6.66	7
RR 100-1	Plastic Circular Solid Ducting 100mm dia x 1m long	10.73	7
RR 100-1.5	Plastic Circular Solid Ducting 100mm dia x 1.5m long	16.72	7
RR 100-2	Plastic Circular Solid Ducting 100mm dia x 2m long	20.57	7
RR 125-0.35	Plastic Circular Solid Ducting 125mm dia x 350mm long	5.99	7
RR 125-0.5	Plastic Circular Solid Ducting 125mm dia x 500mm long	7.47	7
RR 125-1	Plastic Circular Solid Ducting 125mm dia x 1m long	12.80	7
RR 125-1.5	Plastic Circular Solid Ducting 125mm dia x 1.5m long	18.57	7
RR 125-2	Plastic Circular Solid Ducting 125mm dia x 2m long	26.94	7
RR 150-0.35	Plastic Circular Solid Ducting 150mm dia x 350mm long	7.10	7
RR 150-0.5	Plastic Circular Solid Ducting 150mm dia x 500mm long	11.32	7
RR 150-1	Plastic Circular Solid Ducting 150mm dia x 1m long	19.46	7
RR 150-1.5	Plastic Circular Solid Ducting 150mm dia x 1.5m long	28.71	7
RR 150-2	Plastic Circular Solid Ducting 150mm dia x 2m long	35.45	7
RR 200-0.5	Plastic Circular Solid Ducting 200mm dia x 500mm long	17.98	7
RR 200-1	Plastic Circular Solid Ducting 200mm dia x 1m long	32.04	7
RR 200-1.5	Plastic Circular Solid Ducting 200mm dia x 1.5m long	48.77	7



Plastic Circular 90 Degree Bend

Part Number	Variant description	Price £	Discount Code
RB 100-90	Plastic Circular 90 Degree Bend - 100mm	4.59	7
RB 125-90	Plastic Circular 90 Degree Bend - 125mm	5.70	7
RB 150-90	Plastic Circular 90 Degree Bend - 150mm	6.73	7



Plastic Circular 45 Degree Bend

Part Number	Variant description	Price £	Discount Code
RB 100-45	Plastic Circular 45 Degree Bend - 100mm	4.07	7
RB 125-45	Plastic Circular 45 Degree Bend - 125mm	4.51	7
RB 150-45	Plastic Circular 45 Degree Bend - 150mm	9.03	7



Plastic Circular Duct Coupler

Part Number	Variant description	Price £	Discount Code
RV 100	Plastic Circular Duct Coupler - 100mm	2.15	7
RV 125	Plastic Circular Duct Coupler - 125mm	2.44	7
RV 150	Plastic Circular Duct Coupler - 150mm	3.48	7
RV 200	Plastic Circular Duct Coupler - 200mm	4.88	7



Plastic Circular In-line Back Draught Shutter

Part Number	Variant description	Price £	Discount Code
RVK 100	Plastic Circular In-line Back Draught Shutter - 100mm	2.81	7
RVK 125	Plastic Circular In-line Back Draught Shutter - 125mm	3.85	7
RVK 150	Plastic Circular In-line Back Draught Shutter - 150mm	4.29	7
RVK 200	Plastic Circular In-line Back Draught Shutter - 200mm	6.36	7



Plastic Circular Wall Plate with Spigots

Part Number	Variant description	Price £	Discount Code
RVP 100	Plastic Circular Wall Plate with Spigots - 100mm	3.18	7
RVP 125	Plastic Circular Wall Plate with Spigots - 125mm	4.59	7
RVP 150	Plastic Circular Wall Plate with Spigots - 150mm	5.62	7
RVP 200	Plastic Circular Wall Plate with Spigots - 200mm	8.88	7



Plastic Circular Ducting Reducer

Part Number	Variant description	Price £	Discount Code
RS 100-125	Plastic Circular Ducting Reducer - 125mm - 100mm	2.15	7
RS 150-100	Plastic Circular Ducting Reducer - 150mm - 100mm	4.44	7
RS 150-125	Plastic Circular Ducting Reducer - 150mm - 125mm	2.22	7
RS 200-150	Plastic Circular Ducting Reducer - 200mm - 150mm	5.25	7



Plastic Ducting Cone Reducer

Part Number	Variant description	Price £	Discount Code
RS 80-150	Plastic Ducting Cone Reducer - 150mm - 80mm	5.62	7



Plastic Circular Solid Ducting Clip

Part Number	Variant description	Price £	Discount Code
RH 100	Plastic Circular Solid Ducting Clip - 100mm	1.92	7
RH 125	Plastic Circular Solid Ducting Clip - 125mm	2.22	7
RH 150	Plastic Circular Solid Ducting Clip - 150mm	2.81	7
RH 200	Plastic Circular Solid Ducting Clip - 200mm	3.18	7



Plastic Circular Tee Piece

Part Number	Variant description	Price £	Discount Code
RRT 100	Plastic Circular Tee Piece - 100mm	5.62	7
RRT 125	Plastic Circular Tee Piece - 125mm	8.14	7
RRT 150	Plastic Circular Tee Piece - 150mm	10.06	7



Plastic Circular Wall Plate

Part Number	Variant description	Price £	Discount Code
WP 100	Plastic Circular Wall Plate - 100mm	1.78	7
WP 125	Plastic Circular Wall Plate - 125mm	2.22	7
WP 150	Plastic Circular Wall Plate - 150mm	2.66	7
WP 200	Plastic Circular Wall Plate - 200mm	3.40	7



Air Valve Fixing Ring Mounting Batten

Part Number	Variant description	Price £	Discount Code
TVRL-100	Air Valve Fixing Ring Mounting Batten - 100mm	8.07	4
TVRL-125	Air Valve Fixing Ring Mounting Batten - 125mm	8.29	4
TVRL-150	Air Valve Fixing Ring Mounting Batten - 150mm	8.29	4
TVRL-160	Air Valve Fixing Ring Mounting Batten - 160mm	10.62	4
TVRL-200	Air Valve Fixing Ring Mounting Batten - 200mm	12.54	4



Plastic Circular Duct Wall Extension Sleeve

Part Number	Variant description	Price £	Discount Code
RTR 100-0.35-0.5	Plastic Circular Duct Wall Extension Sleeve - 100mm	7.84	7
RTR 125-0.35-0.5	Plastic Circular Duct Wall Extension Sleeve - 125mm	9.69	7
RTR 150-0.35-0.5	Plastic Circular Duct Wall Extension Sleeve - 150mm	13.32	7



Fire Damper Duct Sleeve (2 hour)

Part Number	Variant description	Price £	Discount Code
FDDS-100	Fire Damper Duct Sleeve (2 hour) 100mm	47.76	2.5
FDDS-110-54	Fire Damper Duct Sleeve (2 hour) 110x54mm	28.61	2.5
FDDS-125	Fire Damper Duct Sleeve (2 hour) 125mm	67.05	2.5
FDDS-150	Fire Damper Duct Sleeve (2 hour) 150mm	80.46	2.5
FDDS-204-60	Fire Damper Duct Sleeve (2 hour) 204x60mm	39.90	2.5
FDDS-220-90	Fire Damper Duct Sleeve (2 hour) 220x90mm	68.36	2.5



Blauberg Vento Mini-Air Wall Extension Sleeve (1m Long)

Part Number	Variant description	Price £	Discount Code
RTR-100-0.5-1	Blauberg Vento Mini-Air Wall Extension Sleeve (1m Long)	16.13	7



Cloth Duct Tape


Part Number	Variant description	Price £	Discount Code
CDT	Cloth Duct Tape	5.14	2.5

Round Ducting

This round ducting is designed to be easy to install and provide efficient air distribution throughout a home.

Our round ducting is available in a range of sizes, typically ranging from 100mm to 200mm in diameter. The ducting is made from high-quality PVC, to ensure durability and longevity.

Scan Here >
For More
Information




Ducting

Rectangular Ducting



Flat Plastic Ducting			
Part Number	Variant description	Price £	Discount Code
FK 110X55-1	Blauberg Flat Plastic Ducting 110x54mm - 1m long	8.88	7
FK 110X55-1.5	Blauberg Flat Plastic Ducting 110x54mm - 1.5m long	12.28	7
FK 204X60-1	Blauberg Flat Plastic Ducting 204x60mm - 1m long	18.57	7
FK 204X60-1.5	Blauberg Flat Plastic Ducting 204x60mm - 1.5m long	27.97	7
FK 220X90-1	Blauberg Flat Plastic Ducting 220x90mm - 1m long	28.86	7
FK 220X90-1.5	Blauberg Flat Plastic Ducting 220x90mm - 1.5m long	41.07	7



Flat Plastic Ducting Horizontal 90 Deg. Bend			
Part Number	Variant description	Price £	Discount Code
FKB 110X55	Flat Plastic Ducting Horizontal 90 Deg. Bend - 110x54mm	3.63	7
FKB 204X60	Flat Plastic Ducting Horizontal 90 Deg. Bend - 204x60mm	7.55	7
FKB 220X90	Flat Plastic Ducting Horizontal 90 Deg. Bend - 220x90mm	8.36	7



Flat Plastic Ducting Horizontal Adjustable 45 Deg. Bend			
Part Number	Variant description	Price £	Discount Code
FKVU 110X55	Flat Plastic Ducting Horizontal Adjustable 45 Deg. Bend - 110x54mm	4.88	7
FKVU 204X60	Flat Plastic Ducting Horizontal Adjustable 45 Deg. Bend - 204x60mm	8.73	7
FKVU 220X90	Flat Plastic Ducting Horizontal 45 Deg. Bend - 220x90mm	14.58	7



Flat Plastic Ducting Wall Plate			
Part Number	Variant description	Price £	Discount Code
WP 110X55	Flat Plastic Ducting Wall Plate - 110x54mm	2.00	7
WP 204X60	Flat Plastic Ducting Wall Plate - 204x60mm	2.29	7



Flat Plastic Ducting Transformer T Piece 110x54mm - 100mm			
Part Number	Variant description	Price £	Discount Code
FRT 100-110X55	Flat Plastic Ducting Transformer T Piece 110x54mm - 100mm	4.07	7



Flat Plastic Ducting Vertical 90 Deg. Bend			
Part Number	Variant description	Price £	Discount Code
FKW 110X55	Flat Plastic Ducting Vertical 90 Deg. Bend - 110x54mm	2.81	7
FKW 204X60	Flat Plastic Ducting Vertical 90 Deg. Bend - 204x60mm	5.25	7
FKW 220X90	Flat Plastic Ducting Vertical 90 Deg. Bend - 220x90mm	6.44	7



Flat Plastic Ducting Tee Piece			
Part Number	Variant description	Price £	Discount Code
FKT 110X55	Flat Plastic Ducting Tee Piece - 110x54mm	6.66	7
FKT 204X60	Flat Plastic Ducting Tee Piece - 204x60mm	11.25	7
FKT 220X90	Flat Plastic Ducting Tee Piece - 220x90mm	13.25	7



Flat Plastic Ducting Shutter			
Part Number	Variant description	Price £	Discount Code
FKVK 110X55	Flat Plastic Ducting Shutter - 110x54mm	3.18	7
FKVK 204X60	Flat Plastic Ducting Shutter - 204x60mm	5.25	7


Rectangular Ducting

Large stocks of flat plastic rectangular ductwork are held at our Leicester warehouse. Order low-profile ducting online for next-day delivery.

Where space is tight and you require compact ducting, rectangular ducting is a brilliant option due to its low-profile, flat design.

A full range of rectangular bends, tee pieces, couplers and all duct ancillary items are ready to be immediately dispatched for next-day delivery.

The full range of rectangular components and ancillary items are stocked in 110x54mm, 204x60mm and 220x90mm standard ductwork sizes.



Ducting

Rectangular Ducting



Flat Plastic Ducting Coupler

Part Number	Variant description	Price £	Discount Code
FKV 110X55	Flat Plastic Ducting Coupler - 110x54mm	2.44	7
FKV 204X60	Flat Plastic Ducting Coupler - 204x60mm	3.18	7
FKV 220X90	Flat Plastic Ducting Coupler - 220x90mm	3.55	7




Flat Plastic Ducting Short Transformer 110x54 - 100mm

Part Number	Variant description	Price £	Discount Code
FRV 100-110X54	Flat Plastic Ducting Short Transformer 110x54 - 100mm	2.15	7



Flat Plastic Ducting to Round Transformer

Part Number	Variant description	Price £	Discount Code
UPS 100-110X55	Flat Plastic Ducting to Round Transformer 110x54 - 100mm	3.63	7
UPS 125-204X60	Flat Plastic Ducting to Round Transformer 204x60 - 125mm	7.03	7
UPS 150-220X90	Flat Plastic Ducting to Round Transformer 220x90 - 150mm	7.55	7



Flat Plastic Ducting Mounting Clip

Part Number	Variant description	Price £	Discount Code
FKH 110X55	Flat Plastic Ducting Mounting Clip - 110x54mm	1.48	7
FKH 204X60	Flat Plastic Ducting Mounting Clip - 204x60mm	2.44	7
FKH 220X90	Flat Plastic Ducting Mounting Clip - 220x90mm	3.18	7




Flat Plastic Ducting Vertical 45 Deg. Bend

Part Number	Variant description	Price £	Discount Code
FKWU 110X54	Flat Plastic Ducting Vertical 45 Deg. Bend - 110x54mm	15.39	7
FKWU 204X60	Flat Plastic Ducting Vertical 45 Deg. Bend - 204x60mm	14.21	7
FKWU 220X90	Flat Plastic Ducting Vertical 45 Deg. Bend - 220x90mm	12.73	7



Flat Plastic Ducting to Round Angled Transformer

Part Number	Variant description	Price £	Discount Code
US-90 100-110X55	Flat Plastic Ducting to Round Angled Transformer 110x54 - 100mm	3.03	7
US-90 100-204X60	Flat Plastic Ducting to Round Angled Transformer 204x60 - 100mm	7.18	7
US-90 125-204X60	Flat Plastic Ducting to Round Angled Transformer 204x60 - 125mm	7.18	7
US-90 125-220X90	Flat Plastic Ducting to Round Angled Transformer 220x90 - 125mm	9.10	7
US-90 150-204X60	Flat Plastic Ducting to Round Angled Transformer 204x60 - 150mm	7.18	7
US-90 150-220X90	Flat Plastic Ducting to Round Angled Transformer 220x90 - 150mm	9.25	7



Scan Here >
For More
Information



Ducting

Metal Ducting



Blauflex Aluminium Flexible Ducting			
Part Number	Variant description	Price £	Discount Code
BLAUFLEX AF MO/127/3	Blauflex Aluminium Flexible Ducting 125mm dia x 3m	11.25	7
BLAUFLEX AF MO/152/3	Blauflex Aluminium Flexible Ducting 150mm dia x 3m	12.14	7
BLAUFLEX AF MO-102-10	Blauflex Aluminium Flexible Ducting 100mm dia x 10m	21.46	7
BLAUFLEX AF MO-102-5	Blauflex Aluminium Flexible Ducting 100mm dia x 5m	11.17	7
BLAUFLEX AF MO-127-10	Blauflex Aluminium Flexible Ducting 125mm dia x 10m	26.94	7
BLAUFLEX AF MO-127-5	Blauflex Aluminium Flexible Ducting 125mm dia x 5m	26.86	7
BLAUFLEX AF MO-152-10	Blauflex Aluminium Flexible Ducting 150mm dia x 10m	35.22	7
BLAUFLEX AF MO-152-5	Blauflex Aluminium Flexible Ducting 150mm dia x 5m	17.98	7
BLAUFLEX AF MO-203-10	Blauflex Aluminium Flexible Ducting 200mm dia x 10m	80.59	7
BLAUFLEX AF MO-203-5	Blauflex Aluminium Flexible Ducting 200mm dia x 5m	41.29	7
BLAUFLEX AF MO-254-10	Blauflex Aluminium Flexible Ducting 250mm dia x 10m	102.79	7
BLAUFLEX AF MO-254-5	Blauflex Aluminium Flexible Ducting 250mm dia x 5m	54.02	7
BLAUFLEX AF MO-315-10	Blauflex Aluminium Flexible Ducting 315mm dia x 10m	119.51	7
BLAUFLEX AF MO-315-5	Blauflex Aluminium Flexible Ducting 315mm dia x 5m	68.30	7



ISO N Thermally & Acoustically Insulated Flexible Ducting			
Part Number	Variant description	Price £	Discount Code
SONO-SHINE-127-10	Thermally & Acoustically Insulated Flexible Ducting 125mm dia - 10m Long	63.88	4
SONO-SHINE-254-10	Thermally & Acoustically Insulated Flexible Ducting 250mm dia - 10m Long	96.90	4
SONO-SHINE-102-10	Thermally & Acoustically Insulated Flexible Ducting 100mm dia - 10m Long	53.85	4
SONO-SHINE-203-10	Thermally & Acoustically Insulated Flexible Ducting 200mm dia - 10m Long	83.47	4
SONO-SHINE-315-10	Thermally & Acoustically Insulated Flexible Ducting 315mm dia - 10m Long	126.18	4
SONO-SHINE-152-10	Thermally & Acoustically Insulated Flexible Ducting 150mm dia - 10m Long	65.58	4

Metal Ducting

We offer a full range of flexible metal ducting and solid metal components which includes bends, couplings and many more all stocked in sizes from 100mm up to 355mm.

Our complete range of metal ducting is designed to provide reliable and efficient air distribution in buildings, factories, and other industrial spaces.



Combi Flexible Ducting			
Part Number	Variant description	Price £	Discount Code
COMBI-S-100	Combi Flexible Ducting 4" dia x 6m Lg	32.26	7
COMBI-S-125	Combi Flexible Ducting 5" dia x 6m Lg	38.78	7
COMBI-S-150	Combi Flexible Ducting 6" dia x 6m Lg	45.36	7
COMBI-S-200	Combi Flexible Ducting 8" dia x 6m Lg	60.75	7
COMBI-S-250	Combi Flexible Ducting 10" dia x 6m Lg	77.48	7
COMBI-S-315	Combi Flexible Ducting 12" dia x 6m Lg	101.82	7



90 Degree Pressed Metal Bend			
Part Number	Variant description	Price £	Discount Code
BP-90-100	90 Degree Pressed Metal Bend - 100mm	18.50	7
BP-90-125	90 Degree Pressed Metal Bend - 125mm	25.53	7
BP-90-150	90 Degree Pressed Metal Bend - 150mm	31.08	7
BP-90-200	90 Degree Pressed Metal Bend - 200mm	38.85	7




90 Degree Segmented Metal Bend			
Part Number	Variant description	Price £	Discount Code
BP-90-250	90 Degree Segmented Metal Bend - 250mm	50.91	7
BP-90-315	90 Degree Segmented Metal Bend - 315mm	75.04	7



45 Degree Pressed Metal Bend			
Part Number	Variant description	Price £	Discount Code
BP-45-100	45 Degree Pressed Metal Bend - 100mm	14.80	7
BP-45-125	45 Degree Pressed Metal Bend - 125mm	19.54	7
BP-45-150	45 Degree Pressed Metal Bend - 150mm	22.42	7
BP-45-200	45 Degree Pressed Metal Bend - 200mm	24.12	7



45 Degree Segmented Metal Bend			
Part Number	Variant description	Price £	Discount Code
BP-45-250	45 Degree Segmented Metal Bend - 250mm	36.26	7
BP-45-315	45 Degree Segmented Metal Bend - 315mm	46.40	7



Metal Female Coupler			
Part Number	Variant description	Price £	Discount Code
FC-100	Metal Female Coupler - 100mm	4.66	7
FC-125	Metal Female Coupler - 125mm	6.51	7
FC-150	Metal Female Coupler - 150mm	6.29	7
FC-160	Metal Female Coupler - 160mm	6.07	7
FC-200	Metal Female Coupler - 200mm	7.70	7
FC-250	Metal Female Coupler - 250mm	10.80	7
FC-315	Metal Female Coupler - 315mm	14.13	7
FC-355	Metal Female Coupler - 355mm	17.76	7



Metal Spigot Plate			
Part Number	Variant description	Price £	Discount Code
FQZ-100	Metal Spigot Plate - 100mm	10.29	7
FQZ-125	Metal Spigot Plate - 125mm	11.91	7
FQZ-150	Metal Spigot Plate - 150mm	14.36	7
FQZ-200	Metal Spigot Plate - 200mm	18.94	7
FQZ-250	Metal Spigot Plate - 250mm	22.79	7
FQZ-315	Metal Spigot Plate - 315mm	30.12	7
FQZ-355	Metal Spigot Plate - 355mm	23.53	7



Metal Male Coupler			
Part Number	Variant description	Price £	Discount Code
SVZ-100	Metal Male Coupler - 100mm	4.29	7
SVZ-125	Metal Male Coupler - 125mm	4.74	7
SVZ-150	Metal Male Coupler - 150mm	5.77	7
SVZ-200	Metal Male Coupler - 200mm	7.33	7
SVZ-250	Metal Male Coupler - 250mm	9.25	7
SVZ-315	Metal Male Coupler - 315mm	10.95	7
SVZ-355	Metal Male Coupler - 355mm	19.61	7



Metal Equal Y Piece

Part Number	Variant description	Price £	Discount Code
TSZ-120-100	Metal Equal Y Piece 100/100/100mm	22.72	7
TSZ-120-125	Metal Equal Y Piece 125/125/125mm	27.31	7
TSZ-120-150	Metal Equal Y Piece 150/150/150mm	32.34	7
TSZ-120-200	Metal Equal Y Piece 200/200/200mm	43.88	7
TSZ-120-250	Metal Equal Y Piece 250/250/250mm	48.99	7
TSZ-120-315	Metal Equal Y Piece 315/315/315mm	60.61	7



Metal Equal Tee Piece

Part Number	Variant description	Price £	Discount Code
TSZ-90-100	Metal Equal Tee Piece 100mm	16.50	7
TSZ-90-125	Metal Equal Tee Piece 125mm	20.87	7
TSZ-90-150	Metal Equal Tee Piece 150mm	24.72	7
TSZ-90-315	Metal Equal Tee Piece 315mm	63.42	7



Solid Circular Silencer

Part Number	Variant description	Price £	Discount Code
SD 100-600	Solid Circular Silencer 600mm Lg - 100mm	43.48	4
SD 100-900	Solid Circular Silencer 900mm Lg - 100mm	56.61	4
SD 125-600	Solid Circular Silencer 600mm Lg - 125mm	50.06	4
SD 125-900	Solid Circular Silencer 900mm Lg - 125mm	63.58	4
SD 150-600	Solid Circular Silencer 600mm Lg - 150mm	56.40	4
SD 150-900	Solid Circular Silencer 900mm Lg - 150mm	69.70	4
SD 200-600	Solid Circular Silencer 600mm Lg - 200mm	65.19	4
SD 200-900	Solid Circular Silencer 900mm Lg - 200mm	85.30	4
SD 250-600	Solid Circular Silencer 600mm Lg - 250mm	78.96	4
SD 250-900	Solid Circular Silencer 900mm Lg - 250mm	103.36	4
SD 315-600	Solid Circular Silencer 600mm Lg - 315mm	104.08	4
SD 315-900	Solid Circular Silencer 900mm Lg - 315mm	135.62	4
SD 400/900	Solid Circular Silencer 900mm Lg - 400mm	186.02	4



Metal Reducer

Part Number	Variant description	Price £	Discount Code
RC-125-100	Metal Reducer - 125-100mm	14.21	7
RC-150-100	Metal Reducer - 150-100mm	16.87	7
RC-150-125	Metal Reducer - 150-125mm	16.06	7
RC-160-125	Metal Reducer - 160-125mm	16.28	7
RC-160-150	Metal Reducer - 160-150mm	17.76	7
RC-200-100	Metal Reducer - 200-100mm	24.20	7
RC-200-125	Metal Reducer - 200-125mm	24.57	7
RC-200-150	Metal Reducer - 200-150mm	22.35	7
RC-250-125	250-125 Metal Concentric Reducer	45.51	7
RC-250-150	Metal Reducer - 250-150mm	38.33	7
RC-250-200	Metal Reducer - 250-200mm	26.49	7
RC-315-200	Metal Reducer - 315-200mm	40.26	7
RC-315-250	Metal Reducer - 315-250mm	37.96	7



In-line Back Draught Shutter

Part Number	Variant description	Price £	Discount Code
VRV-100	In-line Back Draught Shutter - 100mm	16.13	7
VRV-125	In-line Back Draught Shutter - 125mm	19.17	7
VRV-150	In-line Back Draught Shutter - 150mm	21.76	7
VRV-200	In-line Back Draught Shutter - 200mm	27.53	7
VRV-250	In-line Back Draught Shutter - 250mm	32.71	7
VRV-315	In-line Back Draught Shutter - 315mm	37.22	7



In Line Filter Box

Part Number	Variant description	Price £	Discount Code
KFBK-100-G4	In Line Filter Box - 100mm	24.97	2.5
KFBK-125-G4	In Line Filter Box - 125mm	28.17	2.5
KFBK-150-G4	In Line Filter Box - 150mm	32.70	2.5
KFBK-200-G4	In Line Filter Box - 200mm	39.93	2.5
KFBK-250-G4	In Line Filter Box - 250mm	52.48	2.5
KFBK-315-G4	In Line Filter Box - 315mm	70.11	2.5




Fast Clamps

Part Number	Variant description	Price £	Discount Code
KZ-100	Fast Clamps - 100mm	14.95	7
KZ-125	Fast Clamps - 125mm	16.43	7
KZ-150	Fast Clamps - 150mm	17.24	7
KZ-200	Fast Clamps - 200mm	18.65	7
KZ-250	Fast Clamps - 250mm	19.98	7
KZ-315	Fast Clamps - 315mm	21.98	7
KZ-355	Fast Clamps - 355mm	21.98	7



Metal In-line Fan Spigots

Part Number	Variant description	Price £	Discount Code
FM-100	Metal In-line Fan Spigots - 100mm	4.74	7
FM-125	Metal In-line Fan Spigots - 125mm	5.18	7
FM-150	Metal In-line Fan Spigots - 150mm	6.14	7
FM-200	Metal In-line Fan Spigots - 200mm	7.84	7
FM-250	Metal In-line Fan Spigots - 250mm	13.17	7
FM-315	Metal In-line Fan Spigots - 315mm	14.95	7



Scan Here >
For More
Information







Axial-flo Fans - Page 82



Centri-flo Fans - Page 82



Hybrid-flo Fans - Page 83



Silent Fans - Page 83



In-Line Fans - Page 83

Hydroponics

Black Orchid Fans



Black Orchid Axial-flo			
Part Number	Variant description	Price £	Discount Code
BO-AF-100-UK	Black Orchid Axial-flo 4" dia Input Fan with UK plug (105 m3/hour)	16.03	2.5
BO-AF-125-UK	Black Orchid Axial-flo 5" dia Input Fan with UK plug (185 m3/hour)	18.52	2.5
BO-AF-150-UK	Black Orchid Axial-flo 6" dia Input Fan with UK plug (298 m3/hour)	23.40	2.5



Black Orchid Centri-flo Temp & Speed Control Fan			
Part Number	Variant description	Price £	Discount Code
BO-CF-125-TEMP-UK	Black Orchid Centri-flo Temp & Speed Control Fan 5" Dia c/w UK Plug & Lead	121.73	2.5
BO-CF-150-TEMP-UK	Black Orchid Centri-flo Temp & Speed Control Fan 6" Dia c/w UK Plug & Lead	129.59	2.5
BO-CF-200-TEMP-UK	Black Orchid Centri-flo Temp & Speed Control Fan 8" Dia c/w UK Plug & Lead	153.30	2.5
BO-CF-250-TEMP-UK	Black Orchid Centri-flo Temp & Speed Control Fan 10" Dia c/w UK Plug & Lead	168.73	2.5
BO-CF-315-TEMP-UK	Black Orchid Centri-flo Temp & Speed Control Fan 12" Dia c/w UK Plug & Lead	185.31	2.5
BO-CF-100-TEMP-UK	Black Orchid Centri-flo Temp & Speed Control Fan 4" Dia c/w UK Plug & Lead	127.46	2.5



Black Orchid Centri-flo Twin Speed Fan			
Part Number	Variant description	Price £	Discount Code
BO-CF-100-TWIN-UK	Black Orchid Centri-flo Twin Speed Fan 4" Dia Twin Speed c/w UK Plug & Lead	83.29	2.5
BO-CF-125-TWIN-UK	Black Orchid Centri-flo Twin Speed Fan 5" Dia Twin Speed c/w UK Plug & Lead	84.00	2.5
BO-CF-150-TWIN-UK	Black Orchid Centri-flo Twin Speed Fan 6" Dia Twin Speed c/w UK Plug & Lead	91.78	2.5
BO-CF-200-TWIN-UK	Black Orchid Centri-flo Twin Speed Fan 8" Dia Twin Speed c/w UK Plug & Lead	111.04	2.5
BO-CF-250-TWIN-UK	Black Orchid Centri-flo Twin Speed Fan 10" Dia Twin Speed c/w UK Plug & Lead	119.60	2.5
BO-CF-315-TWIN-UK	Black Orchid Centri-flo Twin Speed Fan 12" Dia Twin Speed c/w UK Plug & Lead	136.11	2.5



Black Orchid Centri-flo Fan			
Part Number	Variant description	Price £	Discount Code
BO-CF-100-UK	Black Orchid Centri-flo Fan 4" Dia c/w UK Plug &Lead	67.88	2.5
BO-CF-125-UK	Black Orchid Centri-flo Fan 5" Dia c/w UK Plug &Lead	69.33	2.5
BO-CF-150-UK	Black Orchid Centri-flo Fan 6" Dia c/w UK Plug &Lead	77.21	2.5
BO-CF-200-UK	Black Orchid Centri-flo Fan 8" Dia c/w UK Plug &Lead	100.90	2.5
BO-CF-200-MAX-UK	Black Orchid Centri-flo Max Fan 8" High Power Dia c/w UK Plug &Lead	111.98	2.5
BO-CF-250-UK	Black Orchid Centri-flo Fan 10" Dia c/w UK Plug &Lead	116.33	2.5
BO-CF-315-UK	Black Orchid Centri-flo Fan 12" Dia c/w UK Plug &Lead	132.83	2.5
BO-CF-315-MAX-UK	Black Orchid Centri-flo Max Fan 12" High Power Dia c/w UK Plug &Lead	151.36	2.5



Black Orchid Centri-flo Professional with Speed Control Fan			
Part Number	Variant description	Price £	Discount Code
BO-CF-EC-100-UK	Black Orchid Centri-flo Professional with Speed Control Fan 4" Dia c/w Plug & Lead	78.02	2.5
BO-CF-EC-125-UK	Black Orchid Centri-flo Professional with Speed Control Fan 5" Dia c/w Plug & Lead	79.46	2.5
BO-CF-EC-150-UK	Black Orchid Centri-flo Professional with Speed Control Fan 6" Dia c/w Plug & Lead	87.35	2.5
BO-CF-EC-200-UK	Black Orchid Centri-flo Professional with Speed Control Fan 8" Dia c/w Plug & Lead	111.04	2.5
BO-CF-EC-250-UK	Black Orchid Centri-flo Professional with Speed Control Fan 10" Dia c/w Plug & Lead	119.60	2.5
BO-CF-EC-315-UK	Black Orchid Centri-flo Professional with Speed Control Fan 12" Dia c/w Plug & Lead	136.11	2.5



Black Orchid Centri-flo EC Metal with Speed Control Fan			
Part Number	Variant description	Price £	Discount Code
BO-CFM-EC-100-UK	Black Orchid Centri-flo EC Metal with Speed Control Fan 4" Dia c/w Plug & Lead	223.04	2.5
BO-CFM-EC-125-UK	Black Orchid Centri-flo EC Metal with Speed Control Fan 5" Dia c/w Plug & Lead	226.21	2.5
BO-CFM-EC-150-UK	Black Orchid Centri-flo EC Metal with Speed Control Fan 6" Dia c/w Plug & Lead	251.52	2.5
BO-CFM-EC-200-UK	Black Orchid Centri-flo EC Metal with Speed Control Fan 8" Dia c/w Plug & Lead (1010 m3/hour)	257.86	2.5
BO-CFM-EC-250-UK	Black Orchid Centri-flo EC Metal with Speed Control Fan 10" Dia c/w Plug & Lead	311.62	2.5
BO-CFM-EC-315-UK	Black Orchid Centri-flo EC Metal with Speed Control Fan 12" Dia c/w Plug & Lead (2100 m3/hour)	378.07	2.5

Hydroponic Fans

Our complete range of hydroponics fans are suitable for any scale of hydroponic growing systems, from large industrial agriculture to home amateur growing. Our Black Orchid range of fans help circulate fresh air and maintain a consistent temperature and humidity level in the growing area.

Our Hydroponic fans also prevent the build-up of moisture laden air, which can lead to the growth of mould and other harmful microorganisms that can damage plants. Connecting one of powerful fans to activated carbon filters can also help reduce and remove unwanted smells from your growing enclosures.

Hydroponics

Black Orchid Fans



Black Orchid Centri-flo Professional with Speed Control Fan

Part Number	Variant description	Price £	Discount Code
BO-CF-PRO-100-EC-UK	Black Orchid Centri-flo Professional with Speed Control Fan 4" Dia c/w Plug & Lead	206.35	2.5
BO-CF-PRO-125-EC-UK	Black Orchid Centri-flo Professional with Speed Control Fan 5" Dia c/w Plug & Lead	208.11	2.5
BO-CF-PRO-150-EC-UK	Black Orchid Centri-flo Professional with Speed Control Fan 6" Dia c/w Plug & Lead	213.29	2.5
BO-CF-PRO-200-EC-UK	Black Orchid Centri-flo Professional with Speed Control Fan 8" Dia c/w Plug & Lead	234.07	2.5
BO-CF-PRO-250-EC-UK	Black Orchid Centri-flo Professional with Speed Control Fan 10" Dia c/w Plug & Lead	267.03	2.5
BO-CF-PRO-315-EC-UK	Black Orchid Centri-flo Professional with Speed Control Fan 12" Dia c/w Plug & Lead	345.00	2.5



Black Orchid Hybrid-flo

Part Number	Variant description	Price £	Discount Code
BO-HF-100-UK	Black Orchid Hybrid-flo 4" dia c/w 2-speed switch & UK plug (180/245 m3/hour)	57.27	2.5
BO-HF-125-UK	Black Orchid Hybrid-flo 5" dia c/w 2-speed switch & UK plug (240/350 m3/hour)	60.57	2.5
BO-HF-150-UK	Black Orchid Hybrid-flo 6" dia c/w 2-speed switch & UK plug (415/565 m3/hour)	81.95	2.5
BO-HF-200-UK	Black Orchid Hybrid-flo 8" dia c/w 2-speed switch & UK plug (830/1040 m3/hour)	109.96	2.5
BO-HF-250-UK	Black Orchid Hybrid-flo 10" dia c/w 2-speed switch & UK plug (1110/1400 m3/hour)	207.01	2.5
BO-HF-315-UK	Black Orchid Hybrid-flo 12" dia c/w 2-speed switch & UK plug (1570/2050 m3/hour)	257.70	2.5

Black Orchid Mixed-flo

Part Number	Variant description	Price £	Discount Code
BO-MF-100-UK	Black Orchid Mixed-flo 4" dia with UK plug (187 m3/hour)	36.31	2.5
BO-MF-125-UK	Black Orchid Mixed-flo 5" dia with UK plug (280 m3/hour)	38.15	2.5
BO-MF-150-UK	Black Orchid Mixed-flo 6" dia with UK plug (520 m3/hour)	60.42	2.5



Black Orchid Silenta-box In Line Fan

Part Number	Variant description	Price £	Discount Code
BO-SB-100-UK	Black Orchid Silenta-box In Line Fan 4" Dia c/w UK Plug & Lead	177.35	2.5
BO-SB-125-UK	Black Orchid Silenta-box In Line Fan 5" Dia c/w UK Plug & Lead	178.21	2.5
BO-SB-150-UK	Black Orchid Silenta-box In Line Fan 6" Dia c/w UK Plug & Lead	189.43	2.5
BO-SB-200-UK	Black Orchid Silenta-box In Line Fan 8" Dia c/w UK Plug & Lead	209.26	2.5
BO-SB-200-MAX-UK	Black Orchid Silenta-box In Line Fan 8" Dia c/w UK Plug & Lead	242.32	2.5
BO-SB-250-UK	Black Orchid Silenta-box In Line Fan 10" Dia c/w UK Plug & Lead	240.46	2.5
BO-SB-315-UK	Black Orchid Silenta-box In Line Fan 12" Dia c/w UK Plug & Lead	267.79	2.5



Black Orchid Silent Hybrid-flo

Part Number	Variant description	Price £	Discount Code
BO-SHF-100-UK	Black Orchid Silent Hybrid-flo 4" Dia c/w UK Plug & Lead	158.90	2.5
BO-SHF-125-UK	Black Orchid Silent Hybrid-flo 5" Dia c/w UK Plug & Lead	162.44	2.5
BO-SHF-150-UK	Black Orchid Silent Hybrid-flo 6" Dia c/w UK Plug & Lead	194.38	2.5
BO-SHF-200-UK	Black Orchid Silent Hybrid-flo 8" Dia c/w UK Plug & Lead	229.83	2.5
BO-SHF-250-UK	Black Orchid Silent Hybrid-flo 10" Dia c/w UK Plug & Lead	332.69	2.5
BO-SHF-315-UK	Black Orchid Silent Hybrid-flo 12" Dia c/w UK Plug & Lead	453.29	2.5



High Capacity Mixed Flow In-Line Extractor Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead

Part Number	Variant description	Price £	Discount Code
PRIMO-EC-200-FR1	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead - 200mm	293.96	2.5
PRIMO-EC-315-MAX-FR1	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead - 315mm	757.97	2.5
PRIMO-EC-355-FR1	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead - 355mm	757.97	2.5
PRIMO-EC-355-MAX-FR1	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead - 355mm	879.01	2.5
PRIMO-EC-400-FR1	High Capacity Mixed Flow In-Line Extractor Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead - 400mm	1147.04	2.5

Acoustically Insulated High Capacity Mixed Flow In-Line Fan & UK Plug & Lead

Part Number	Variant description	Price £	Discount Code
PRIMO-ISO-200-W	Acoustically Insulated High Capacity Mixed Flow In-Line Fan & UK Plug & Lead - 200mm	212.48	2.5
PRIMO-ISO-250-W	Acoustically Insulated High Capacity Mixed Flow In-Line Fan & UK Plug & Lead - 250mm	336.15	2.5

Acoustically Insulated High Capacity Mixed Flow In-Line Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead

Part Number	Variant description	Price £	Discount Code
PRIMO-ISO-EC-200-FR1	Acoustically Insulated High Capacity Mixed Flow In-Line Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead - 200mm	356.06	2.5
PRIMO-ISO-EC-250-FR1	Acoustically Insulated High Capacity Mixed Flow In-Line Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead - 250mm	517.19	2.5



In Wave In-Line Fan

Part Number	Variant description	Price £	Discount Code
IN-WAVE-EC-100-125-FR1	Acoustically Insulated Mixed Flow In-Line Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead - 100/125mm	297.11	2.5
IN-WAVE-EC-150-FR1	Acoustically Insulated Mixed Flow In-Line Fan with EC Motor, Built-in Speed Controller & UK Plug & Lead - 150mm	327.50	2.5



Part Number

Index

A-BAND 050-10	69	BO-CF-200-MAX-UK	82	CALM RED 150 IR	9	CFV-3500-S25-R	46	DECOR 185X185-125G WHITE	63
A-BAND 050-50	69	BO-CF-200-TEMP-UK	82	CALM RED 150 S	9	CFV-5000-HE-S25-R	46	DECOR 185X185-125HK BLACK	63
AERIS-MIDI-BLK	27	BO-CF-200-TWIN-UK	82	CALM RED 150 ST	9	CFV-5000-HW-S25-R	46	DECOR 185X185-125HK BROWN	63
AERIS-MIDI-BRO	27	BO-CF-200-UK	82	CALM RED 150 T	9	CFV-5000-S25-R	46	DECOR 185X185-125HK COTSWOLD STONE	63
AERIS-MIDI-CS	27	BO-CF-250-TEMP-UK	82	CD-2	42	CFV-6000-HE-S25-R	46	DECOR 185X185-125HK COTTAGE RED	63
AERIS-MIDI-GRY	27	BO-CF-250-TWIN-UK	82	CDP-2-5	18	CFV-6000-HW-S25-R	46	DECOR 185X185-125HK GREY	63
AERIS-MIDI-TER	27	BO-CF-250-UK	82	CDP-3-5	18	CFV-6000-S25-R	46	DECOR 185X185-125HK SLATE GREY	63
AERIS-MIDI-WHI	27	BO-CF-315-MAX-UK	82	CDT	75	CFV-800-HE-S25-R	46	DECOR 185X185-125HK TERRACOTTA	63
AERIS-MINI-BLK	27	BO-CF-315-TEMP-UK	82	CDT E-0-10	18	CFV-800-HW-S25-R	46	DECOR 185X185-125HK WHITE	63
AERIS-MINI-BRO	27	BO-CF-315-TWIN-UK	82	CDT E1.8	19	CFV-800-S25-R	46	DECOR 185X185-125S BLACK	63
AERIS-MINI-CS	27	BO-CF-315-UK	82	CENTRIS-MEV-210	18	CHK-100-3-VJBL	64	DECOR 185X185-125S BROWN	63
AERIS-MINI-GRY	27	BO-CF-EC-100-UK	82	CENTRIS-MEV-400	19	CHK-100-3-VJBR	64	DECOR 185X185-125S COTSWOLD STONE	63
AERIS-MINI-TER	27	BO-CF-EC-125-UK	82	CENTRIS-MEV-440	19	CHK-100-3-VJCS	64	DECOR 185X185-125S COTTAGE RED	63
AERIS-MINI-WHI	27	BO-CF-EC-150-UK	82	CENTRO-100	16	CHK-100-3-VJGR	64	DECOR 185X185-125S GREY	63
AH-10-100-BLACK	63	BO-CF-EC-200-UK	82	CENTRO-100-L	16	CHK-100-3-VJTE	64	DECOR 185X185-125S SLATE GREY	63
AH-10-100-BROWN	63	BO-CF-EC-250-UK	82	CENTRO-125	16	CHK-100-3-VJWH	64	DECOR 185X185-125S TERRACOTTA	63
AH-10-100-COTSWOLD-STONE	63	BO-CF-EC-315-UK	82	CENTRO-125-L	16	CHK-100-3-VKBL	64	DECOR 185X185-125S WHITE	63
AH-10-100-GREY	63	BO-CFM-EC-100-UK	82	CENTRO-150	16	CHK-100-3-VKBR	64	DECOR 185X185-150G BLACK	63
AH-10-100-TERRACOTTA	63	BO-CFM-EC-125-UK	82	CENTRO-200	16	CHK-100-3-VKCS	64	DECOR 185X185-150G BROWN	63
AH-10-100-WHITE	63	BO-CFM-EC-150-UK	82	CENTRO-200-MAX	16	CHK-100-3-VKGR	64	DECOR 185X185-150G COTSWOLD STONE	63
AH-10-125-BLACK	63	BO-CFM-EC-200-UK	82	CENTRO-250	16	CHK-100-3-VKTE	64	DECOR 185X185-150G COTTAGE RED	63
AH-10-125-BROWN	63	BO-CFM-EC-250-UK	82	CENTRO-315	16	CHK-100-3-VKWH	64	DECOR 185X185-150G GREY	63
AH-10-125-COTSWOLD-STONE	63	BO-CFM-EC-315-UK	82	CENTRO-315-MAX	16	CHK-100-3-VSBL	64	DECOR 185X185-150G SLATE GREY	63
AH-10-125-GREY	63	BO-CF-PRO-100-EC-UK	83	CENTRO-EC-100	16	CHK-100-3-VSBR	64	DECOR 185X185-150G TERRACOTTA	63
AH-10-125-TERRACOTTA	63	BO-CF-PRO-125-EC-UK	83	CENTRO-EC-125	16	CHK-100-3-VSCS	64	DECOR 185X185-150G WHITE	63
AH-10-125-WHITE	63	BO-CF-PRO-150-EC-UK	83	CENTRO-EC-150	16	CHK-100-3-VSGR	64	DECOR 185X185-150HK BLACK	63
AH-10-150-BLACK	63	BO-CF-PRO-200-EC-UK	83	CENTRO-EC-200	16	CHK-100-3-VSTE	64	DECOR 185X185-150HK BROWN	63
AH-10-150-BROWN	63	BO-CF-PRO-250-EC-UK	83	CENTRO-EC-250	16	CHK-100-3-VSWH	64	DECOR 185X185-150HK COTSWOLD STONE	63
AH-10-150-COTSWOLD-STONE	63	BO-CF-PRO-315-EC-UK	83	CENTRO-EC-315	16	CHK-125-3-VJBL	64	DECOR 185X185-150HK COTTAGE RED	63
AH-10-150-GREY	63	BO-HF-100-UK	83	CENTRO-M 100 EC	17	CHK-125-3-VJBR	64	DECOR 185X185-150HK GREY	63
AH-10-150-TERRACOTTA	63	BO-HF-125-UK	83	CENTRO-M 125 EC	17	CHK-125-3-VJCS	64	DECOR 185X185-150HK SLATE GREY	63
AH-10-150-WHITE	63	BO-HF-150-UK	83	CENTRO-M 150 EC	17	CHK-125-3-VJGR	64	DECOR 185X185-150HK TERRACOTTA	63
AIRTPV	5	BO-HF-200-UK	83	CENTRO-M 200 EC	17	CHK-125-3-VJTE	64	DECOR 185X185-150HK WHITE	63
AIRTWM	5	BO-HF-250-UK	83	CENTRO-M 200 EC MAX	17	CHK-125-3-VJWH	64	DECOR 185X185-150S BLACK	63
AIRTWP	5	BO-HF-315-UK	83	CENTRO-M 250 EC	17	CHK-125-3-VKBL	64	DECOR 185X185-150S BROWN	63
ATK-25 220/12 S	18	BO-MF-100-UK	83	CENTRO-M 250 EC L	17	CHK-125-3-VKBR	64	DECOR 185X185-150S COTSWOLD STONE	63
ATK-25 220-12	18	BO-MF-125-UK	83	CENTRO-M 315 EC	17	CHK-125-3-VKCS	64	DECOR 185X185-150S COTTAGE RED	63
ATK-25 220-12 T	18	BO-MF-150-UK	83	CENTRO-M 315 EC MAX	17	CHK-125-3-VKGR	64	DECOR 185X185-150S GREY	63
ATK-25 220-12 TH	18	BO-SB-100-UK	83	CENTRO-M-100	17	CHK-125-3-VKTE	64	DECOR 185X185-150S SLATE GREY	63
AXIS-Q-200 2E	57	BO-SB-125-UK	83	CENTRO-M-100-L	17	CHK-125-3-VKWH	64	DECOR 185X185-150S TERRACOTTA	63
AXIS-Q-250 2D	57	BO-SB-150-UK	83	CENTRO-M-125	17	CHK-125-3-VSBL	64	DECOR 185X185-150S WHITE	63
AXIS-Q-250 2E	57	BO-SB-200-MAX-UK	83	CENTRO-M-125-L	17	CHK-125-3-VSBR	64	DECOR 81X136 BLACK	65
AXIS-Q-250 4D	57	BO-SB-200-UK	83	CENTRO-M-150	17	CHK-125-3-VSCS	64	DECOR 81X136 BROWN	65
AXIS-Q-250 4E	57	BO-SB-250-UK	83	CENTRO-M-200	17	CHK-125-3-VSGR	64	DECOR 81X136 COTSWOLD STONE	65
AXIS-Q-315 2D	57	BO-SB-315-UK	83	CENTRO-M-200-MAX	17	CHK-125-3-VSTE	64	DECOR 81X136 GREY	65
AXIS-Q-315 2E	57	BO-SHF-100-UK	83	CENTRO-M-250	17	CHK-125-3-VSWH	64	DECOR 81X136 TERRACOTTA	65
AXIS-Q-315 4D	57	BO-SHF-125-UK	83	CENTRO-M-315	17	CHK-150-3-VJBL	64	DECOR 81X136 WHITE	65
AXIS-Q-315 4E	57	BO-SHF-150-UK	83	CENTRO-M-315-MAX	17	CHK-150-3-VJBR	64	DECOR 86X230 BLACK	65
AXIS-Q-355 4D	57	BO-SHF-200-UK	83	CENTRO-M-355-L	17	CHK-150-3-VJCS	64	DECOR 86X230 BROWN	65
AXIS-Q-355 4E	57	BO-SHF-250-UK	83	CENTRO-M-400	17	CHK-150-3-VJGR	64	DECOR 86X230 COTSWOLD STONE	65
AXIS-Q-400 4D	57	BO-SHF-315-UK	83	CENTRO-M-450	17	CHK-150-3-VJTE	64	DECOR 86X230 GREY	65
AXIS-Q-400 4E	57	BP-45-100	78	CENTRO-MZ-100	17	CHK-150-3-VJWH	64	DECOR 86X230 TERRACOTTA	65
AXIS-Q-450 4D	57	BP-45-125	78	CENTRO-MZ-100-L	17	CHK-150-3-VKBL	64	DECOR 86X230 WHITE	65
AXIS-Q-450 4E	57	BP-45-150	78	CENTRO-MZ-125	17	CHK-150-3-VKBR	64	DECOR M 125X125S WHITE	65
AXIS-Q-500 4D	57	BP-45-200	78	CENTRO-MZ-125-L	17	CHK-150-3-VKCS	64	DECOR M 150X150S WHITE	65
AXIS-Q-500 4E	57	BP-45-250	78	CENTRO-MZ-150	17	CHK-150-3-VKGR	64	DECOR M 200X200S WHITE	65
AXIS-Q-560 4D	57	BP-45-315	78	CENTRO-MZ-200	17	CHK-150-3-VKTE	64	DECOR M 250X250S WHITE	65
AXIS-Q-560 4E	57	BP-90-100	78	CENTRO-MZ-200-MAX	17	CHK-150-3-VKWH	64	DECOR M 300X300S WHITE	65
AXIS-Q-630 4D	57	BP-90-125	78	CENTRO-MZ-250	17	CHK-150-3-VSBL	64	DECOR S 102HK	65
AXIS-Q-630 4E	57	BP-90-150	78	CENTRO-MZ-315	17	CHK-150-3-VSBR	64	DECOR S 110X54	65
AXIS-Q-630 6E	57	BP-90-200	78	CFH-1500-HE-S25-L	48	CHK-150-3-VSCS	64	DECOR S 122HK	65
BF-ID-125-1	69	BP-90-250	78	CFH-1500-HE-S25-R	48	CHK-150-3-VSGR	64	DECOR S 137X137-100G	65
BF-ID-160-1	69	BP-90-315	78	CFH-1500-HW-S25-L	48	CHK-150-3-VSTE	64	DECOR S 137X137-102HK	65
BF-ID-200-1	69	BVK-EA-2500-BLK	64	CFH-1500-HW-S25-R	48	CHK-150-3-VSWH	64	DECOR S 152HK	65
BF-IDA-150-160	69	BVK-EA-2500-BRO	64	CFH-1500-S25-L	48	CIVIC-EC-DB-1000-S25	52	DECOR S 167X167-122HK	65
BF-IDA-180-200	69	BVK-EA-2500-COT	64	CFH-1500-S25-R	48	CIVIC-EC-DB-300-S25	52	DECOR S 167X167-125G	65
BF-IDB-45-125	69	BVK-EA-2500-GRY	64	CFH-2500-HE-S25-L	48	CIVIC-EC-DB-500-S25	52	DECOR S 167X167-150G	65
BF-IDB-45-160	69	BVK-EA-2500-TER	64	CFH-2500-HE-S25-R	48	CIVIC-EC-DBE-1000-S25	52	DECOR S 167X167-152HK	65
BF-IDB-45-200	69	BVK-EA-2500-WHI	64	CFH-2500-HW-S25-L	48	CIVIC-EC-DBE2-1000-S25	52	DECOR S 200HK	65
BF-IDC-125	69	CALM 100	9	CFH-2500-HW-S25-R	48	CIVIC-EC-DBE2-300-S25	52	DECOR S 204X60	65
BF-IDC-160	69	CALM 100 DC T	11	CFH-2500-S25-L	48	CIVIC-EC-DBE2-500-S25	52	DK-100-PVC-BLK	65
BF-IDC-200	69	CALM 100 DC TH	11	CFH-2500-S25-R	48	CIVIC-EC-DBE-300-S25	52	DK-100-PVC-BRO	65
BF-IDMB-125-160-200	69	CALM 100 DC TP	11	CFH-3500-HE-S25-L	48	CIVIC-EC-DBE-500-S25	52	DK-100-PVC-COT	65
BF-IDR-125-160-200	69	CALM 100 DMEV T	11	CFH-3500-HE-S25-R	48	CIVIC-EC-LB-1200-S25	53	DK-100-PVC-GRY	65
BF-IDT-125-125-125	69	CALM 100 DMEV TH	11	CFH-3500-HW-S25-L	48	CIVIC-EC-LB-300-S25	53	DK-100-PVC-TER	65
BF-IDT-160-160-160	69	CALM 100 H	9	CFH-3500-HW-S25-R	48	CIVIC-EC-LB-500-S25	53	DK-100-PVC-WHI	65
BF-IDT-200-200-200	69	CALM 100 IR	9	CFH-3500-S25-L	48	CIVIC-EC-LBE-1200-S25	53	DK-125-PVC-BLK	65
BLAUFAST GF 300X100 03	72	CALM 100 S	9	CFH-3500-S25-R	48	CIVIC-EC-LBE2-1200-S25	53	DK-125-PVC-BRO	65
BLAUFAST GF 300X100 04	72	CALM 100 ST	9	CFH-5000-HE-S25-L	48	CIVIC-EC-LBE2-300-S25	53	DK-125-PVC-COT	65
BLAUFAST GF 300X100 07	72	CALM 100 T	9	CFH-5000-HE-S25-R	48	CIVIC-EC-LBE2-500-S25	53	DK-125-PVC-GRY	65
BLAUFAST GF 300X100 08	72	CALM 125	9	CFH-5000-HW-S25-L	48	CIVIC-EC-LBE-300-S25	53	DK-125-PVC-TER	65
BLAUFAST GW 200X55 01	72	CALM 125 H	9	CFH-5000-HW-S25-R	48	CIVIC-EC-LBE-500-S25	53	DK-125-PVC-WHI	65
BLAUFAST MH 75-204X60	72	CALM 125 IR	9	CFH-5000-S25-L	48	CLEANBOX 125-G4-F8-CARBON	39	DK-150-PVC-BLK	65
BLAUFAST RB 75	68	CALM 125 S	9	CFH-5000-S25-R	48	CLEANBOX 150-G4-F8-CARBON	39	DK-150-PVC-BRO	65
BLAUFAST RD 75	68	CALM 125 ST	9	CFH-6000-HE-S25-L	48	CLEANBOX 200-G4-F8-CARBON	39	DK-150-PVC-COT	65
BLAUFAST RDCLIP75	68	CALM 125 T	9	CFH-6000-HE-S25-R	48	COMBI-S-100	78	DK-150-PVC-GRY	65
BLAUFAST RFP 75	72	CALM 150	9	CFH-6000-HW-S25-L	48	COMBI-S-125	78	DK-150-PVC-TER	65
BLAUFAST RK 75-25 01	68	CALM 150 H	9	CFH-6000-HW-S25-R	48	COMBI-S-150	78	DK-150-PVC-WHI	65
BLAUFAST RK 75-50 01	68	CALM 150 IR	9	CFH-6000-S25-L	48	COMBI-S-200	78	DPR 100	62
BLAUFAST RKF 75	72	CALM 150 S	9	CFH-6000-S25-R	48	COMBI-S-250	78	DPR 100 CHROME	62
BLAUFAST RKP	68	CALM 150 ST	9	CFH-800-HE-S25-L	48	COMBI-S-315	78	DPR 125	62
BLAUFAST RL 75	68	CALM 150 T	9	CFH-800-HE-S25-R	48	CRYSTAL-VENT-100-4.6-4000	13	DPR 125 CHROME	62
BLAUFAST RL 75 (10)	68	CALM BLACK 100	9	CFH-800-HW-S25-L	48	DE-CARBON FRESHBOX R	28	DPR 150	62
BLAUFAST RM 75	68	CALM BLACK 100 H	9	CFH-800-HW-S25-R	48	DE-CARBON FRESHPOINT	28	DPR 150 CHROME	62
BLAUFAST RPF 300X100-75X2 M	72	CALM BLACK 100 IR	9	CFH-800-S25-L	48	DE-CARBON FRESHPOINT PRO	28	DUCTO-U 100	16
BLAUFAST RPW 200X55-75X2 M	73	CALM BLACK 100 S	9	CFH-800-S25-R	48	DE-CARBON HYBRID	28	DUCTO-U 100 T	16
BLAUFAST RPWB 200X55-75X2 M	73	CALM BLACK 100 ST	9	CFP-1200-HE-S25-L	45	DE-CARBON RENO	34	DUCTO-U 125	16
BLAUFAST RPZ 125-75X2 01-KIT	73	CALM BLACK 100 T	9	CFP-1200-HE-S25-R	45	DECOR 100-MB BLACK	62	DUCTO-U 150	16
BLAUFAST RS 75	68	CALM BLACK 125	9	CFP-1200-HW-S25-L	45	DECOR 100-MB BROWN	62	DUCTO-U 150 T	16
BLAUFAST RSP 75	72	CALM BLACK 125 H	9	CFP-1200-HW-S25-R	45	DECOR 100-MB COTSWOLD STONE	62	EC-D5B-180-AK2	32
BLAUFAST S	73	CALM BLACK 125 IR	9	CFP-1200-S25-L	45	DECOR 100-MB COTTAGE RED	62	EC-D5B-180-AK3	32
BLAUFLEX AF MO/127/3	78	CALM BLACK 125 S	9	CFP-1200-S25-R	45	DECOR 100-MB GREY	62	EC-D5B-180-HK3	32
BLAUFLEX AF MO/152/3	78	CALM BLACK 125 ST	9	CFP-1500-HE-S25-L	45	DECOR 100-MB SLATE GREY	62	EC-D5B-180-HK4	32
BLAUFLEX AF MO-102-10	78	CALM BLACK 125 T	9	CFP-1500-HE-S25-R	45	DECOR 100-MB TERRACOTTA	62	EC-S5B-270-AK2	32
BLAUFLEX AF MO-102-5	78	CALM BLACK 150	9	CFP-1500-HW-S25-L	45	DECOR 100-MB WHITE	62	EC-S5B-270-AK3	32
BLAUFLEX AF MO-127-10	78	CALM BLACK 150 IR	9	CFP-1500-HW-S2					

Part Number

Index

EVH 200-1-7-1	41	ISO-MIX-315-T	56	PRIMO-355	56	SD 100-900	79	TOWER-V-450 4E	58
EVH 250-1.2-1 V1	41	ISO-MIX-EC-100	15	PRIMO-400	56	SD 125-600	79	TOWER-V-500 6E	58
EVH 250-1.2-1 V2	41	ISO-MIX-EC-100	56	PRIMO-EC-200	56	SD 125-900	79	TOWER-V-EC-250	58
FC-100	78	ISO-MIX-EC-125	15	PRIMO-EC-200-FR1	83	SD 150-600	79	TOWER-V-EC-250	58
FC-125	78	ISO-MIX-EC-125	56	PRIMO-EC-315-MAX	56	SD 150-900	79	TOWER-V-EC-315	58
FC-150	78	ISO-MIX-EC-150	15	PRIMO-EC-315-MAX-FR1	83	SD 200-600	79	TOWER-V-EC-355	58
FC-160	78	ISO-MIX-EC-150	56	PRIMO-EC-355	56	SD 200-900	79	TOWER-V-EC-400	58
FC-200	78	ISO-MIX-EC-200	15	PRIMO-EC-355-FR1	83	SD 250-600	79	TOWER-V-EC-450	58
FC-250	78	ISO-MIX-EC-200	56	PRIMO-EC-355-MAX	56	SD 250-900	79	TOWER-V-EC-500	58
FC-315	78	ISO-MIX-EC-250	15	PRIMO-EC-355-MAX-FR1	83	SD 315-600	79	TOWER-V-EC-560	58
FC-355	78	ISO-MIX-EC-250	56	PRIMO-EC-400	56	SD 315-900	79	TRIO 100	13
FDDS-100	75	ISO-MIX-EC-315	15	PRIMO-EC-400-FR1	83	SD 400/900	79	TRIO 100 H	13
FDDS-110-54	75	ISO-MIX-EC-315	56	PRIMO-ISO-200-W	83	SLOT-LINE-1000112	61	TRIO 100 T	13
FDDS-125	75	ISO-RB EC 100	15	PRIMO-ISO-250-W	83	SLOT-LINE-1000118	61	TRIO 150	13
FDDS-150	75	ISO-RB EC 100	57	PRIMO-ISO-EC-200-FR1	83	SLOT-LINE-1000212	61	TRIO 150 H	13
FDDS-204-60	75	ISO-RB EC 150	15	PRIMO-ISO-EC-250-FR1	83	SLOT-LINE-1000218	61	TRIO 150 T	13
FDDS-220-90	75	ISO-RB EC 150	57	RB 100-45	74	SLOT-LINE-1000318	61	TSZ-120-100	79
FDDS-75	73	ISO-RB EC 200	15	RB 100-90	74	SLOT-LINE-1250112	61	TSZ-120-125	79
FF-FRE-100	62	ISO-RB EC 200	57	RB 125-45	74	SLOT-LINE-1250118	61	TSZ-120-150	79
FF-FRE-125	62	ISO-RB-100	15	RB 125-90	74	SLOT-LINE-1250212	61	TSZ-120-200	79
FF-FRE-150	62	ISO-RB-100	56	RB 150-45	74	SLOT-LINE-1250218	61	TSZ-120-250	79
FF-FRE-200	62	ISO-RB-125	15	RB 150-90	74	SLOT-LINE-1250318	61	TSZ-120-315	79
FF-FRS-100	62	ISO-RB-125	56	RC-125-100	79	SLOT-LINE-625112	61	TSZ-90-100	79
FF-FRS-125	62	ISO-RB-125-MAX	15	RC-150-100	79	SLOT-LINE-625118	61	TSZ-90-125	79
FF-FRS-150	62	ISO-RB-125-MAX	56	RC-150-125	79	SLOT-LINE-625212	61	TSZ-90-150	79
FF-FRS-200	62	ISO-RB-150	15	RC-160-125	79	SLOT-LINE-625218	61	TSZ-90-315	79
FK 110X55-1	76	ISO-RB-150	56	RC-160-150	79	SLOT-LINE-BB-1000125	61	TUBO-U-100	16
FK 110X55-1.5	76	ISO-RB-160	15	RC-200-100	79	SLOT-LINE-BB-1000125-3	61	TUBO-U-100 T	16
FK 204X60-1	76	ISO-RB-160	56	RC-200-125	79	SLOT-LINE-BB-1000160	61	TUBO-U-125	16
FK 204X60-1.5	76	ISO-RB-200	15	RC-200-150	79	SLOT-LINE-BB-1000160-3	61	TUBO-U-125 T	16
FK 220X90-1	76	ISO-RB-200	56	RC-250-125	79	SLOT-LINE-BB-100075	61	TUBO-U-150	16
FK 220X90-1.5	76	ISO-RB-250	15	RC-250-150	79	SLOT-LINE-BB-1250125	61	TUBO-U-150 T	16
FKB 110X55	76	ISO-RB-250	56	RC-250-200	79	SLOT-LINE-BB-1250125-3	61	TURBO-100	16
FKB 204X60	76	ISO-RB-315-MAX	15	RC-315-200	79	SLOT-LINE-BB-1250160	61	TURBO-100	56
FKB 220X90	76	ISO-RB-315-MAX	56	RC-315-250	79	SLOT-LINE-BB-1250160-3	61	TURBO-100-T	16
FKH 110X55	77	ISO-RB-355	15	RH 100	75	SLOT-LINE-BB-125075	61	TURBO-100-T	56
FKH 204X60	77	ISO-RB-355	56	RH 125	75	SLOT-LINE-BB-625125	61	TURBO-125	16
FKH 220X90	77	ISO-RB-400	15	RH 150	75	SLOT-LINE-BB-625125-3	61	TURBO-125	56
FKT 110X55	76	ISO-RB-400	56	RH 200	75	SLOT-LINE-BB-625160	61	TURBO-125-T	16
FKT 204X60	76	ISO-RB-450 L	15	RH-1200-HE-S25-L	49	SLOT-LINE-BB-625160-3	61	TURBO-125-T	56
FKT 220X90	77	ISO-RB-450 L	56	RH-1200-HE-S25-R	49	SLOT-LINE-BB-62575	61	TURBO-150	16
FKV 110X55	77	ISO-RB-500	15	RH-1200-HW-S25-L	49	SMART IR WIFI - BLACK SAPPHIRE	11	TURBO-150	56
FKV 204X60	77	ISO-RB-500	56	RH-1200-HW-S25-R	49	SMART IR WIFI - GRAPHITE GREY	11	TURBO-150-T	16
FKV 220X90	77	ISO-V 355 4D	57	RH-1200-S25-L	49	SMART IR WIFI - ICE WHITE	11	TURBO-150-T	56
FKVK 110X55	76	ISO-V 355 4E	57	RH-1200-S25-R	49	SMART IR WIFI - RUBY-RED	11	TURBO-200	16
FKVK 204X60	76	ISO-V 400 4D	57	RH-1500-HE-S25-L	49	SMART IR WIFI - SILVER	11	TURBO-200	56
FKVU 110X55	76	ISO-V 400 4E	57	RH-1500-HE-S25-R	49	SMART WIFI - BLACK SAPPHIRE	11	TURBO-200-T	16
FKVU 204X60	76	ISO-V 450 4D	57	RH-1500-HW-S25-L	49	SMART WIFI - GRAPHITE GREY	11	TURBO-200-T	56
FKVU 220X90	76	ISO-V 450 4E	57	RH-1500-HW-S25-R	49	SMART WIFI - ICE WHITE	11	TURBO-250	16
FKW 110X55	76	ISO-V 500 4D	57	RH-1500-S25-L	49	SMART WIFI - RUBY RED	11	TURBO-250	56
FKW 204X60	76	ISO-V 500 4E	57	RH-1500-S25-R	49	SMART WIFI - SILVER	11	TURBO-250-T	16
FKW 220X90	76	ISO-V 560 4D	57	RH-2500-HE-S25-L	49	SONO-SHINE-102-10	78	TURBO-250-T	56
FKWU 110X54	77	ISO-V 560 6D	57	RH-2500-HE-S25-R	49	SONO-SHINE-127-10	78	TURBO-315	16
FKWU 204X60	77	ISO-V 630 4D	57	RH-2500-HW-S25-L	49	SONO-SHINE-152-10	78	TURBO-315	56
FKWU 220X90	77	ISO-V 630 4D MAX	57	RH-2500-HW-S25-R	49	SONO-SHINE-203-10	78	TURBO-315-T	16
FM-100	79	ISO-V 630 6D	57	RH-2500-S25-L	49	SONO-SHINE-254-10	78	TURBO-315-T	56
FM-125	79	ISO-V 710 6D	57	RH-2500-S25-R	49	SONO-SHINE-315-10	78	TURBO-E-100	16
FM-150	79	ISO-V-EC-315	57	RH-3500-HE-S25-L	49	SR-125-75X06-01	71	TURBO-E-100-T	16
FM-200	79	ISO-V-EC-355	57	RH-3500-HE-S25-R	49	SR-125-75X06-02	71	TURBO-E-125	16
FM-250	79	ISO-V-EC-400	57	RH-3500-HW-S25-L	49	SR-125-75X06-03	71	TURBO-E-125-T	16
FM-315	79	ISO-V-EC-450	57	RH-3500-HW-S25-R	49	SR-125-75X2-01	71	TURBO-E-150	16
FORCE 100	13	ISO-V-EC-500	57	RH-3500-S25-L	49	SR-125-75X6-51P-K	70	TURBO-E-150-T	16
FORCE 100 12	13	ISO-V-EC-560	57	RH-3500-S25-R	49	SR-125-90X6 51P-K	70	TURBO-EC-100	15
FORCE 100 H	13	ISO-V-EC-630	57	RH-5000-HE-S25-L	49	SR-125-90X6-50P-K	70	TURBO-EC-100	56
FORCE 100 IR	13	K 100 ZN	74	RH-5000-HE-S25-R	49	SR-150-75X10-01	71	TURBO-EC-125	15
FORCE 100 S	13	K 125 ZN	74	RH-5000-HW-S25-L	49	SR-150-75X12-51P-K	70	TURBO-EC-125	56
FORCE 100 ST	13	K 150 ZN	74	RH-5000-HW-S25-R	49	SR-150-75X8 51P-K	70	TURBO-EC-150	15
FORCE 100 T	13	K 250 ZN	74	RH-5000-S25-L	49	SR-150-75X8-01	71	TURBO-EC-150	56
FP-220-400-47-C	39	K 315 ZN	74	RH-5000-S25-R	49	SR-150-75X8-50P-K	70	TURBO-EC-200	15
FP-220-400-47-F8	39	K 370/100 N	74	RH-6000-HE-S25-L	49	SR-150-90X12-50P-K	70	TURBO-EC-200	56
FP-220-400-47-G4	39	KFBK-100-G4	79	RH-6000-HE-S25-R	49	SR-150-90X8-50P-K	70	TURBO-EC-250	15
FP-220-400-47-H13	39	KFBK-125-G4	79	RH-6000-HW-S25-L	49	SR-150-90X8-51P-K	70	TURBO-EC-250	56
FP-270-425-47-C	39	KFBK-150-G4	79	RH-6000-HW-S25-R	49	SR-160-75X10-01	71	TURBO-EC-315	15
FP-270-425-47-F8	39	KFBK-200-G4	79	RH-6000-S25-L	49	SR-160-75X12-01	71	TURBO-EC-315	56
FP-270-425-47-G4	39	KFBK-250-G4	79	RH-6000-S25-R	49	SR-160-75X12-50P-K	70	TVRL-100	75
FP-270-425-47-H13	39	KFBK-315-G4	79	RH-800-HE-S25-L	49	SR-160-75X12-51P-K	70	TVRL-125	75
FP-270-590-47-C	39	KIT DUCTO 100-1	13	RH-800-HE-S25-R	49	SR-160-75X8-01	71	TVRL-150	75
FP-270-590-47-F8	39	KIT DUCTO 100-2 LED	13	RH-800-HW-S25-L	49	SR-160-75X8-02	71	TVRL-160	75
FP-270-590-47-G4	39	KIT-TUBO-100-T-DPR	13	RH-800-HW-S25-R	49	SR-160-75X8-50P-K	70	TVRL-200	75
FP-270-590-47-H13	39	KIT-TUBO-100-T-LED	13	RH-800-S25-L	49	SR-160-75X8-51P-K	70	TWINBOX-EC-150	57
FP-VENTO-EXPERT-A50-F7	28	KIT-TURBO-E-100-T-DPR	13	RH-800-S25-R	49	SR-160-90X12-50P-K	70	TWINBOX-EC-200	57
FQZ-100	78	KIT-TURBO-E-100-T-LED	13	RR 100-0.35	74	SR-160-90X8-50P-K	70	TWINBOX-EC-250	57
FQZ-125	78	KOMFORT-EC-D5B-180-S14	34	RR 100-0.5	74	SR-160-90X8-51P-K	70	TWINBOX-EC-315	57
FQZ-150	78	KOMFORT-EC-DB-160-S25-L	44	RR 100-1	74	SR-200-75X10-01	71	TWINBOX-EC-355	57
FQZ-200	78	KOMFORT-EC-DB-160-S25-R	44	RR 100-1.5	74	SR-200-75X12-50P-K	70	TWINBOX-EC-400	57
FQZ-250	78	KOMFORT-EC-DB-250-S25-L	44	RR 100-2	74	SR-200-75X15-01	71	UPS 100-110X55	77
FQZ-315	78	KOMFORT-EC-DB-250-S25-R	44	RR 125-0.35	74	SR-200-90X12-50P-K	70	UPS 125-204X60	77
FQZ-355	78	KOMFORT-EC-DB-350-S25-L	44	RR 125-0.5	74	SR-200-90X8-50P-K	70	UPS 150-220X90	77
FRESHBOX 100 E WIFI	27	KOMFORT-EC-DB-350-S25-R	44	RR 125-1	74	SR-200-90X8-51P-K	70	US-90 100-110X55	77
FRESHBOX 100 E1 WIFI	27	KOMFORT-EC-DBE-300-S25-L	44	RR 125-1.5	74	STL-10	18	US-90 100-204X60	77
FRESHBOX 100 E2 WIFI	27	KOMFORT-EC-DBE-300-S25-R	44	RR 125-2	74	STL-3	18	US-90 125-204X60	77
FRESHBOX 100 WIFI	27	KOMFORT-EC-DBE-550-S25-L	44	RR 150-0.35	74	STL-6	18	US-90 125-220X90	77
FRESHER 50	15	KOMFORT-EC-DBE-550-S25-R	44	RR 150-0.5	74	STR-1-1.5	18	US-90 150-204X60	77
FRT 100-110X55	76	KOMFORT-EC-DBE-900-S25-L	44	RR 150-1	74	STR-1-10	18	US-90 150-220X90	77
FRV 100-110X54	77	KOMFORT-EC-DBE-900-S25-R	44	RR 150-1.5	74	STR-1-2.2	18	VENTO AH-S-WHITE-100	28
FS1	42	KOMFORT-EC-DBW-550-S25-L	44	RR 150-2	74	STR-1-3.5	18	VENTO AH-S-WHITE-160	28
FS2	42	KOMFORT-EC-DBW-550-S25-R	44	RR 200-0.5	74	STR-1-5.0	18	VENTO AH-S-WHITE-160-DUO	28
GRM-285	57	KOMFORT-EC-DBW-900-S25-L	44	RR 200-1	74	STR-1-7.5	18	VENTO-DUO-AIR-BLK	25
GRM-335	57	KOMFORT-EC-DBW-900-S25-R	44	RR 200-1.5	74	STRS-1-1.5	18	VENTO-DUO-AIR-BRO	25
GRM-385	57	KOMFORT-EC-LB-300-S25	35	RRT 100	75	STRS-1-10	18	VENTO-DUO-AIR-CS	25
GRM-435	57	KOMFORT-EC-LB-400-S25	35	RRT 125	75	STRS-1-13	18	VENTO-DUO-AIR-GRY	25
GRM-485	57	KOMFORT-EC-LB-700-S25	35	RRT 150	75	STRS-1-2.2	18	VENTO-DUO-AIR-TER	25
HM-260-165-SS	65	KOMFORT-EC-LBE-300-S25	35	RS 100-125	74	STRS-1-3.5	18	VENTO-DUO-AIR-WHI	25
HM-260-240-SS	65	KOMFORT-EC-LBE-400-S25	35	RS 150-100	74	STRS-1-5.0	18	VENTO-MAXI-AIR-BLK	25
HM-260-90-SS	65	KOMFORT-EC-LBE-700-S25	35	RS 150-125	74	STRS-1-7.5	18	VENTO-MAXI-AIR-BRO	25
IN-WAVE-100-125	15	KOMFORT-EC-S5B-270-S14	34	RS 200-150	74	STRS-4-1.5	18	VENTO-MAXI-AIR-CS	25
IN-WAVE-100-125	56	KOMFORT-EC-SB-160	35	RS 80-150	74	STRS-4-11	18	VENTO-MAXI-AIR-GRY	25
IN-WAVE-150	15	KOMFORT-EC-SB-250	35	RTR 100-0.35-0.5	75	STRS-4-14	18	VENTO-MAXI-AIR-TER	25
IN-WAVE-150	56	KOMFORT-EC-SB-350	35	RTR 125-0.35-0.5	75	STRS-4-2.5	18	VENTO-MAXI-AIR-WHI	25
IN-WAVE-EC-100-125	15	KOMFORT-EC-SB-550	35	RTR 150-0.35-0.5	75	STRS-4-4.0	18	VENTO-MIDI-AIR-BLK	24
IN-WAVE-EC-100-125	56	KZ-100	79	RTR-100-0.5-1	75	STRS-4-6.0	18	VENTO-MIDI-AIR	

Blauberg Group

News from around the World

Germany upgrades - new injection moulding machines.

Blauberg's production equipment is regularly upgraded. Recently, we have commissioned nine new injection moulding machines.

By commissioning new machines, Blauberg's production capacity increases. This also enables Blauberg to meet more complex production demands.

One injection moulding machine in particular has unique features: it allows Blauberg to manufacture larger products. This machine is currently involved in producing large plastic casings for Blauberg Primo inline mixed-flow fans, weighing up to 4.5kg.

Every new injection machine is connected to a unified information network with Wi-Fi access. This allows Blauberg to centralise and manage all machines in line with production plans and objectives, creating more flexibility in the production process.



Blauberg Reneo-Fit unit Wins the prestigious design award at ISH 2023

The new product from Blauberg Ventilatoren has **won a prestigious Design Plus powered by ISH award**. Reneo-Fit is a compact-size ceiling-mounted air handling unit with counter-flow heat exchanger in a designer heat- and sound-insulated EPP casing demonstrating air for performance up to 100 m3/h. **Available to purchase on page 34.**



Terms and Conditions

Terms and conditions for the supply of goods and services

1. Interpretation

The following definitions and rules of interpretation apply in these Conditions.

11 Definitions:

Business Day: a day other than a Saturday, Sunday or public holiday in England, when banks in London are open for business.

Business Hours: the period from 9.00 am to 5.00 pm on any Business Day. Conditions: these terms and conditions as amended from time to time in accordance with clause 16.8.

Contract: the contract between us and you for the supply of Goods and/or Services in accordance with these Conditions.

Control: has the meaning given in section 1124 of the Corporation Tax Act 2010, and the expression change of Control shall be interpreted accordingly.

Delivery Location: the delivery location set out in the Order or such other location as you and we may agree in writing.

Force Majeure Event: any cause affecting, preventing or hindering the performance by us of our obligations under the Contract arising from acts, events, omissions or non-events beyond our reasonable control, including, without limitation, acts of God, epidemics, pandemics, riots, war, acts of terrorism, fire, flood, storm or earthquake and any disaster, any labour or trade dispute, strikes, industrial action or lockouts, non-performance by suppliers or subcontractors and interruption or failure of any utility service.

Goods: the goods (or any part of them) set out in the Order.

Order: your order for the supply of Goods and/or Services, however placed and whether set out in your purchase order form, your written acceptance of our quotation or otherwise.

Services: the design, installation, assembly or other services (if any) to be supplied by us to you under the Contract, as set out in our quotation, the Order or any Specification.

Specification: any specification for the Goods and/or Services, including any relevant plans or drawings, that is agreed in writing by you and us.

Warranty Period: the period of 12 months from delivery of the Goods (or such other period as we state in writing in respect of the relevant Goods, whether in our quotation, the Specification or otherwise).

we, us: Blauberg UK Limited, a limited company incorporated and registered in England and Wales with company number 03728160 whose registered office is at Unit E, 99 Boston Road, Beaumont Leys, Leicester LE4 1AW.

you: the person or firm who purchases the Goods and/or Services from us.

12 Interpretation:

(a) A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality).

(b) A reference to a party includes its personal representatives, successors and permitted assigns.

(c) A reference to legislation or a legislative provision is a reference to it as amended or re-enacted. A reference to legislation or a legislative provision includes all subordinate legislation made under that legislation or legislative provision.

(d) Any words following the terms including, include, in particular, for example or any similar expression shall be interpreted as illustrative and shall not limit the sense of the words preceding those terms.

(e) A reference to writing or written includes email.

2. Basis of contract

21 Your Order constitutes an offer by you to purchase Goods and/or Services in accordance with these Conditions.

22 Your Order shall only be deemed to be accepted when we issue written acceptance of the Order at which point and on which date the Contract shall come into existence.

23 Any samples, drawings, descriptive matter or advertising issued by us and any descriptions of the Goods or illustrations or descriptions of the Services contained in our website or brochures are issued or published for the sole purpose of giving an approximate idea of the Services and/or Goods described in them. They shall not form part of the Contract nor have any contractual force.

24 Save as otherwise agreed by us in writing, these Conditions apply to the Contract to the exclusion of any other terms that you seek to impose or incorporate, or which are implied by law, trade custom, practice or course of dealing.

25 Any quotation given by us shall not constitute an offer capable of acceptance.

26 All Goods are provided on a supply-only basis and we do not provide installation, assembly, placement or commissioning Services unless expressly stated in our quotation or in the relevant Specification.

27 Save as otherwise set out in these Conditions, you may not cancel your Order or return any Goods without our prior written consent. We shall give or withhold such consent at our sole discretion and if given, you acknowledge that it may be contingent on you indemnifying us in full against all costs and expenses incurred by us resulting from such cancellation or return of Goods. All Goods shall be returned at your risk and expense and will be subject to inspection and testing.

28 All of these Conditions shall apply to the supply of both Goods and Services except where application to one or the other is specified.

29 You waive any right you might otherwise have to rely on any term endorsed upon, delivered with or contained in any of your documents that is inconsistent with these Conditions.

3. Goods

31 The Goods are as described on our website or quotation (as modified by any applicable Specification).

32 Where we provide any advice in respect of the choice of Goods, we do so on the basis of information supplied by you. The use of and reference to, drawings, data sheets, specifications, calculations, samples, or other information provided to us by you or any nominated third party, shall not relieve you of your liabilities with regard to ensuring the accuracy, integrity, suitability and general fitness for purpose of this information and its subsequent use.

33 Where applicable, it is your responsibility to seek approval from the appropriate authorities, regulatory bodies or other third parties for the proposed design concept and ventilation strategy prior to placing the Order. You shall ensure the selected Goods and design are fit for purpose and meet all regulatory, legislative, and specified requirements for the proposed application.

34 We reserve the right to amend the Specification of the Goods if required by any applicable statutory or regulatory requirement, and we shall notify you in any such event.

4. Delivery of Goods

4.1 We shall deliver the Goods to the Delivery Location.

4.2 Delivery of the Goods shall be completed on the completion of unloading of the Goods at the Delivery Location. Unless agreed otherwise by us in writing, you shall be responsible for all unloading of the Goods and shall provide such equipment (including hoists, cranes and/or forklifts) as is reasonably required.

4.3 We shall use our reasonable endeavours to deliver the Goods at the date and time agreed in writing with you, but any dates and times quoted for delivery of the Goods are approximate only and (unless we agree otherwise in writing) we shall have no liability to you whatsoever for any delay in delivery of the Goods (including but not limited to any costs incurred by you in relation to the re-booking of cranes, forklifts or other equipment).

4.4 If we fail to deliver the Goods, our liability shall be limited to the costs and expenses incurred by you in obtaining replacement goods of similar description and quality in the cheapest market available, less the price of the Goods. We shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or your failure to provide us with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.

4.5 If you are unable to accept delivery of the Goods at the time we attempt delivery (whether as a result of site access issues, the non-availability of cranes or forklifts, the non-availability of your personnel to sign-off receipt or otherwise) then:

(a) if we (or our delivery subcontractor) agree to wait on site until delivery can be completed, you shall reimburse us for all costs and expenses we incur as a result of such waiting time; or

(b) we shall otherwise store the Goods until actual delivery takes place, and charge you for all related costs and expenses (including insurance, storage costs and costs of re-delivery).

4.6 If we have been unable to re-deliver the Goods ten Business Days after

the day on which we first attempted their delivery, we may resell or otherwise dispose of part or all of the Goods and charge you for any shortfall below the price of the Goods (in addition to the costs and expenses referred to at clause 4.5).

4.7 If we deliver up to and including 5% more or less than the quantity of Goods ordered you may not reject them, but on receipt of evidence satisfactory to us that the wrong quantity of Goods was delivered, we shall make a pro rata adjustment to the invoice for the Goods. If you or your representatives have signed a delivery note we shall be entitled to assume the correct quantity of Goods was delivered.

4.8 We may deliver the Goods by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate contract. Any delay in delivery or defect in an instalment shall not entitle you to cancel any other instalment.

4.9 You may not return any packaging to us without our prior written consent. Any such return shall be at your risk and expense.

4.10 Where the Goods are exported outside the UK, unless otherwise agreed by us you shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and for the payment of any duties thereon or licences in connection therewith. Sections 32(2) and 32(3) of the Sale of Goods Act 1979 are excluded from the Contract.

5. Quality of Goods

51 We warrant that on delivery, and for the Warranty Period, the Goods shall: (a) conform in all material respects with their description and any applicable Specification; and

(b) be free from material defects in design, material and workmanship.

52 Subject to clause 53, if:

(a) you give notice in writing to us during the Warranty Period and within two days of the time when you discover (or ought to have discovered) that some or all of the Goods do not comply with the warranty set out in clause 51;

(b) we are given a reasonable opportunity of examining such Goods; and

(c) you (if asked to do so by us) return such Goods to our place of business, we shall, at our option, repair or replace the defective Goods, or refund the price of the defective Goods in full, and we shall refund your reasonable costs of returning the Goods to us (where requested by us).

53 We shall not be liable for the Goods' failure to comply with the warranty set out in clause 51 if:

(a) you make any further use of such Goods after giving a notice in accordance with clause 52;

(b) the defect arises because you failed to follow our oral or written instructions (or those provided by the relevant manufacturer) as to the storage, installation, commissioning, use or maintenance of the Goods or (if there are none) good trade practice regarding the same;

(c) the defect arises because the Goods were supplied in modular or flat-pack form and you failed to assemble the Goods correctly in accordance with the instructions supplied;

(d) the defect arises as a result of us following any drawing, design or specification supplied by you;

(e) you alter or repair such Goods without our written consent;

(f) the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal working conditions;

(g) the Goods differ from their description or the Specification as a result of changes made to ensure they comply with applicable statutory or regulatory requirements; or

(h) you are in material breach of any of your obligations under the Contract.

54 Except as provided in this clause 5, we shall have no liability to you in respect of the Goods' failure to comply with the warranty set out in clause 51.

55 These Conditions shall apply to any repaired or replacement Goods supplied by us for the unexpired period of the Warranty Period.

6. Title and risk

61 The risk in the Goods shall pass to you:

(a) where you (or your subcontractors or other representatives) unload the Goods, immediately on commencement of unloading; and

(b) otherwise on completion of delivery (including for the avoidance of doubt, even if we have agreed to install or assemble the Goods on site after their delivery),

and you shall be responsible for insuring the Goods against all reasonable risks and (particularly where they are located outside) securing them against theft, damage and adverse weather conditions.

62 Title to the Goods shall not pass to you until the earlier of:

(a) us receiving payment in full (in cash or cleared funds) for the Goods; and

(b) you reselling the Goods, in which case title to the Goods shall pass to you at the time specified in clause 6.4.

63 Until title to the Goods has passed to you, you shall:

(a) store the Goods separately from all other goods held by you so that they remain readily identifiable as our property;

(b) not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;

(c) maintain the Goods in satisfactory condition and keep them insured against all risks for their full price on our behalf from the date of delivery;

(d) notify us immediately if you become subject to any of the events listed in clause 13(b) to clause 13(d); and

(e) give us such information as we may reasonably require from time to time relating to:

(i) the Goods; and

(ii) your ongoing financial position.

64 Subject to clause 6.5, you may resell or use the Goods in the ordinary course of your business (but not otherwise) before we receive payment for the Goods. However, if you resell the Goods before that time:

(a) you do so as principal and not as our agent; and

(b) title to the Goods shall pass from us to you immediately before the time at which resale by you occurs.

65 At any time before title to the Goods passes to you, we may:

(a) by notice in writing, terminate your right under clause 6.4 to resell the Goods or use them in the ordinary course of your business; and

(b) require you to deliver up all Goods in your possession that have not been resold, or irrevocably incorporated into another product and if you fail to do so promptly, enter any of your premises or the premises of any third party where the Goods are stored in order to recover them.

7. Supply of Services

71 We shall supply the Services to you in accordance with the relevant Specification in all material respects.

72 We shall use our reasonable endeavours to meet any performance dates for the Services agreed in writing with you, but any such dates shall be estimates only and (unless we agree otherwise in writing) we shall have no liability to you whatsoever for any delay in performance of the Services.

73 We reserve the right to amend the Specification if necessary to comply with any applicable law or regulatory requirement, or if the amendment will not materially affect the nature or quality of the Services, and we shall notify you in any such event.

74 We warrant to you that the Services will be provided using reasonable care and skill.

8. Your obligations

81 You shall:

(a) ensure that the terms of the Order and any information you provide (whether in the Specification or otherwise) are complete and accurate;

(b) co-operate with us in all matters relating to the Services;

(c) provide us, our employees, agents, consultants and subcontractors, with access to your premises and other facilities as reasonably required by us to provide the Services;

(d) provide us with such information and materials as we may reasonably require in order to supply the Services, and ensure that such information is complete and accurate in all material respects;

(e) where applicable, at your own cost and in advance of delivery, obtain and maintain all statutory or regulatory consents, approvals, permits or licences required to facilitate delivery and offloading, including unrestricted site access or street closures and shall arrange relevant safety equipment, banksmen or other personnel as are reasonably necessary to enable us to deliver the Goods or perform the Services;

(f) comply with all applicable laws, including health and safety laws; and

(g) comply with any additional obligations as set out in the Specification.

8.2 If we have agreed in writing to commission any Goods:

(a) you must:

(i) ensure that they are first installed as per any supplier installation instructions (or if there are none, good trade practice);

(ii) connect them to electrical power (using a qualified electrician where appropriate);

(iii) provide us with all required access to carry out commissioning; and

(iv) comply with any other instructions or pre-requisites we notify to you in respect of such commissioning; and

(b) if, as part of such commissioning, we agree to configure the Goods to work with equipment supplied by third parties (Third Party Equipment):

(i) the Third Party Equipment must be compatible with the Goods, set up correctly, wired, working and connected correctly to the Goods;

(ii) our commissioning is limited to testing and demonstrating solely that the Goods work; and

(iii) our commissioning does not include the setting up of any Third Party Equipment (whether or not connected to the Goods).

8.3 If our performance of any of our obligations under the Contract is prevented or delayed by any act or omission by you or failure by you to perform any relevant obligation (Customer Default):

(a) without limiting or affecting any other right or remedy available to us, we shall have the right to suspend delivery of Goods or performance of the Services until you remedy the Customer Default, and to rely on the Customer Default to relieve us from the performance of any of our obligations in each case to the extent the Customer Default prevents or delays our performance of any of our obligations;

(b) we shall not be liable for any costs or losses sustained or incurred by you arising directly or indirectly from our failure or delay to perform any of our obligations as set out in this clause 8.3; and

(c) you shall reimburse us on written demand for any costs or losses sustained or incurred by us arising directly or indirectly from the Customer Default.

9. Charges and payment

91 The price for the Goods and/or Services:

(a) shall be the price set out in the Order or (if applicable) our quotation or, if no price is quoted, the price set out in our published price list as at the date of delivery; and

(b) (unless agreed otherwise by us in writing) shall be exclusive of all costs and charges of the packaging, insurance and transport of any Goods, which shall be invoiced to you.

92 We reserve the right to increase the price of the Goods or Services, by giving notice to you at any time before delivery, to reflect any increase in the cost of the Goods or Services to us that is due to

(a) any factor beyond our control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);

(b) any request by you to change the delivery date(s), quantities or types of Goods ordered, or the Specification; or

(c) any delay caused by any of your instructions in respect of the Goods or Services or your failure to give us adequate or accurate information or instructions in respect of the Goods or Services.

93 We may agree payment terms with you in writing and in which case, we shall invoice you in accordance with such agreed payment terms and you shall pay each invoice submitted by us in accordance with those agreed payment terms. We may withdraw any agreed payment terms at any time and require immediate payment for the Goods and/or Services if you are in material breach of the Contract or we have reasonable grounds to suspect your financial position has deteriorated.

94 Where no payment terms have been agreed with you in writing, we shall be entitled to invoice you at the time of your Order and all invoices shall be payable by you within 30 days of receipt .

95 You shall pay each invoice submitted by us in full and in cleared funds to a bank account nominated in writing by us and time for payment shall be of the essence of the Contract.

96 All amounts payable by you under the Contract are exclusive of amounts in respect of value added tax chargeable from time to time (VAT). Where any taxable supply for VAT purposes is made under the Contract by us to you, you shall, on receipt of a valid VAT invoice from us, pay to us such additional amounts in respect of VAT as are chargeable on the supply of the Services or Goods at the same time as payment is due for the supply of the Services or Goods.

97 If you fail to make a payment due to us under the Contract by the due date, then, without limiting our remedies under clause 13, you shall pay interest on the overdue sum from the due date until payment of the overdue sum, whether before or after judgment, together with all costs (including legal costs) incurred by us in respect of enforcement of the debt. Interest under this clause 9.7 will accrue at the rate prescribed under the Late Payment of Commercial Debts (Interest) Act 1998.

9.8 All amounts due to us under the Contract shall be paid in full without any set-off, counterclaim, deduction or withholding (other than any deduction or withholding of tax as required by law).

10. Intellectual property rights

10.1 All intellectual property rights of any kind in or arising out of or in connection with the Goods and Services (other than intellectual property rights in any materials provided by you) shall be owned by us or our licensors.

10.2 We grant to you, or shall procure the direct grant to you of, a fully paid-up, worldwide, non-exclusive, royalty-free perpetual and irrevocable licence to use any materials supplied by us for the purpose of receiving and using the Goods and/or Services.

10.3 You grant us a fully paid-up, non-exclusive, royalty-free non-transferable licence to copy and modify any materials provided by you to us for the purpose of providing the Goods and/or Services to you.

11. Confidentiality

11.1 Each party undertakes that it shall not at any time disclose to any person any confidential information concerning the business, assets, affairs, customers, clients or suppliers of the other party or of any member of the group of companies to which the other party belongs, except as permitted by clause 11.2.

11.2 Each party may disclose the other party's confidential information:

(a) to its employees, officers, representatives, contractors or subcontractors or advisers who need to know such information for the purposes of exercising the party's rights or carrying out its obligations under or in connection with the Contract. Each party shall ensure that its employees, officers, representatives or advisers to whom it discloses the other party's confidential information comply with this clause 11; and

(b) as may be required by law, a court of competent jurisdiction or any governmental or regulatory authority.

11.3 No party shall use any other party's confidential information for any purpose other than to exercise its rights and perform its obligations under or in connection with the Contract.

12. Limitation of liability

12.1 The limits and exclusions in this clause reflect the insurance cover we have been able to arrange. You agree that you are in a better position to foresee and evaluate any loss you may suffer in connection with the Contract and that the commercial terms of the Contract have been calculated on the basis of the limitations and exclusions in this clause 12. Accordingly you are responsible for making your own arrangements for the insurance of any excess loss having regard to your particular circumstances and the terms of the Contract.

12.2 The restrictions on liability in this clause 12 apply to every liability arising under or in connection with the Contract including liability in contract, tort (including negligence), misrepresentation, restitution or otherwise.

12.3 Nothing in the Contract limits any liability which cannot legally be limited, including liability for:

(a) death or personal injury caused by negligence;

(b) fraud or fraudulent misrepresentation;

(c) breach of the terms implied by section 12 of the Sale of Goods Act 1979 or section 2 of the Supply of Goods and Services Act 1982 (title and quiet possession); and

(d) defective products under the Consumer Protection Act 1987.

12.4 Subject to clause 12.3, our total liability to you shall not exceed the total price payable by you for the Goods and/or Services under the Contract.

12.5 Subject to clause 12.3, we shall have no liability whatsoever to you for:

(a) loss of profits;

(b) loss of sales or business;

(c) loss of agreements or contracts;

(d) loss of anticipated savings;

(e) loss of use or corruption of software, data or information;

(f) loss of or damage to goodwill; or

(g) indirect or consequential loss.

12.6 We have given commitments as to compliance of the Goods and Services with relevant specifications in clause 5 and clause 7. In view of these commitments, the terms implied by sections 13 to 15 of the Sale of Goods Act 1979 and sections 3, 4 and 5 of the Supply of Goods and Services Act 1982 are, to the fullest extent permitted by law, excluded from the Contract.

12.7 This clause 12 shall survive termination of the Contract.

13. Termination

13.1 Without affecting any other right or remedy available to it, either party may terminate the Contract with immediate effect by giving written notice to the other party if:

(a) the other party commits a material breach of its obligations under the Contract and (if such breach is remediable) fails to remedy that breach within 30 days after receipt of notice in writing to do so;

(b) the other party takes any step or action in connection with it entering administration, provisional liquidation or any composition or arrangement with its creditors (other than in relation to a solvent restructuring), obtaining a moratorium, being wound up (whether voluntarily or by order of the court, unless for the purpose of a solvent restructuring), having a receiver appointed to any of its assets or ceasing to carry on business or, if the step or action is taken in another jurisdiction, in connection with any analogous procedure in the relevant jurisdiction;

(c) the other party suspends, or threatens to suspend, or ceases or threatens to cease to carry on all or a substantial part of its business; or

(d) the other party's financial position deteriorates so far as to reasonably justify the opinion that its ability to give effect to the terms of the Contract is in jeopardy.

13.2 Without affecting any other right or remedy available to us, we may terminate the Contract with immediate effect by giving written notice to you if:

(a) you fail to pay any amount due under the Contract (or under any other contract between us) on the due date for payment; or

(b) there is a change of Control of you.

13.3 Without affecting any other right or remedy available to us, we may suspend the supply of Services or all further deliveries of Goods under the Contract or any other contract between you and us if you fail to pay any amount due under the Contract on the due date for payment, you become subject to any of the events listed in clause 13(b) to clause 13(d), or we reasonably believe that you are about to become subject to any of them.

14. Consequences of termination

14.1 On termination of the Contract:

(a) you shall immediately pay to us all of our outstanding unpaid invoices and interest and, in respect of Goods and Services supplied but for which no invoice has been submitted, we shall submit an invoice, which shall be payable by you immediately on receipt; and

(b) you shall return any Goods which have not been fully paid for. If you fail to do so, then we may enter your premises and take possession of them. Until they have been returned, you shall be solely responsible for their safe keeping and will not use them for any purpose not connected with this Contract.

14.2 Termination or expiry of the Contract shall not affect any rights, remedies, obligations and liabilities of the parties that have accrued up to the date of termination or expiry, including the right to claim damages in respect of any breach of the Contract which existed at or before the date of termination or expiry.

14.3 Any provision of the Contract that expressly or by implication is intended to have effect after termination or expiry shall continue in full force and effect.

15. Force majeure

We shall not be in breach of the Contract or otherwise liable for any failure or delay in the performance of our obligations if such delay or failure results from a Force Majeure Event. The time for performance of such obligations shall be extended accordingly.

16. General

16.1 Assignment and other dealings

(a) We may at any time assign, mortgage, charge, subcontract, delegate, declare a trust over or deal in any other manner with any or all of our rights and obligations under the Contract.

(b) You shall not assign, transfer, mortgage, charge, subcontract, delegate, declare a trust over or deal in any other manner with any of your rights and obligations under the Contract without our prior written consent.

16.2 Notices.


(a) Any notice given to a party under or in connection with the Contract shall be in writing and shall be:

(i) delivered by hand or by pre-paid first-class post or other next working day delivery service at its registered office (if a company) or its principal place of business (in any other case); or

(ii) sent by email to the following addresses (or an address substituted in writing by the party to be served):

us: sales@blauberg.co.uk

you: any email address you have used for placing orders with us or otherwise communicating with



BLAUBERG UK PART OF THE BLAUBERG GROUP

7

Factories in Europe

24

Branches in 15 countries
all around the world

100m+

Over 100 million fans
made by us

110

Number of Countries in which
our products are on sale

BLAUBERG GROUP MISSION

Create top-level ventilation systems for our customers to help improve their quality of living and living conditions by upholding high ventilation quality standards, focusing on long-term partnership and implementing state-of-the-art technology in line with the latest market trends.

VALUES / PRINCIPLES

Blauberg Group develops ventilation technology which complies with European and international standards and requirements specific to efficiency, reliability and safety. Continuous improvement of the entire process flow, stringent product quality assurance at each production step, active implementation of innovative technology and consistent improvement of consumer appeal of the products were the key elements of the group's strategy of earning international recognition and making the Blauberg Group brands stand for uncompromising quality.

RESPONSIBILITY

Blauberg Group offers a wide range of high-tech products made with certified health-friendly materials. While pushing the boundaries of technology we always put our customers, their comfort and safety first. However, our comprehensive approach also provides for consideration of other important factors such as environmental protection. This is why a significant share of our efforts is applied to developing innovative energy-efficient technology solutions to ensure a more rational use of natural resources and reduce carbon footprint.

RELIABILITY

All the Blauberg Group products undergo laboratory testing to guarantee their quality and reliability. Our customers can choose with confidence from a broad range of ventilation systems built in compliance with international standards and the claimed characteristics and offering a combination of lasting performance and performance characteristics that is hard to beat.

Blauberg UK, 99 Boston Road,
Beaumont Leys, Leicester, LE4 1AW

0116 216 0650
sales@blauberg.co.uk
www.blauberg.co.uk



To Get Your
Printed
Price List
Scan Here>

